

# DesignLights Consortium



Classification	Premium
Primary Use	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
Reported Input Wattage	150 W
Reported Light Output	21000 lm
Reported CCT	4000 K
Reported CRI (Ra)	80
Product ID	PLBLHQFF78C3
DLC Family Code	<a href="#">EMWAIJ</a>
Listing Status	Listed
Date Qualified	2021-10-15

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PLBLHQFF78C3
Manufacturer	SATCO Products Inc
Brand	SATCO/NUVO
Model Number	65/862
Parent	Yes
Classification	Premium
DLC Family Code	EMWAIJ
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	High Output
Primary Use Designation	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires

## CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Exterior Photocell, Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	21000 lm
Reported Efficacy (AC)	140 lm/W
Reported CCT	4000 K
Reported CRI (Ra)	80
Reported R9	12
Reported IES Rf	85
Reported IES Rg	96
Reported IES Rcs,h1	-11
Reported Default Light Output	21000 lm
Reported BUG Rating	B3 U2 G3

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	150 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Default Input Wattage	150 W
Voltage Range	277-480 V

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	20584 lm
Tested Efficacy (AC)	140.36 lm/W
Tested CCT	3998 K
Tested CRI (Ra)	83.7
Tested R9	12
Tested IES Rf	85
Tested IES Rg	96

Tested IES Rcs,h1	-11 %
Tested Duv	0.0013
Tested Backlight (TM-15 BUG)	3
Tested BUG Rating	B3 U2 G3

### TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	277
Tested Input Wattage	146.65 W
Tested Total Harmonic Distortion	3.03 %
Tested Power Factor	0.9778

### VERSION HISTORY VIEW DETAILS

2021-10-15	Listed	5.1	Premium
------------	--------	-----	---------