

# DesignLights Consortium



Classification	Standard
Primary Use	Internal Driver/Line Voltage (UL Type B) Lamps
Reported Input Wattage	9 W
Reported Light Output	1100 lm
Reported CCT	3000 K
Reported CRI (Ra)	82
Product ID	S-N3X0KC
DLC Family Code	<a href="#">OOOBII</a>
Listing Status	Listed
Date Qualified	2023-03-01

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-N3X0KC
Manufacturer	SATCO Products Inc
Brand	SATCO
Model Number	9T8/LED/24-5CCT/BP/SE-DE(S11764)
Parent	Yes
Classification	Standard
DLC Family Code	OOOBII
Length	2.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Linear Replacement Lamp
General Application	T8 Two-Foot
Primary Use Designation	Internal Driver/Line Voltage (UL Type B) Lamps

## CONTROL FEATURES VIEW DETAILS

Integral Controls	No
-------------------	----

Dimming Capability and Range	Continuous Dimming above 10%
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	Phase Cut
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Beam Angle	210 °
Reported Light Output	1100 lm
Reported Efficacy (AC)	122 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82
Reported R9	12
Reported IES Rf	82
Reported IES Rg	94
Reported IES Rcs,h1	-12
Reported Minimum Light Output	1100 lm
Reported Maximum Light Output	1150 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	6500 K
Reported Default Light Output	1100 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	9 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Maximum Input Wattage	9
Reported Default Input Wattage	9 W
Voltage Range	120-277 V

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	1095 lm
Tested Efficacy (AC)	121 lm/W

## TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	9.1 W

## VERSION HISTORY VIEW DETAILS

2023-03-01	Listed	5.1	Standard
------------	--------	-----	----------