# **DesignLights Consortium**





Classification	Standard
Primary Use	Internal Driver/Line Voltage (UL Type B) Lamps
Reported Input Wattage	18.5 W
Reported Light Output	2500 lm
Reported CCT	3500 K
Reported CRI (Ra)	83
Product ID	PLD6BIXNDD9U
DLC Family Code	VVVYBI
Listing Status	Listed
Date Qualified	2019-04-11

## **PRODUCT INFORMATION VIEW DETAILS**

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PLD6BIXNDD9U
Manufacturer	SATCO Products Inc
Brand	SATCO
Model Number	S11915
Parent	No
Classification	Standard
DLC Family Code	VVVYBI
Length	4.0 ft
Input Power Type	AC

# PRODUCT CATEGORIZATION VIEW DETAILS

Category	Linear Replacement Lamp	
General Application	T8 Four-Foot	
Primary Use Designation	Internal Driver/Line Voltage (UL Type B) Lamps	

#### **CONTROL FEATURES VIEW DETAILS**

Integral Controls No

Dimming Capability and Range	Continuous Dimming to 10% or below		
Integral Control Capability	No Control Capability		
Sensor Type	No Sensor		
SSL V5 Wired Communication Protocol	Phase Cut		
SSL V5 Wireless Communication Protocol	No Wireless Protocol		
Field Adjustable Light Output	No		
White-Tunable	No		
Warm-Dimming	No		
Field Adjustable Light Distribution	No		

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Beam Angle	220 °
Reported Light Output	2500 lm
Reported Efficacy (AC)	135 lm/W
Reported CCT	3500 K
Reported CRI (Ra)	83
Reported R9	0
Reported IES Rf	85
Reported IES Rg	95
Reported IES Rcs,h1	-12
Reported Default Light Output	2500 lm

# REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	18.5 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Default Input Wattage	18.5 W
Voltage Range	120-277 V

## VERSION HISTORY VIEW DETAILS

2022-03-31	Listed	5.1	Standard
2020-03-30	Listed	5	Standard
2019-04-11	Listed	4.4	Standard