

# DesignLights Consortium



Classification	Standard
Primary Use	Internal Driver/Line Voltage (UL Type B) Lamps
Reported Input Wattage	14 W
Reported Light Output	1800 lm
Reported CCT	6500 K
Reported CRI (Ra)	82
Product ID	PLCMB3ZLZZ39
DLC Family Code	<a href="#">FFFJQW</a>
Listing Status	Listed
Date Qualified	2021-02-08

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PLCMB3ZLZZ39
Manufacturer	SATCO Products Inc
Brand	SATCO PRODUCTS
Model Number	14T8/LED/48-865/BP/SE-DE(S21924)
Parent	Yes
Classification	Standard
DLC Family Code	FFFJQW
Length	4.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Linear Replacement Lamp
General Application	T8 Four-Foot
Primary Use Designation	Internal Driver/Line Voltage (UL Type B) Lamps

## CONTROL FEATURES VIEW DETAILS

Integral Controls	No
-------------------	----

Dimming Capability and Range	Continuous Dimming to 10% or below
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Beam Angle	210 °
Reported Light Output	1800 lm
Reported Efficacy (AC)	129 lm/W
Reported CCT	6500 K
Reported CRI (Ra)	82
Reported R9	0
Reported IES Rf	81
Reported IES Rg	94
Reported IES Rcs,h1	-13
Reported Default Light Output	1800 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	14 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Default Input Wattage	14 W
Voltage Range	120-277 V

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	1881.7 lm
Tested Efficacy (AC)	131.9 lm/W
Tested CCT	6635 K
Tested CRI (Ra)	83.8
Tested R9	8.6
Tested IES Rf	83
Tested IES Rg	93
Tested IES Rcs,h1	-13 %

Tested Duv	0.0032
------------	--------

### TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	14.27 W
Tested Total Harmonic Distortion	19.37 %
Tested Power Factor	0.9236

### VERSION HISTORY VIEW DETAILS

2021-02-08	Listed	5.1	Standard
------------	--------	-----	----------