

1 GALLON LABEL - FRONT - VERSION 1

KILLS THE VIRUS THAT CAN CAUSE

**COVID-19,  
SARS-CoV-2,**

ON HARD, NON-POROUS  
SURFACES



# SanAssure

MULTI SURFACE CLEANER

RESIDENTIAL, COMMERCIAL & HOSPITAL DISINFECTANT

TOUGH ON GERMS, EASY ON SURFACES  
KILLS BACTERIA AND VIRUSES\*\*  
PREVENTS MOLD AND MILDEW AT ITS ROOTS  
ODOR ELIMINATOR  
REMOVES ALLERGENS  
NO HARSH CHEMICAL SMELL

NO RINSING

100%  
BIODEGRADABLE  
SURFACTANT

ACTIVE INGREDIENTS:  
Chlorine Dioxide.....0.200%  
Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride...0.125%  
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride.....0.125%  
OTHER INGREDIENTS.....99.550%  
Total.....100.000%

KEEP OUT OF REACH OF CHILDREN



LISTED #165594

NET CONTENTS:  
128 fl. oz. (3.78 L)

60 SECONDS IS ALL IT TAKES TO KILL **99.999%** OF BACTERIA

60 SECONDS IS  
ALL IT TAKES TO KILL

**99.999%**  
OF BACTERIA



# SanAssure

**MULTI SURFACE CLEANER**

**RESIDENTIAL, COMMERCIAL & HOSPITAL DISINFECTANT**

**TOUGH ON GERMS, EASY ON SURFACES**  
**KILLS BACTERIA AND VIRUSES\*\***  
**PREVENTS MOLD AND MILDEW AT ITS ROOTS**  
**ODOR ELIMINATOR**  
**REMOVES ALLERGENS**  
**NO HARSH CHEMICAL SMELL**

**NO RINSING**

**100%**  
**BIODEGRADABLE**  
**SURFACTANT**

ACTIVE INGREDIENTS:  
Chlorine Dioxide.....0.200%  
Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethyl benzyl ammonium chloride...0.125%  
Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl ammonium chloride.....0.125%  
OTHER INGREDIENTS.....99.550%  
Total.....100.000%

KEEP OUT OF REACH OF CHILDREN



LISTED #165594

NET CONTENTS:  
128 fl. oz. (3.78 L)

**KILLS THE VIRUS THAT CAN CAUSE COVID-19, SARS-COV-2 ON HARD, NON-POROUS SURFACES**

# 1 GALLON LABEL - BACK

## AREAS OF USE

Homes, Vehicles, Schools & Daycare, Gyms & Locker Rooms, Sports Gear, Hospitals, Nursing Homes, Laundry Rooms, Veterinary, Pharmacies, Ambulances, Barber Shops, Laboratories, Restaurants, Boats, Ships, Federally Inspected Meat & Poultry Processing Plants, Farms, Animal Pens and Poultry Houses, Egg Processing Premises, Hatcheries, Swine Premise Sanitation, Refrigerated Storage Units (Empty & Disconnected)\*, HVAC and AC Systems including Window Plac Mini Splits, Airplanes†, Trains, Trucks, Buses & Automobiles. Use as a Mold Controller & Mildewstat on Hard Non-Porous Surfaces (i.e. Tiles) and Soft Surfaces (i.e. Fabrics)††

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Test fabric for color fastness. Contains a dilute oxidizing agent. Do not mix with vinegar or acidic cleaners. Always refer to manufacturer's care instructions before using equipment or devices. **PRE-CLEANING INSTRUCTIONS:** Remove visible soil by cleaning. Spray product straight onto soils, scrub and wipe clean with a dry paper towel or cloth. For cleaning floors add one cup product per gallon of water in bucket and clean with sponge, mop, or pad. **TO DISINFECT HARD NON-POROUS SURFACES:** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchair, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply SAN-ASSURE undiluted full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 5 minutes or 10 minutes for virus inactivation - 10 minutes for bacteria disinfection. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted. **TO DISINFECT HARD NON-POROUS SURFACES (tuberculocidal):** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchair, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply product full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 10 minutes for *Mycobacterium bovis-BC* disinfection. For immersion replace solution daily, or more frequently if it becomes significantly soiled or diluted. **GENERAL DIRECTIONS FOR USE WITH ELECTROSTATIC SPRAYING:** Pre-clean the surface of visible soil. Remove by-standers and pets from area to be treated. Do not use for treatment of humans, air or fumigation. Sprayer droplet particle size should set to limit volume median diameter of > 40 µm. Use N95 filtering facepiece respirators. Plan the spray route to minimize unnecessary exposure to treated areas (for example, begin applying product in the back of the room/area and work towards the front of the room/area). Place the electrostatic spray function in the ON position for electrostatic spray mode that have the functionality to toggle ON/OFF. Spray distance should be between 2 ft. and 2 ft. + 6 in. for 10 seconds. Apply product to pre-cleaned hard non-porous surfaces. All surfaces must remain visibly wet for 10 minutes. Once treatment is completed, allow 20 minute resting time before re-entry to the treated space. Consider compatibility and potential for damage prior to application. Always refer to manufacturer's care instructions before using equipment or devices. **MILDOWSTAT: FOR MOLD OR MILDWEW ON FLOORS, WALLS, CEILINGS & FABRIC:** Remove as much surface dirt, mold, or mildew as possible by cleaning. Then spray on SAN-ASSURE from a distance of 12 inches until visibly wet and let air dry; the surface must be completely wet with SAN-ASSURE for 10 minutes. **TO SPOT CLEAN & SANITIZE:** Spray a light even coating on soiled area until wet. Allow to remain wet for 60 minutes. Gently blot area with a clean, damp, color-safe cloth. Repeat as needed for stubborn stains. Let air dry. **TO USE AS A PRE-CLEANER OR POST-CLEANER:** Spray a light even coating over soiled area (until wet). Allow to remain wet for 60 minutes. Deep clean following your machine's guide. **TO DEODORIZE:** SAN-ASSURE works by oxidation, not by masking of odors. Eliminates odors caused by fire smoke, tobacco smoke, musty odors, stale-cooking odors. Simply spray, fog, or wipe on full strength and let air dry. When fogging to deodorize apply 1 quart per 2000 cubic ft. following fogger manufacturer's directions for use. Product must come into contact with the cause of the odor to be effective. For pet urine stains in carpet, blot urine as dry as possible then saturate stain with SAN-ASSURE through carpet pad. **ALLERGEN REMOVAL:** To reduce specified allergens, cockroach matter, dust mite matter, pet dander. Spray, wait 1 minute, and wipe excess. Allow to air dry. **TO SANITIZE FOOD CONTACT SURFACES:** *taphylococcus aureus* (ATCC 6538) and *scherchia coli* (ATCC 11229) 99.999% sanitization of food contact surfaces. Mix 1 part product to 9 parts tap water. For all food contact surfaces, including glassware, utensils, cookware, and dishware: Scrape and pre-wash, then wash with a good detergent. Rinse with potable water; then sanitize by immersion in product for 1 minute (or longer if specified by government sanitary code). Place on a rack or drain board to air dry. Do not rinse or wipe. **FOOD CONTACT IMMIGRABLE SURFACES:** (food processing equipment, counter tops, tables, appliances) Remove all gross food particles and soil by cleaning and wipe with potable water. Apply SAN-ASSURE by wetting thoroughly with spray, sponge, mop, or by immersion in solution and let stand for 1 minute (or longer if specified by government sanitary code). Let surfaces drain and air dry. Do not rinse or wipe. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted. Final Sanitizing Bottle Rinse: SAN-ASSURE may be used as a final sanitizing rinse for returnable and nonreturnable bottles when diluted at the rate of 9 parts water to 1 part SAN-ASSURE. **TO SANITIZE CARPET:** For synthetic carpet fibers such as nylon, olefin, or polypropylene - not intended for use on wool carpets. Test for color fastness in an inconspicuous area. Carpet should be clean or free of excessive soil before applying. Mix 1 part SAN-ASSURE to 5 parts water. Or use full strength. Apply at a rate of 2.5 oz per sq. ft. Product must come into contact with contaminant to work. Allow to dwell for 60 minutes. Do not rinse, use an extraction wand and dry stroke carpet to remove excess moisture. Carpet can air dry or fans may be used if carpet needs to dry faster. **TO DEODORIZE OR FRESHEN CARPET:** Spray until slightly damp to eliminate (pet) odors. SAN-ASSURE must come in contact with the cause of the odor to be effective. **TO SPOT CLEAN CARPET:** Spray on soiled area until wet. Gently blot area with a clean, damp, color safe cloth. Repeat as needed for stubborn stains. Let air dry. **TO SANITIZE CARPET USING A DEVICE:** See Manufacturer's Instructions for Use. **TO SANITIZE SOFT SURFACES BY SPOT TREATMENT:** \* Fabrics: Hold bottle upright 6" - 8" from surface. Spray until fabric is wet. DO NOT SATURATE. Let stand for 5 minutes. Allow to air dry. For difficult odors or heavy fabrics, repeat application. Visible soil must be removed prior to sanitizing. Fabric and Carpet advisory statement: Before you clean, test a small, hidden area for colorfastness and examine when dry. If color is affected, do not use. Before using this product on upholstery look for manufacturer's cleanability code tag. Do not use on cotton or cotton blends. Not for use on clothing. **TO SANITIZE NON-FOOD CONTACT HARD NON-POROUS SURFACES:** *Staphylococcus aureus* (ATCC 6538) and *Klebsiella aerogenes* (ATCC #10408) Mix 1 part SAN-ASSURE with 9 parts water. Apply product as a one-step cleaner sanitizer (5% organic soil load) by wetting thoroughly with spray, sponge, mop, or by immersion in solution and let stand 5 minutes. Wipe and allow to air dry. No rinse required. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted. **TO DEODORIZE HVAC SYSTEM DUCTWORK:** Spray SAN-ASSURE into system intake vents while system fan is running. Allow enough spray time for SAN-ASSURE to contact air duct system surfaces. Repeat application as necessary. **HOSPITALS/HEALTHCARE FACILITIES:** SAN-ASSURE cleans, disinfects and deodorizes hard, nonporous inanimate surfaces, when use-directions for disinfection are followed†. Removes dirt, grime, fungus, mold, food residue, blood and other organic matter commonly found in hospitals and in health care facilities. It also eliminates odors leaving restroom surfaces smelling clean and fresh. Use where odors are a problem. \*\*This product is not to be used as a terminal/intermediate/high level disinfectant on any surface of instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATIONS AGAINST HIV-1, HBV, AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS, KILLS HIV-1, HBV, AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Human Hepatitis B virus, and Human Hepatitis C Virus. When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be inactivated and disposed of according to federal, State, and local regulations for infectious waste disposal. **CONTACT TIME:** Allow surfaces to remain wet for 5 minutes for virus inactivation. **TO DISINFECT FOOD PROCESSING PREMISES:** Floors, walls and storage areas, hold container six to eight inches from the surface to be treated and spray area until it is covered with the undiluted solution. Allow this product to penetrate and remain wet for 10 minutes. Visibly soiled areas must be pre-cleaned before using this product. Food products and packaging materials must be removed or carefully protected prior to using this product. **TO DISINFECT FARM PREMISES, POULTRY HOUSES, ANIMAL PENS & VEHICLES:** Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and water appliances. Thoroughly clean all surfaces with soap and detergent and rinse with water. Saturate all surfaces with product undiluted for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Allow to air dry. Ventilate buildings, cars, boats, and other closed spaces. Drain any pooled product and/or rinse standing product with potable water. Do not hose livestock or employ equipment until treatment has been absorbed, or dried. **SAN-ASSURE KILLS:** Hard Surface Sanitization No Rinse Required: 60 Second Contact Time: *Escherichia coli* (ATCC 11229), *Staphylococcus aureus* (ATCC 6538) Non-Food Contact Surface Sanitization No Rinse Required: 5 Minute Contact Time: *Escherichia coli* (ATCC 11229), *Staphylococcus aureus* (ATCC 6538) Sanitize Soft Surfaces: 5 Minute Contact Time: *Staphylococcus aureus* (ATCC 6538), *Klebsiella aerogenes* (ATCC #10408) Carpet Sanitization: 60 Minute Contact Time: *Klebsiella aerogenes* (ATCC #10408), *Staphylococcus aureus* (ATCC 6538) Fungicide: 10 Minute Contact Time: *Trichophyton rubrum* ATCC MYA, *Trichophyton interdigitale* (ATCC # 9533) Mildewstat: 10 Minute Contact Time: *Aspergillus niger* ATCC 3275 Disinfection Bacteria 10 Minute Contact Time: *Pseudomonas aeruginosa* ATCC 15442, *Acinetobacter baumannii* ATCC 19606, *Staphylococcus aureus* MRSA ATCC 33592, *Listeria monocytogenes* ATCC 15313, *Legionella pneumophila* ATCC 33153, *Salmonella enterica* ATCC 10708, *Staphylococcus aureus* ATCC 6538, *Klebsiella pneumoniae* (NDM-1) ATCC BAA-2146, *Escherichia coli* ATCC 11229, *Bordetella bronchiseptica* ATCC 10580, *Mycobacterium bovis-BCG*, Penicillin-Resistant *Streptococcus pneumoniae*, ATCC# 700677, *Chlamydia psittaci*, Strain 68C, ATCCVR-125 Disinfection Virus 5 Minute Contact Time: Severe Acute Respiratory Syndrome-Related Coronavirus 2 (SARS-CoV-2) (COVID-19) Virus, Rotavirus, Strain WA \*\*; Hepatitis C Virus Bovine Viral Diarrhea Virus \*\*; Hepatitis A Virus ATCC VR-1541\*\*; Norovirus Feline Calicivirus\*\*; Murine Norovirus (MNV-1)\*\*; Swine Influenza (H1N1)\*\*; Respiratory Syncytial virus, ATCC VR-26\*\*; Human Immunodeficiency Virus (HIV type 1) Strain HTLV-III\*\*; Influenza B Virus (Strain B/Taiwan/2/62), ATCC VR-1735\*\*; Hepatitis B Virus ATCC VR-1541\*\*; Hantavirus (Prospect Hill Virus) University of Ontario \*\*; Canine Distemper Virus, Strain Snyder Hill, ATCC VR-1 Disinfection Virus 10 Minute Contact Time: Adenovirus, Strain Adenov 71, ATCC VR-1\*\*; Canine Parvovirus, Strain Cornell-780916, ATCC VR-2016\*\*; Canine adenovirus 1, Strain Utrecht, ATCC VR-293\*\*; Feline Herpesvirus 1, Strain C-27, ATCC VR-636\*\*; Feline coronavirus, Strain WSU 79-1683, ATCC VR 989\*\*; Canine coronavirus Strain 1-71, ATCC VR-800\*\*; Canine Influenza (H3N2) virus, Strain A/Ca/NY/1/US91/08, Cornell University\*\*; Feline Infectious Peritonitis Virus, Strain: WSU 79 1146, ATCC# VR-990\*\*; Feline panleukopenia virus, Strain Phillips-Roxane, ATCC VR-648\*\*; Rabies Virus, Strain: Flury (HEP), ATCC VR-139\*\*; Avian Influenza (H5N1) Virus (VN/HK/1-PR8/CDC-RG), CDC #2006719965, Charles River Laboratories; Herpes Simplex Virus 1 (Human), Strain HF, ATCC VR-260\*\*; Porcine Epidemic Diarrhea Virus, Strain CD 2013, USDA APHIS 025-PVD001; Porcine Reproductive and Respiratory Syndrome type 2 Virus, Strain INVS1 (North America) INVS1 130 PVD

**STORAGE AND DISPOSAL:** Store in original closed container in a cool, dry, place away from heat and open flame. Do not allow product to become overheated in storage. Avoid prolonged storage temperature above 40°C, 90°F and away from direct sunlight. This may cause increased degradation of the product, which will decrease product effectiveness. Refill only with this product. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Do not transfer with metal drum pumps. Container Disposal: Rinse and empty container for recycling, if recycling is not available, discard container in trash. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Discard excess or used (product) solution in drain with running water.

**FIRST AID. IF IN EYES:** Hold eye open and rinse slowly with water 15-20 mins. Remove contact lenses after first 5 mins, and continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have product container or label with you when calling a poison control center or doctor, or going for treatment.

#When used according to directions for disinfection. Refer to the appropriate claims and use directions for this application. ^equipment should be allowed to come to room temperature prior to treatment. †Pre-cleaning surfaces is required for disinfection of Porcine Reproductive and Respiratory Syndrome type 2 Virus.

EPA Reg. No. 82972-1-96700, EPA Est. No. 88278-GA-4, EPA Est. No. 85804-NC-1 (See batch code for actual establishment number.)

NOTICE: Seller expressly warrants that the product conforms to its chemical description. There are no other warranties associated with sale of the product.



Distributed by:  
**SanAssure Manufacturing, LLC**  
P.O. Box 317, Maryhurst, OH 97036  
Customer Service: (888) 642-8230



# SanAssure

MULTI SURFACE CLEANER

RESIDENTIAL, COMMERCIAL & HOSPITAL DISINFECTANT

KILLS THE VIRUS THAT CAN CAUSE

**COVID-19,  
SARS-CoV-2,**

ON HARD, NON-POROUS  
SURFACES

**TOUGH ON GERMS, EASY ON SURFACES  
KILLS BACTERIA AND VIRUSES\*\*  
PREVENTS MOLD AND MILDEW AT ITS ROOTS  
ODOR ELIMINATOR  
REMOVES ALLERGENS  
NO HARSH CHEMICAL SMELL**

NO RINSING

**100%**  
BIODEGRADABLE  
SURFACTANT

**NSF**  
LISTED #169594

NET CONTENTS:  
2.5 gallons (9.4 L)

ACTIVE INGREDIENTS:	
Chlorine Dioxide	0.200%
Alkyl (68% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride	0.125%
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride	0.125%
OTHER INGREDIENTS:	99.550%
Total	100.000%

**60 SECONDS IS ALL IT TAKES TO KILL 99.999% OF BACTERIA**

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Test fabric for color fastness. Contains a dilute oxidizing agent. Do not mix with vinegar or acidic cleaners. Always refer to manufacturer's care instructions before using equipment or devices. **PRE-CLEANING INSTRUCTIONS:** Remove visible soil by cleaning. Spray product straight onto soils, scrub and wipe clean with a dry paper towel or cloth. For cleaning floors add one cup product per gallon of water in bucket and clean with sponge, mop, or pad. **TO DISINFECT HARD NON-POROUS SURFACES:** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & inlaid floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stoves, telephones, toys, walls, waste containers. Apply **SAN-ASSURE** undiluted full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 5 minutes or 10 minutes for virus inactivation - 10 minutes for bacteria disinfection. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted. **TO DISINFECT HARD NON-POROUS SURFACES (tuberculocidal):** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & inlaid floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stoves, telephones, toys, walls, waste containers. Apply **SAN-ASSURE** undiluted full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 10 minutes for *Mycobacterium bovis*-BC disinfection. For immersion replace solution daily or more frequently if it becomes significantly soiled or diluted. **GENERAL DIRECTIONS FOR USE WITH ELECTROSTATIC SPRAYING:** Pre-clean the surface of visible soil. Remove by standers and pets from area to be treated. Do not use for treatment of humans, air or fumigation. Sprayer droplet particle size should set to limit volume median diameter of > 40 um. Use N95 filtering facemask respirators. Plan the spray routine to minimize unnecessary exposure to treated areas (for example, begin applying product in the back of the room/area and work towards the front of the room/area). Place the electrostatic spray function in the ON position for electrostatic spray model that have the functionality to toggle ON/OFF. Spray distance should be between 2 ft. and 2 ft. + 6 in. for 10 seconds. Apply product to pre-cleaned hard non-porous surfaces. All surfaces must remain visibly wet for 10 minutes. Once treatment is completed, allow 20 minute resettle time before re-entry to the treated space. Consider compatibility and potential for damage prior to application. Always refer to manufacturer's care instructions before using equipment or devices. **MILDEWSTAT: FOR MOLD OR MILDEW ON FLOORS, WALLS, CEILING & FABRIC:** Remove as much surface dirt, mold, or mildew as possible by cleaning. Then spray on **SAN-ASSURE** from a distance of 12 inches until visibly wet and let air dry, the surface must be completely wet with **SAN-ASSURE** for 10 minutes. **TO SPOT CLEAN & SANITIZE:** Spray a light even coating on soiled area until wet. Allow to remain wet for 60 minutes. Gently blot area with clean, damp, color-safe cloth. Repeat as needed for stubborn stains. Let air dry. **TO USE AS A PRECLEANER OR POSTCLEANER:** Spray a light even coating over soiled area (until wet). Allow to remain wet for 60 minutes. Deep clean following your machine's guide. **TO DEODORIZE:** **SAN-ASSURE** works by oxidation, not by masking odors. Eliminates odors caused by fire smoke, tobacco smoke, musty odors, stale-cooking odors. Simply spray, fog, or wipe on full strength and let air dry. When fogging to deodorize apply 1 quart per 2000 cubic ft. following fogger manufacturer's directions for use. Product must come into contact with the cause of the odor to be effective. For pet urine stains in carpet, blot urine as dry as possible then saturate stain with **SAN-ASSURE** through carpet pad. **ALLERGEN REMOVAL:** To reduce specified allergens, cockroach matter, dust mite matter, pet dander: Spray, wait 1 minute, and wipe excess. Allow to air dry. **TO SANITIZE FOOD CONTACT SURFACES:** *taphylococcus aureus* (ATCC 6538) and *schierchia coli* (ATCC 11229) 99.999% sanitization of food contact surfaces. Mix 1 part product to 9 parts tap water. For all food contact surfaces, including glassware, utensils, cookware, and dishware: Scrape and pre-wash, then wash with a good detergent. Rinse with potable water, then sanitize by immersion in product for 1 minute (or longer if specified by government sanitary code). Place on a rack or drain board to air dry. Do not rinse or wipe. **FOOD CONTACT IMMOBILE SURFACES:** (food processing equipment, counter tops, tables, appliances) Remove all gross food particles and soil by cleaning and rinse with potable water. Apply **SAN-ASSURE** by wetting thoroughly with spray, sponge, mop, or by immersion in solution and let stand for 1 minute (or longer if specified by government sanitary code). Let surfaces drain and air dry. Do not rinse or wipe. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted. Final Sanitizing Bottle Rinse: **SAN-ASSURE** may be used as a final sanitizing rinse for returnable and nonreturnable bottles when diluted at the rate of 8 parts water to 1 part **SAN-ASSURE**. **TO SANITIZE CARPET:** For synthetic carpet fibers such as nylon, olefin, or polypropylene - not intended for use on wool carpets. Test for color fastness in an inconspicuous area. Carpet should be clean or free of excessive soil before applying. Mix 1 part **SAN-ASSURE** to 5 parts water. Or use full strength. Apply at a rate of 2.5 oz per sq ft. Product must come into contact with contaminant to work. Allow to dwell for 60 minutes. Do not rinse. Use an extraction wand and dry stroke carpet to remove excess moisture. Carpet can air dry or fans may be used if carpet needs to dry faster. **TO DEODORIZE OR FRESHEN CARPET:** Spray until slightly damp to eliminate (pet) odors. **SAN-ASSURE** must come in contact with the cause of the odor to be effective. **TO SPOT CLEAN CARPET:** Spray on soiled area until wet. Gently blot area with a clean, damp, color safe cloth. Repeat as needed for stubborn stains. Let air dry. **TO SANITIZE CARPET USING A DEVICE:** See Manufacturer's Instructions for Use. **TO SANITIZE SOFT SURFACES BY SPOT TREATMENT:** \*Fabrics: Hold bottle upright 6" - 8" from surface. Spray until fabric is wet. DO NOT SATURATE. Let stand for 5 minutes. Allow to air dry. For difficult odors or heavy fabrics, repeat application. Visible soil must be removed prior to sanitizing. Fabric and Carpet advisory statement: Before you clean, test a small, hidden area for colorfastness and examine when dry. If color is affected, do not use. Before using this product on upholstery, look for manufacturer's cleanability code tag. Do not use on cotton or cotton blends. Not for use on clothing. **TO SANITIZE NON-FOOD CONTACT HARD NON-POROUS SURFACES:** *Staphylococcus aureus* (ATCC 6538) and *Klebsiella aerogenes* (ATCC #13048) Mix 1 part **SAN-ASSURE** with 9 parts water. Apply product as a one-step cleaner sanitizer (5% organic soil lead) by wetting thoroughly with spray, sponge, mop, or by immersion in solution and let stand 5 minutes. Wipe and allow to air dry. No rinse required. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted. **TO DEODORIZE HVAC SYSTEM DUCTWORK:** Spray **SAN-ASSURE** into system intake vents while system fan is running. Allow enough spray time for **SAN-ASSURE** to contact air duct system surfaces. Repeat application as necessary. **HOSPITALS/HEALTHCARE FACILITIES:** **SAN-ASSURE** cleans, disinfects and deodorizes hard, nonporous hospital and medical surfaces in one step with no rinsing required. **SAN-ASSURE** is a one step germicidal disinfectant cleaner and deodorant designed for general cleaning and disinfecting of hard, nonporous inanimate surfaces, when use-directions for disinfection are followed. Removes dirt, grime, fungus, mold, food residue, blood and other organic matter commonly found in hospitals and in health care facilities. It also eliminates odors leaving restroom surfaces smelling clean and fresh. Use where odors are a problem.

\*This product is not to be used as a terminal sterilant/high level disinfectant on any surface of instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body or (2) contact moist mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATIONS AGAINST HIV-1, HBV, AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:** KILLS HIV-1, HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus type 1 (HIV-1) (associated with AIDS), Human Hepatitis B virus, and Human Hepatitis C Virus. When handling items soiled with blood or bodily fluids use disposable latex gloves, gowns, masks, and eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal. **CONTACT TIME:** Allow surfaces to remain wet for 5 minutes for virus inactivation. **TO DISINFECT FOOD PROCESSING PREMISES:** floors, walls and storage areas, hold container six to eight inches from the surface to be treated and spray area until it is covered with the undiluted solution. Allow this product to penetrate and remain wet for 10 minutes. Visibly soiled areas must be pre-cleaned before using this product. Food products and packaging materials must be removed or carefully protected prior to using this product. **TO DISINFECT FARM PREMISES, POULTRY HOUSES, ANIMAL PENS & VEHICLES:** Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and water appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with product undiluted for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Allow to air dry. Ventilate buildings, cars, boats, and other closed spaces. Drain any pooled product and/or rinse standing product with potable water. Do not house livestock or employ equipment until treatment has been absorbed, or dried. **SAN-ASSURE KILLS:** Hard Surface Sanitization No Rinse Required: 60 Second Contact Time: *Escherichia coli* (ATCC 11229), *Staphylococcus aureus* (ATCC 6538) Non-Food Contact Surface Sanitization No Rinse Required: 5 Minute Contact Time: *Escherichia coli* (ATCC 11229), *Staphylococcus aureus* (ATCC 6538) Sanitize Soft Surfaces: 5 Minute Contact Time: *Staphylococcus aureus* (ATCC 6538), *Klebsiella aerogenes* (ATCC #13048) Carpet Sanitization: 60 Minute Contact Time: *Klebsiella aerogenes* (ATCC #13048), *Staphylococcus aureus* (ATCC 6538) Fungicide: 10 Minute Contact Time: *Trichophyton rubrum* ATCC MYA, *Trichophyton interdigitale* (ATCC # 9533) Mildewstat: 10 Minute Contact Time: *Aspergillus niger* ATCC 6275 Disinfection Bacteria 10 Minute Contact Time: *Pseudomonas aeruginosa* ATCC 15442, *Acinetobacter baumannii* ATCC 19606, *Staphylococcus aureus* MRSA ATCC 33592, *Listeria monocytogenes* ATCC 15313, *Legionella pneumophila* ATCC 33153, *Salmonella enterica* ATCC 10708, *Staphylococcus aureus* ATCC 6538, *Klebsiella pneumoniae* (NDM-1) ATCC BAA-2146, *Escherichia coli* ATCC 11229, *Bordetella bronchiseptica* ATCC 10580, *Mycobacterium bovis*-BCG, Penicillin-Resistant *Streptococcus pneumoniae*, ATCC # 700677, *Chlamydia psittaci*, Strain BGC, ATCCVR-125 Disinfection Virus 5 Minute Contact Time: Severe Acute Respiratory Syndrome-Related Coronavirus 2 (SARS-CoV-2)(COVID-19 Virus), Rotavirus, Strain WA \*\*, Hepatitis C Virus Bovine Viral Diarrhea Virus \*\*, Hepatitis B Virus Duck Hepatitis \*\*, Norovirus Feline Calicivirus \*\*, Murine Coronavirus (MNV-1) \*\*, Swine Influenza (H1N1) \*\*, Respiratory Syncytial virus, ATCC VR-26 \*\*, Human Immunodeficiency Virus (HIV Type 1) Strain HTLV-III \*\*, Influenza B Virus (Strain B/Hanvan/2/BZ), ATCC VR-1735 \*\*, Hepatitis A Virus ATCC VR-154 \*\*, Herpesvirus (Prospect Hill Virus) University of Ontario \*\*, Canine Distemper Virus, Strain Snyder Hill, ATCC VR \*\*, Disinfection Virus 10 Minute Contact Time: Adenovirus 1, Strain Adenovus 17, ATCC VR-1 \*\*, Canine Parvovirus, Strain Cornell-700918, ATCC VR-2018 \*\*, Canine adenovirus 1, Strain Utrecht, ATCC VR-293 \*\*, Feline Herpesvirus 1 Strain C-27, ATCC VR-639 \*\*, Feline coronavirus, Strain WSI 79-1083, ATCC VR 989 \*\*, Canine coronavirus Strain 1-71, ATCC VR-809 \*\*, Canine Influenza (H3N0) Virus, Strain A/Ca/IV/105913/08, Cornell University \*\*, Feline Infectious Peritonitis Virus, Strain: WSI 79 1146, ATCC# VR-890 \*\*, Feline panleukopenia virus, Strain Phineo-Azovne, ATCC# VR-648 \*\*, Rabies Virus, Strain: Flury (HEP), ATCC VR-136 \*\*, Avian Influenza (H5N1) Virus (VN/HM1-PR8/CDC-89), CDC #2006719965, Charles River Laboratories; Herpes Simplex Virus 1 (Human), Strain HE, ATCC VR-200 \*\*, Porcine Epidemic Diarrhea Virus, Strain CD 2013, USDA APHIS O25-PDV001; Porcine Reproductive and Respiratory Syndrome Type 2 Virus, Strain WSL (North America) WSL 130 PDV

**STORAGE AND DISPOSAL:** Store in original closed container in a cool, dry place away from heat and open flame. Do not allow product to become overheated in storage. Avoid prolonged storage temperature above 40°C, 90°F and away from direct sunlight. This may cause increased degradation of the product, which will decrease product effectiveness. Refill only with this product. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Do not transfer with metal drum pumps. Container Disposal: Rinse and empty container for recycling. If recycling is not available, discard container in trash. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Discard excess or used (product) solution in drain with running water.

**FIRST AID. IF IN EYES:** Hold eye open and rinse slowly with water 15-20 mins. Remove contact lenses after first 5 mins, and continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have product container or label with you when calling a poison control center or doctor, or going for treatment.

#When used according to directions for disinfection. \*Refer to the appropriate claims and use directions for this application. ^equipment should be allowed to come to room temperature prior to treatment. †Pre-cleaning surfaces is required for disinfection of Porcine Reproductive and Respiratory Syndrome type 2 Virus.

EPA Reg. No. 82972-1-96700, EPA Est. No. 88276-GA-4, EPA Est. No. 85804-NC-1 (See batch code for actual establishment number) NOTICE: Seller expressly warrants that the product conforms to its chemical description. There are no other warranties associated with sale of the product.



Distributed by:  
**SanAssure Manufacturing, LLC**  
P.O. Box 317, Maryland, OR 97036  
Customer Service: (888) 842-6230

## AREAS OF USE

Homes, Vehicles, Schools & Daycare, Gyms & Locker Rooms, Sports Gear, Hospitals, Nursing Homes, Laundry Rooms, Veterinary, Pharmacies, Ambulances, Barber Shops, Laboratories, Restaurants, Boats, Ships, Federally Inspected Meat & Poultry Processing Plants, Farms, Animal Pens and Poultry Houses, Egg Processing Premises, Hatcheries, Swine Premise Sanitation, Refrigerated Storage Units (Empty & Disconnected) \*\*, HVAC and AC Systems Including Window Pac Mini Splits, Airplanes \*\*, Trains, Trucks, Buses & Automobiles. Use as a Mold Controller & Mildewstat on Hard Non-Porous Surfaces (i.e. Tiles) and Soft Surfaces (i.e. Fabrics) \*\*



# 32 OZ. FRONT LABEL VERSION 1

KILLS THE VIRUS THAT CAN CAUSE  
**COVID-19, SARS-CoV-2,**  
ON HARD, NON-POROUS SURFACES

# SanAssure

MULTI SURFACE CLEANER  
RESIDENTIAL, COMMERCIAL & HOSPITAL DISINFECTANT

**TOUGH ON GERMS, EASY ON SURFACES**  
**KILLS BACTERIA AND VIRUSES\*\***  
**PREVENTS MOLD AND MILDEW AT ITS ROOTS**  
**ODOR ELIMINATOR**  
**REMOVES ALLERGENS**  
**NO HARSH CHEMICAL SMELL**

NO RINSING  
**100%**  
BIODEGRADABLE SURFACTANT

**NSF**  
LISTED #165594

KEEP OUT OF REACH OF CHILDREN  
NET CONTENTS: 32 fl. oz. (946ml)

ACTIVE INGREDIENTS:	
Chlorine Dioxide.....	0.200%
Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride.....	0.125%
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride.....	0.125%
OTHER INGREDIENTS.....	99.550%
Total.....	100.000%

30 SECONDS IS ALL IT TAKES TO KILL **99.999%** OF BACTERIA

# 32 OZ. FRONT LABEL VERSION 2

60 SECONDS IS ALL IT TAKES TO KILL **99.999%** OF BACTERIA

## SanAssure

MULTI SURFACE CLEANER  
RESIDENTIAL, COMMERCIAL & HOSPITAL DISINFECTANT

**TOUGH ON GERMS, EASY ON SURFACES**  
**KILLS BACTERIA AND VIRUSES\*\***  
**PREVENTS MOLD AND MILDEW AT ITS ROOTS**  
**ODOR ELIMINATOR**  
**REMOVES ALLERGENS**  
**NO HARSH CHEMICAL SMELL**

NO RINSING  
**100%**  
BIODEGRADABLE SURFACTANT

**NSF**  
LISTED #165594

KEEP OUT OF REACH OF CHILDREN  
NET CONTENTS: 32 fl. oz. (946ml)

**KILLS THE VIRUS THAT CAN CAUSE COVID-19, SARS-COV-2 ON HARD, NON-POROUS SURFACES**

ACTIVE INGREDIENTS:	
Chlorine Dioxide.....	0.200%
Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chloride.....	0.125%
Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chloride.....	0.125%
OTHER INGREDIENTS.....	99.550%
Total.....	100.000%

# 32 OZ. BACK LABEL - PANEL 1

## AREAS OF USE

Homes, Vehicles, Schools & Daycare, Gyms & Locker Rooms,  
Sports Gear, Hospitals, Nursing Homes, Laundry Rooms, Veterinary, Pharmacies,  
Ambulances, Barber Shops, Laboratories, Restaurants, Boats, Ships, Federally Inspected  
Meat & Poultry Processing Plants, Farms, Animal Pens and Poultry Houses, Egg Processing  
Premises, Hatcheries, Swine Premise Sanitation, Refrigerated Storage Units (Empty & Disconnected) ^,  
HVAC and AC Systems Including Window Pac Mini Splits, Airplanes<sup>†</sup>, Trains, Trucks, Buses & Automobiles.  
Use as a Mold Controller & Mildewstat on Hard Non-Porous Surfaces (i.e. Tiles) and Soft Surfaces (i.e. Fabrics)<sup>††</sup>

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Test fabric for color fastness. Contains a dilute oxidizing agent. Do not mix with vinegar or acidic cleaners. Always refer to manufacturer's care instructions before using equipment or devices.

**PRE-CLEANING INSTRUCTIONS:** Remove visible soil by cleaning. Spray product straight onto soils, scrub and wipe clean with a dry paper towel or cloth. For cleaning floors add one cup product per gallon of water in bucket and clean with sponge, mop, or pad.

**TO DISINFECT HARD NON-POROUS SURFACES:** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply **SAN-ASSURE** undiluted full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 5 minutes or 10 minutes for virus inactivation - 10 minutes for bacteria disinfection. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted.

**TO DISINFECT HARD NON-POROUS SURFACES (tuberculocidal):** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply product full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 10 minutes for *Mycobacterium bovis-BC* disinfection. For immersion replace solution daily, or more frequently if it becomes significantly soiled or diluted.

**GENERAL DIRECTIONS FOR USE WITH ELECTROSTATIC SPRAYING:** Pre-clean the surface of visible soil. Remove by-standers and pets from area to be treated. Do not use for treatment of humans, air or fumigation. Sprayer droplet particle size should set to limit volume median diameter of > 40 um. Use N95 filtering facepiece respirators. Plan the spray routine to minimize unnecessary exposure to treated areas (for example, begin applying product in the back of the room/area and work towards the front of the room/area). Place the electrostatic spray function in the ON position for electrostatic spray model that have the functionality to toggle ON/OFF. Spray distance should be between 2 ft. and 2 ft. + 6 in. for 10 seconds. Apply product to pre-cleaned hard non-porous surfaces. All surfaces must remain visibly wet for 10 minutes. Once treatment is completed, allow 20 minute settling time before re-entry to the treated space. Consider compatibility and potential for damage prior to application. Always refer to manufacturer's care instructions before using equipment or devices.

**MILDEWSTAT: FOR MOLD OR MILDEW ON FLOORS, WALLS, CEILINGS & FABRIC:** Remove as much surface dirt, mold, or mildew as possible by cleaning. Then spray on **SAN-ASSURE** from a distance of 12 inches until visibly wet and let air dry, the surface must be completely wet with **SAN-ASSURE** for 10 minutes.

**TO SPOT CLEAN & SANITIZE:** Spray a light even coating on soiled area until wet. Allow to remain wet for 60 minutes. Gently blot area with a clean, damp, color-safe cloth. Repeat as needed for stubborn stains. Let air dry.

**TO USE AS A PRECLEANER OR POSTCLEANER:** Spray a light even coating over soiled area (until wet). Allow to remain wet for 60 minutes. Deep clean following your machine's guide.

**TO DEODORIZE: SAN-ASSURE** works by oxidation, not by masking of odors. Eliminates odors caused by fire smoke, tobacco smoke, musty odors, stale-cooking odors. Simply spray, fog, or wipe on full strength and let air dry. When fogging to deodorize apply 1 quart per 2000 cubic ft. following fogger manufacturer's directions for use. Product must come into contact with the cause of the odor to be effective. For pet urine stains in carpet, blot urine as dry as possible then saturate stain with **SAN-ASSURE** through carpet pad.

**ALLERGEN REMOVAL:** To reduce specified allergens, cockroach matter, dust mite matter, pet dander: Spray, wait 1 minute, and wipe excess. Allow to air dry.

**FIRST AID: IF IN EYES:** Hold eye open and rinse slowly with water 15-20 mins. Remove contact lenses after first 5 mins, and continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have product container or label with you when calling a poison control center or doctor, or going for treatment.



Peel here for more directions on back.



# 32 OZ. BACK LABEL - PANEL 2

## TO SANITIZE FOOD CONTACT

**SURFACES:** *Staphylococcus aureus* (ATCC 6538) and *Escherichia coli* (ATCC 11229) 99.999% sanitization of food contact surfaces. Mix 1 part product to 9 parts tap water. For all food contact surfaces, including glassware, utensils, cookware, and dishware: Scrape and pre-wash, then wash with a good detergent. Rinse with potable water, then sanitize by immersion in product for 1 minute (or longer if specified by government sanitary code). Place on a rack or drain board to air dry. Do not rinse or wipe.

**FOOD CONTACT IMMOBILE SURFACES:** (food processing equipment, counter tops, tables, appliances) Remove all gross food particles and soil by cleaning and rinse with potable water. Apply **SAN-ASSURE** by wetting thoroughly with spray, sponge, mop, or by immersion in solution and let stand for 1 minute (or longer if specified by government sanitary code). Let surfaces drain and air dry. Do not rinse or wipe. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted. Final Sanitizing Bottle Rinse: **SAN-ASSURE** may be used as a final sanitizing rinse for returnable and nonreturnable bottles when diluted at the rate of 9 parts water to 1 part **SAN-ASSURE**.

**TO SANITIZE CARPET:** For synthetic carpet fibers such as nylon, olefin, or polypropylene - not intended for use on wool carpets. Test for color fastness in an inconspicuous area. Carpet should be clean or free of excessive soil before applying. Mix 1 part **SAN-ASSURE** to 5 parts water. Or use full strength. Apply at a rate of 2.5 oz per sq. ft. Product must come into contact with contaminate to work. Allow to dwell for 60 minutes. Do not rinse, use an extraction wand and dry stroke carpet to remove excess moisture. Carpet can air dry or fans may be used if carpet needs to dry faster.

**TO DEODORIZE OR FRESHEN CARPET:** Spray until slightly damp to eliminate (pet) odors. **SAN-ASSURE** must come in contact with the cause of the odor to be effective.

**TO SPOT CLEAN CARPET:** Spray on soiled area until wet. Gently blot area with a clean, damp, color safe cloth. Repeat as needed for stubborn stains. Let air dry.

**TO SANITIZE CARPET USING A DEVICE:** See Manufacturer's Instructions for Use.

**TO SANITIZE SOFT SURFACES BY SPOT TREATMENT:** \* Fabrics\*: Hold bottle upright 6" - 8" from surface. Spray until fabric is wet. DO NOT SATURATE. Let stand for 5 minutes. Allow to air dry. For difficult odors or heavy fabrics, repeat application. Visible soil must be removed prior to sanitizing. Fabric and Carpet advisory statement: Before you clean, test a small, hidden area for colorfastness and examine when dry. If color is affected, do not use. Before using this product on upholstery, look for manufacturer's cleanability code tag. Do not use on cotton or cotton blends. Not for use on clothing.

**TO SANITIZE NON-FOOD CONTACT HARD NON-POROUS SURFACES:** *Staphylococcus aureus* (ATCC 6538) and *Klebsiella aerogenes* (ATCC #13048) Mix 1 part **SAN-ASSURE** with 9 parts water. Apply product as a one-step cleaner sanitizer (5% organic soil load) by wetting thoroughly with spray, sponge, mop, or by immersion in solution and let stand 5 minutes. Wipe and allow to air dry. No rinse required. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted.

**TO DEODORIZE HVAC SYSTEM DUCTWORK:** Spray **SAN-ASSURE** into system intake vents while system fan is running. Allow enough spray time for **SAN-ASSURE** to contact air duct system surfaces. Repeat application as necessary.

**HOSPITALS/HEALTHCARE FACILITIES:** **SAN-ASSURE** cleans, disinfects and deodorizes hard, nonporous hospital and medical surfaces in one step with no rinsing required. **SAN-ASSURE** is a one step germicidal disinfectant cleaner and deodorant designed for general cleaning and disinfecting of hard, nonporous inanimate surfaces, when use-directions for disinfection are followed\*. Removes dirt, grime, fungus, mold, food residue, blood and other organic matter commonly found in hospitals and in health care facilities. It also eliminates odors leaving restroom surfaces smelling clean and fresh. Use where odors are a problem.

\*This product is not to be used as a terminal sterilant/high level disinfectant on any surface of instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATIONS AGAINST HIV-1, HBV, AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. KILLS HIV-1, HBV, AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Human Hepatitis B virus, and Human Hepatitis C Virus. When handling items soiled with blood or bodily fluids use disposable latex gloves, gowns, masks, and eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal. **CONTACT TIME:** Allow surfaces to remain wet for 5 minutes for virus inactivation.

HINGE/GLUE AREA

# 32 OZ. BACK LABEL - PANEL 3

## TO DISINFECT FOOD PROCESSING

**PREMISES:** floors, walls and storage areas, hold container six to eight inches from the surface to be treated and spray area until it is covered with the undiluted solution. Allow this product to penetrate and remain wet for 10 minutes. Visibly soiled areas must be pre-cleaned before using this product. Food products and packaging materials must be removed or carefully protected prior to using this product.

## TO DISINFECT FARM PREMISES, POULTRY HOUSES, ANIMAL PENS & VEHICLES:

Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and water appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with product undiluted for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Allow to air dry. Ventilate buildings, cars, boats, and other closed spaces. Drain any pooled product and/or rinse standing product with potable water. Do not house livestock or employ equipment until treatment has been absorbed, or dried.

**SAN-ASSURE KILLS:** Hard Surface Sanitization No Rinse Required: 60 Second Contact Time: *Escherichia coli* (ATCC 11229), *Staphylococcus aureus* (ATCC 6538) Non-Food Contact Surface Sanitization No Rinse Required: 5 Minute Contact Time: *Escherichia coli* (ATCC 11229), *Staphylococcus aureus* (ATCC 6538) Sanitize Soft Surfaces: 5 Minute Contact Time: *Staphylococcus aureus* (ATCC 6538), *Klebsiella aerogenes* (ATCC #13048) Carpet Sanitization: 60 Minute Contact Time: *Klebsiella aerogenes* (ATCC #13048), *Staphylococcus aureus* (ATCC 6538) Fungicide: 10 Minute Contact Time: *Trichophyton rubrum* ATCC MYA, *Trichophyton interdigitale* (ATCC # 9533) Mildewstat: 10 Minute Contact Time: *Aspergillus niger* ATCC 6275 Disinfection Bacteria 10 Minute Contact Time: *Pseudomonas aeruginosa* ATCC 15442, *Acinetobacter baumannii* ATCC 19616, *Staphylococcus aureus* MRSA ATCC 33592, *Listeria monocytogenes* ATCC 15313, *Legionella pneumophila* ATCC 33153, *Salmoneella enterica* ATCC 10708, *Staphylococcus aureus* ATCC 6538, *Klebsiella pneumoniae* (NDM-1) ATCC BAA-2146, *Escherichia coli* ATCC 11229, *Bordetella bronchiseptica* ATCC 10580, *Mycobacterium bovis*-BCG, Penicillin-Resistant *Streptococcus pneumoniae*, ATCC# 700677, *Chlamydia psittaci*, Strain BBC, ATCCVR-126 Disinfection Virus 5 Minute Contact Time: Severe Acute Respiratory Syndrome-Related Coronavirus 2 (SARS-CoV-2)(COVID-19 Virus), Rotavirus, Strain WA \*\*; Hepatitis C Virus Bovine Viral Diarrhea Virus\*; Hepatitis B Virus Duck Hepatitis\*; Norovirus Feline Calicivirus\*; Murine Norovirus (MNV-1)\*; Swine Influenza (H1N1) \*\*; Respiratory Syncytial virus, ATCC VR-26\*; Human Immunodeficiency Virus (HIV Type 1) Strain HTLV-IIIb\*; Influenza B Virus (Strain B/Taiwan/2/62), ATCC VR-1735\*; Hepatitis A Virus ATCC VR-1541\*; Hantavirus (Prospect Hill Virus) University of Ontario \*\*; Canine Distemper Virus, Strain Snyder Hill, ATCC VR\*\* Disinfection Virus 10 Minute Contact Time: Adenovirus 1, Strain Adenoid 71, ATCC VR-1\*; Canine Parvovirus, Strain Cornell-780916, ATCC VR-2016\*; Canine adenovirus 1, Strain Utrecht, ATCC VR-293\*; Feline Herpesvirus 1 Strain C-27, ATCC VR-636\*; Feline coronavirus, Strain WSU 79-1683, ATCC VR 989\*; Canine coronavirus Strain 1-71, ATCC VR-809\*; Canine Influenza (H3N8) virus, Strain A/Ca/NY/105913/08, Cornell University\*; Feline Infectious Peritonitis Virus, Strain: WSU 79 1146, ATCC# VR-990\*; Feline panleukopenia virus, Strain Philips-Ruxane, ATCC VR-646\*; Rabies Virus, Strain: Flury (HEP), ATCC VR-139\*; Avian Influenza (H5N1) Virus (VN/HK/97-PR8/CDC-RG), CDC #2006719065, Charles River Laboratories; Herpes Simplex Virus 1 (Human), Strain HE, ATCC VR-200\*; Porcine Epidemic Diarrhea Virus, Strain CD 2013, USDA APHIS 025-PV001; Porcine Reproductive and Respiratory Syndrome Type 2 Virus, Strain NVSL (North America) NVSL 130 PDV

**STORAGE AND DISPOSAL:** Store in original closed container in a cool, dry place away from heat and open flame. Do not allow product to become overheated in storage. Avoid prolonged storage temperature above 40°C, 90°F and away from direct sunlight. This may cause increased degradation of the product, which will decrease product effectiveness. Refill only with this product. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Do not transfer with metal drum pumps. Container Disposal: Rinse and offer empty container for recycling. If recycling is not available, discard container in trash. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Discard excess or used (product) solution in drain with running water

#When used according to directions for disinfection, \*refer to the appropriate claims and use directions for this application. ^equipment should be allowed to come to room temperature prior to treatment. †Pre-cleaning surfaces is required for disinfection of Porcine Reproductive and Respiratory Syndrome type 2 Virus.

EPA Reg. No. 82972-1-96700, EPA Est. No. 88276-GA-4, EPA Est. No. 85804-NC-1 (See batch code for actual establishment number.)

NOTICE: Seller expressly warrants that the product conforms to its chemical description. There are no other warranties associated with sale of the product.

Distributed by: **SanAssure Manufacturing, LLC**  
P.O. Box 317, Maryhurst, OR 97036 • Customer Service: (888) 642-6230

HINGE/GLUE AREA

# Costco Sprayer Kit - Side Panel Info (from 32oz label front and back) - square

## SAN-ASSURE MULTI SURFACE CLEANER/RESIDENTIAL, COMMERCIAL & HOSPITAL DISINFECTANT

**TOUGH ON GERMS, EASY ON SURFACES**

**REMOVES ALLERGENS**

**KILLS THE VIRUS THAT CAN CAUSE COVID-19, SARS-COV-2, ON HARD, NON-POROUS SURFACES**

**KILLS BACTERIA AND VIRUSES\*\***

**NO HARSH CHEMICAL SMELL**

**60 SECONDS IS ALL IT TAKES TO KILL 99.999% OF BACTERIA**

**PREVENTS MOLD AND MILDEW AT ITS ROOTS**

**NO RINSING**

**ODOR ELIMINATOR**

**100% BIODEGRADABLE SURFACTANT**

<b>ACTIVE INGREDIENTS:</b>	
Chlorine Dioxide.....	0.200%
Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chloride.....	0.125%
Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chloride.....	0.125%
<b>OTHER INGREDIENTS.....</b>	<b>99.550%</b>
<b>Total.....</b>	<b>100.000%</b>



LISTED #165594

**KEEP OUT OF REACH OF CHILDREN**

**NET CONTENTS:**

**2 bottles - each 32 fl. oz. (946ml)**

**AREAS OF USE:** Homes, Vehicles, Schools & Daycare, Gyms & Locker Rooms, Sports Gear, Hospitals, Nursing Homes, Laundry Rooms, Veterinary, Pharmacies, Ambulances, Barber Shops, Laboratories, Restaurants, Boats, Ships, Federally Inspected Meat & Poultry Processing Plants, Farms, Animal Pens and Poultry Houses, Egg Processing Premises, Hatcheries, Swine Premise Sanitation, Refrigerated Storage Units (Empty & Disconnected)\*, HVAC and AC Systems including Window Pac Mini Splits, Airplanes†, Trains, Trucks, Buses & Automobiles. Use as a Mold Controller & Mildewstat on Hard Non-Porous Surfaces (i.e. Tiles) and Soft Surfaces (i.e. Fabrics)††

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Test fabric for color fastness. Contains a dilute oxidizing agent. Do not mix with vinegar or acidic cleaners. Always refer to manufacturer's care instructions before using equipment or devices.

**PRE-CLEANING INSTRUCTIONS:** Remove visible soil by cleaning. Spray product straight onto soils, scrub and wipe clean with a dry paper towel or cloth. For cleaning floors add one cup product per gallon of water in bucket and clean with sponge, mop, or pad.

**TO DISINFECT HARD NON-POROUS SURFACES:** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply SAN-ASSURE undiluted full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 5 minutes or 10 minutes for virus inactivation - 10 minutes for bacteria disinfection. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted.

**TO DISINFECT HARD NON-POROUS SURFACES (tuberculocidal):** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply product full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 10 minutes for *Mycobacterium bovis*-BC2 disinfection. For immersion replace solution daily, or more frequently if it becomes significantly soiled or diluted.

**GENERAL DIRECTIONS FOR USE WITH ELECTROSTATIC SPRAYING:** Pre-clean the surface of visible soil. Remove by-standers and pets from area to be treated. Do not use for treatment of humans, air or fumigation. Sprayer droplet particle size should set to limit volume median diameter of > 40 um. Use N95 filtering facepiece respirators. Plan the spray routine to minimize unnecessary exposure to treated areas (for example, begin applying product in the back of the room/area and work towards the front of the room/area). Place the electrostatic spray function in the ON position for electrostatic spray model that have the functionality to toggle ON/OFF. Spray distance should be between 2 ft. and 2 ft. + 6 in. for 10 seconds. Apply product to pre-cleaned hard non-porous surfaces. All surfaces must remain visibly wet for 10 minutes. Once treatment is completed, allow 20 minute resettling time before re-entry to the treated space. Consider compatibility and potential for damage prior to application. Always refer to manufacturer's care instructions before using equipment or devices.

**MILDEWSTAT: FOR MOLD OR MILDEW ON FLOORS, WALLS, CEILING & FABRIC:** Remove as much surface dirt, mold, or mildew as possible by cleaning. Then spray on SAN-ASSURE from a distance of 12 inches until visibly wet and let air dry, the surface must be completely wet with SAN-ASSURE for 10 minutes.

**TO SPOT CLEAN & SANITIZE:** Spray a light even coating on soiled area until wet. Allow to remain wet for 60 minutes. Gently blot area with a clean, damp, color-safe cloth. Repeat as needed for stubborn stains. Let air dry.

**TO USE AS A PRECLEANER OR POSTCLEANER:** Spray a light even coating over soiled area (until wet). Allow to remain wet for 60 minutes. Deep clean following your machine's guide.

**TO DEODORIZE:** SAN-ASSURE works by oxidation, not by masking of odors. Eliminates odors caused by fire smoke, tobacco smoke, musty odors, stale-cooking odors. Simply spray, fog, or wipe on full strength and let air dry. When fogging to deodorize apply 1 quart per 2000 cubic ft. following fogger manufacturer's directions for use. Product must come into contact with the cause of the odor to be effective. For pet urine stains in carpet, blot urine as dry as possible then saturate stain with SAN-ASSURE through carpet pad.

**ALLERGEN REMOVAL:** To reduce specified allergens, cockroach matter, dust mite matter, pet dander: Spray, wait 1 minute, and wipe excess. Allow to air dry.

**FIRST AID. IF IN EYES:** Hold eye open and rinse slowly with water 15-20 mins. Remove contact lenses after first 5 mins. and continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have product container or label with you when calling a poison control center or doctor, or going for treatment.

\*\*This product is not to be used as a terminal sterilant/high level disinfectant on any surface of instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

†refer to the appropriate claims and use directions for this application. \*equipment should be allowed to come to room temperature prior to treatment.

Distributed by: SanAssure Manufacturing, LLC • P.O. Box 317, Marylhurst, OR 97036 • Customer Service: (888) 642-8230

# Costco Sprayer Kit - Side Panel Info (from 32oz label front and back) - vertical

## SAN-ASSURE

MULTI SURFACE CLEANER  
RESIDENTIAL, COMMERCIAL &  
HOSPITAL DISINFECTANT

**TOUGH ON GERMS, EASY ON SURFACES**  
**KILLS BACTERIA AND VIRUSES\*\***  
**PREVENTS MOLD AND MILDEW AT ITS ROOTS**  
**ODOR ELIMINATOR**  
**REMOVES ALLERGENS**  
**NO HARSH CHEMICAL SMELL**  
**NO RINSING**  
**100% BIODEGRADABLE SURFACTANT**  
**KILLS THE VIRUS THAT CAN CAUSE COVID-19,  
SARS-COV-2, ON HARD, NON-POROUS SURFACES**  
**60 SECONDS IS ALL IT TAKES TO KILL  
99.999% OF BACTERIA**

### ACTIVE INGREDIENTS:

Chlorine Dioxide.....	0.200%
Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride.....	0.125%
Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride.....	0.125%
OTHER INGREDIENTS.....	99.550%
Total.....	100.000%

**AREAS OF USE:** Homes, Vehicles, Schools & Daycare, Gyms & Locker Rooms, Sports Gear, Hospitals, Nursing Homes, Laundry Rooms, Veterinary, Pharmacies, Ambulances, Barber Shops, Laboratories, Restaurants, Boats, Ships, Federally Inspected Meat & Poultry Processing Plants, Farms, Animal Pens and Poultry Houses, Egg Processing Premises, Hatcheries, Swine Premise Sanitation, Refrigerated Storage Units (Empty & Disconnected) ^, HVAC and AC Systems Including Window Ptac Mini Splits, Airplanes<sup>†</sup>, Trains, Trucks, Buses & Automobiles. Use as a Mold Controller & Mildewstat on Hard Non-Porous Surfaces (i.e. Tiles) and Soft Surfaces (i.e. Fabrics)<sup>††</sup>

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Test fabric for color fastness. Contains a dilute oxidizing agent. Do not mix with vinegar or acidic cleaners. Always refer to manufacturer's care instructions before using equipment or devices.

**PRE-CLEANING INSTRUCTIONS:** Remove visible soil by cleaning. Spray product straight onto soils, scrub and wipe clean with a dry paper towel or cloth. For cleaning floors add one cup product per gallon of water in bucket and clean with sponge, mop, or pad.

**TO DISINFECT HARD NON-POROUS SURFACES:** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply **SAN-ASSURE** undiluted full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 5 minutes or 10 minutes for virus inactivation - 10 minutes for bacteria disinfection. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted.

**TO DISINFECT HARD NON-POROUS SURFACES (tuberculocidal):** For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply product full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 10 minutes for *Mycobacterium bovis*-BCG disinfection. For immersion replace solution daily, or more frequently if it becomes significantly soiled or diluted.

**GENERAL DIRECTIONS FOR USE WITH ELECTROSTATIC SPRAYING:** Pre-clean the surface of visible soil. Remove by-standers and pets from area to be treated. Do not use for treatment of humans, air or fumigation. Sprayer droplet particle size should set to limit volume median diameter of > 40 um. Use N95 filtering facepiece respirators. Plan the spray routine to minimize unnecessary exposure to treated areas (for example, begin applying product in the back of the room/area and work towards the front of the room/area). Place the electrostatic spray function in the ON position for electrostatic spray model that have the functionality to toggle ON/OFF. Spray distance should be between 2 ft. and 2 ft. + 6 in. for 10 seconds. Apply product to pre-cleaned hard non-porous surfaces. All surfaces must remain visibly wet for 10 minutes. Once treatment is completed, allow 20 minute resettling time before re-entry to the treated space. Consider compatibility and potential for damage prior to application. Always refer to manufacturer's care instructions before using equipment or devices.

**MILDEWSTAT: FOR MOLD OR MILDEW ON FLOORS, WALLS, CEILINGS & FABRIC:** Remove as much surface dirt, mold, or mildew as possible by cleaning. Then spray on **SAN-ASSURE** from a distance of 12 inches until visibly wet and let air dry, the surface must be completely wet with **SAN-ASSURE** for 10 minutes.

**TO SPOT CLEAN & SANITIZE:** Spray a light even coating on soiled area until wet. Allow to remain wet for 60 minutes. Gently blot area with a clean, damp, color-safe cloth. Repeat as needed for stubborn stains. Let air dry.

**TO USE AS A PRECLEANER OR POSTCLEANER:** Spray a light even coating over soiled area (until wet). Allow to remain wet for 60 minutes. Deep clean following your machine's guide.

**TO DEODORIZE: SAN-ASSURE** works by oxidation, not by masking of odors. Eliminates odors caused by fire smoke, tobacco smoke, musty odors, stale-cooking odors. Simply spray, fog, or wipe on full strength and let air dry. When fogging to deodorize apply 1 quart per 2000 cubic ft. following fogger manufacturer's directions for use. Product must come into contact with the cause of the odor to be effective. For pet urine stains in carpet, blot urine as dry as possible then saturate stain with **SAN-ASSURE** through carpet pad.

**ALLERGEN REMOVAL:** To reduce specified allergens, cockroach matter, dust mite matter, pet dander: Spray, wait 1 minute, and wipe excess. Allow to air dry.

**FIRST AID. IF IN EYES:** Hold eye open and rinse slowly with water 15-20 mins. Remove contact lenses after first 5 mins. and continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have product container or label with you when calling a poison control center or doctor, or going for treatment.

\*\*This product is not to be used as a terminal sterilant/high level disinfectant on any surface of instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

<sup>†</sup>refer to the appropriate claims and use directions for this application. <sup>^</sup>equipment should be allowed to come to room temperature prior to treatment.

**KEEP OUT OF REACH OF CHILDREN**  
**NET CONTENTS:**  
**2 bottles - each 32 fl. oz. (946ml)**



Distributed by: SanAssure Manufacturing, LLC  
P.O. Box 317, Marylhurst, OR 97036 • Customer Service: (888) 642-6230