


Through Bolt bracket system • Brushed Stainless+ Matte Black

Thru-bolt brackets both sides.

Track available in multiple species, reclaimed and ethically harvested wood options.

Aluminum spacers.


Door panel thickness options 1/4" - 1 3/4". Thicker door panel options with larger thru-bolt brackets and custom track sizes.



Combine end mount and wall mount systems for unique applications. Screw and plug with offset spacers or use the adjustable wall mount (AWM).

Durable polymer and machined aluminum wheel.

End mount on abutting wall optional.



Door top clearance adjustable at install.


Standard track dimensions 4", 6". Track dimensions must be selected to suit door weight and track span.

Freespan 1.5" brackets or use our through bolt brackets to scale the system to your needs.

Wall


EG2

© ENGR0OVE INC
2/12/22 REV.
END GAME



- MOUNTING OPTIONS
1. END MOUNT
 2. AWM
 3. DIRECT MOUNT

← PANEL THICKNESS OPTIONS
 $\frac{1}{4}$ " - $1\frac{3}{4}$ "




EG3

ATTACHMENT
POINT FOR
LONG SPANS
AND HEAVY DOORS

ENGROOVE INC
10/4/22
END GAME
APPLICATION
OPTION

END MOUNT
ON ABUTTING
WALL



HALL