1. Identification

Product Identifier Blue Raspberry Lemon

Other means of Identification Flavor

Recommended useNot available **Recommended restriction**Not known

Manufacturer/Importer/Supplier/Distributor Information:

Manufacturer Company Name RENAISSANCE FLAVORS INTERNATIONAL

Address 120 Nashdene Road, Scarborough, ON, Canada M1V 2W3

TelephoneNot availableE-mailNot availableEmergency phone numberNot availableSupplierSee above.

2. Hazard Identification

Physical Hazards Not classified

Health Hazards Skin Sensitization Category 1

Environmental Hazards Not Classified



Label elements

Signal word Warning

Hazard statement May cause an allergic skin reaction.

Precautionary statement

 $\label{lem:prevention} \textbf{Prevention} \qquad \qquad \textbf{Avoid breathing dust/fume/gas/mist/vapours/spray}.$

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

Response IF on SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store None

Disposal Dispose container in accordance with local, regional, national and international regulation.

Other Hazards None known.

Supplemental Information None.

3. Composition/Information on Ingredients

	5. Composition/information	i on ingredients			
Mixtures					
Chemical name	Common name and Synonyms	CAS number	%		
Ethyl Maltol		4940-11-8	1-5*%		
Butyl Acetate		123-86-4	0.1-1*%		
Lime Oil		8008-26-2	1-5* %		
Sucralose		56038-13-2	0.1-1*%		
Citral		5392-40-5	0.1-1*%		
Propylene Glycol		57-55-6	80-100* %		
All concentrations are in percent by we	eight unless ingredient is a gas. Gas co		nt by volume.		
Composition comments	*CANADA GHS: The exact percen	_	-		
composition comments	-	tage(concentration) of con	nposition has been withheld		
	As a trade secret.				
	4. First-Aid Mea	sures			
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.				
Skin Contact	Wash with plenty of water. If skin irritation /rash occur: Get medical attention. Take off				
	contaminated clothing and wash it b	efore reuse.			
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy				
	to do. Continue rinsing.				
Ingestion	Immediately call a POISON CENTER or doctor. Rinse mouth. Do not induce vomiting.				
Most important Symptoms/	Symptoms may include eye irritation, tearing, redness, swelling. May cause an allergic				
Effects acute and delayed	skin reaction: Dermatitis, Rash.				
Indication of immediate medical	Symptoms may be delayed.				
attention and special treatment need	ed				
General Information	If you feel unwell, seek medical advice (show the label where possible). Show this safety				
	data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid				
	contact with eyes and skin. Keep out of reach of children.				
	5. Fire-Fighting M	easures			
Suitable extinguishing media	Alcohol resistant foam. Dry powder. Carbon dioxide.				
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread fire.				
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.				
Hazardous Combustion products	May include and are not limited to 0	Oxides of carbon.			
Special protective equipment and Precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn.				
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.				
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials				

	(A2.1	tal Dalaga M				
	6. Acciden	tal Release Measures				
Personal precautions, Protective equipment and Emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.					
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see the section 13 of SDS.					
Environmental precautions	Do not discharge into	Do not discharge into lakes, streams, ponds or public waters.				
	7. Han	dling and Storage				
Precautions for safe handling	Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Pregnant or breastfeeding women must not handle this product. Avoid prolonged exposure. Observe good industrial hygiene practices. Wash hands thoroughly after handling.					
Conditions for safe storage, including any compatibilities	Store in tightly closed container. Store away from incompatible material (see section 10 of the SDS). Keep out of reach of children.					
	0 E C	4 1 / D 1 D 4				
	8. Exposure Con	ntrols/ Personal Protec	tion			
Occupational exposure limits	8. Exposure Con	ntrols/ Personal Protec	tion			
_	-		tion			
Occupational exposure limits US. OSHA Table Z-1 Limits f	for Air Contaminants (2					
US. OSHA Table Z-1 Limits t	for Air Contaminants (2	29 CFR 1910. 1000) Val				
US. OSHA Table Z-1 Limits	for Air Contaminants (2	29 CFR 1910. 1000) Val 710	mg/m3			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 123 4)	For Air Contaminants (2 Type 1-86- PEL	29 CFR 1910. 1000) Val 710	ue			
US. OSHA Table Z-1 Limits f Material BUTYL ACETATE (CAS 123 4) US. ACGIH Threshold Limit	For Air Contaminants (2 Type 1-86- PEL Values	29 CFR 1910. 1000) Val 710 150	mg/m3			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 123 4) US. ACGIH Threshold Limit Material	for Air Contaminants (2 Type 5-86- PEL Values Type	29 CFR 1910. 1000) Val 710 150 Value	mg/m3			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 123 4) US. ACGIH Threshold Limit Material BUTYL ACETATE (CAS	For Air Contaminants (2 Type 1-86- PEL Values	29 CFR 1910. 1000) Val 710 150	mg/m3			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 123 4) US. ACGIH Threshold Limit Material	for Air Contaminants (2 Type 5-86- PEL Values Type	29 CFR 1910. 1000) Val 710 150 Value	mg/m3			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 123 4) US. ACGIH Threshold Limit Material BUTYL ACETATE (CAS	for Air Contaminants (2 Type 5-86- PEL Values Type STEL	Value 150 ppm	mg/m3 ppm Form Inhalable fraction and			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 123 4) US. ACGIH Threshold Limit Material BUTYL ACETATE (CAS 123-86-4)	Type 3-86- PEL Values Type STEL TWA TWA	Value 150 ppm 50 ppm	mg/m3 ppm Form			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 123 4) US. ACGIH Threshold Limit Material BUTYL ACETATE (CAS 123-86-4) CITRAL (CAS 5392-40-5) US. NIOSH: Pocket Guide to	Type -86- PEL Values Type STEL TWA TWA TWA Chemical Hazards	Value 150 ppm 50 ppm 5 ppm	mg/m3 ppm Form Inhalable fraction and vapor.			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 123 4) US. ACGIH Threshold Limit Material BUTYL ACETATE (CAS 123-86-4) CITRAL (CAS 5392-40-5)	Type 3-86- PEL Values Type STEL TWA TWA TWA Chemical Hazards Type	Value 150 ppm 50 ppm 5 ppm 5 ppm	mg/m3 ppm Form Inhalable fraction and vapor.			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 1234) US. ACGIH Threshold Limit Material BUTYL ACETATE (CAS 123-86-4) CITRAL (CAS 5392-40-5) US. NIOSH: Pocket Guide to Material BUTYL ACETATE (CAS 123	Type 3-86- PEL Values Type STEL TWA TWA TWA Chemical Hazards Type	Value 150 ppm 50 ppm 5 ppm 5 ppm 5 ppm 5 ppm	mg/m3 ppm Form Inhalable fraction and vapor.			
US. OSHA Table Z-1 Limits for Material BUTYL ACETATE (CAS 1234) US. ACGIH Threshold Limit Material BUTYL ACETATE (CAS 123-86-4) CITRAL (CAS 5392-40-5) US. NIOSH: Pocket Guide to Material BUTYL ACETATE (CAS 123	Type 3-86- PEL Values Type STEL TWA TWA TWA Chemical Hazards Type	Value 150 ppm 50 ppm 5 ppm 5 ppm 5 ppm 29 CFR 1910. 1000)	mg/m3 ppm Form Inhalable fraction and vapor. mg/m3			

Individual protection measures, such as personal protective equipment

Eye/Face protection Wear safety glasses with side shields.

Skin protection

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Other As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practises. Wash hands

before breaks and immediately after handling the product.

9. Physical and Chemical Properties

AppearanceLiquidPhysical stateLiquidFormLiquidColourYellowish

Odour Generally the odour reflects the flavour on the manufacturing label

Odour Threshold Not available
pH Not available
Melting/Freezing point Not available
Initial boiling point and range Not available
Flash point Not available
Evaporation rate Not available
Flammability (solid, gas) Not available
Upper/Lower Flammability or Explosive Limits

Flammability limit – lower (%) Not available
Flammability limit – upper (%) Not available
Explosive limit – lower (%) Not available
Explosive limit – upper (%) Not available
Vapour pressure Not available
Vapour density Not available
Relative density Not available

Solubility(ies)

Soluble or miscible in water

Partition coefficient(n-octanol/water) Not available

Auto-Ignition Temperature Product is not self-igniting

Decomposition temperatureNot availableViscosityNot available

Other Information

Explosive properties Not explosive **Oxidizing properties** Not oxidizing

10. Stability and Reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of Hazardous Hazardous polymerization doe not occur.

Reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and ignition sources. Do not mix with other

chemicals.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon

11. Toxicological Information

Information on likely routes of exposure

Inhalation Not available.

Skin contact May cause an allergic skin reaction.

Eye contact Not available. **Ingestion** Not available.

Components Species Test Results

Ethyl Maltol (CAS 4940-11-8)

Acute

Oral LD50

Rat 1150 mg/kg

Skin corrosion/irritation Not available. Not available. **Exposure minutes** Erythema value Not available. Not available. Oedema value Serious eye damage/eye irritation Not available. Corneal opacity value Not available. Iris lesion value Not available. Not available. Conjunctival reddening value Not available. Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

CarcinogenicityNot available.Reproductive ToxicityNot available.

Specific target organ toxicity-

Not classified.

Single exposure

Specific target organ toxicity-

Not classified.

Repeated exposure

Not available.

Aspiration hazard Chronic effects

Prolonged inhalation may be harmful.

T		12. Ecological Information	
Ecotoxicity			
Ecotoxicological data			
Components		Species	Test Result
Butyl Acetate (CAS 123-86-4)			
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 17 - < 19 mg/l, 96 hours
Acute			
Algae	EC50	Green algae (Desmodesmus subspicatus)	674.7 mg/l, 72 hours
Crustacea	LC50	Water flea (Daphnia magna)	205 mg/l, 24 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	100 mg/kg, 96 hours
Citral (CAS 5392-40-5)			
Acute			
Other	EC20	Activated sludge of a predominantly domestic sewage	68 mg/l, 0.5 hours OECD Guideline 209 aquatic
Aquatic			
Other	EC50	Bacterium	2100 mg/l, 0.5 hour DIN 38412 Part 27 (draft) aquatic - The produce has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
<i>Acute</i> Algae	EC50	Green algae (Chlamydomonas variabillis)	103.8 mg/l, 72 hours DIN
		, , ,	38412 Part 9 static - The produce has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
Crustacea	EC50	Daphnia magna	7 mg/l, 48 hours Directive 79/831/EEC static - The produce has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

The details of the toxic effect

relate to the nominal

concentration

Fish LC50 Ide, silver or golden orfe (Leuciscus idus) > 4.6 - <10 mg/l, 96 hoursDIN 38415 Part 15 static -The produce has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.

Persistence and Degradability

No data is available on degradability of any ingredients in the mixture.

Bio accumulative potential

No data available Not available. Not available.

Mobility in Soil **Mobility in General** Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential) are expected from this

component.

13. Disposal Considerations

Dispose of contents/container in accordance with local/regional/national/international **Disposal Instructions**

regulations.

Local Disposal Regulations

Dispose in accordance with all applicable regulations.

Hazardous Waste Code

The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/ unused

products

Empty containers/liners may retain some product residues. This material and its container

must be disposed of in a safe manner (see: Disposal Instructions).

Contaminated Packaging Since emptied containers may retain product inside, follow label warnings even after

container is emptied. Empty containers should be taken to approved waste handling site

for recycling or disposal.

14. Transport Information

Canada: TDG Proof of classification: Classification Method: Classified as per Part 2, General

Sections 2.1-2.8 of the Transport of Dangerous Goods Regulations. If applicable, the

technical name and the classification of the product will appear below.

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN1993 **UN Number**

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Technical Name Ethanol Hazard Class 3 **Packing Group** Ш **Special Provisions** 16, 150

15. Regulatory Information

Canadian Federal Regulations This product has been classified in accordance with the hazard criteria of the HPR and

SDS contains all the information required by the HPR.

Canada NPRI VOCs with Additional Reporting Requirements: Mass Reporting Threshold/ Identification Number

Export Control List

(CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases Not listed.

Precursor Control Regulated Not regulated.

WHMIS Controlled

International Regulations Controlled

Inventory status

Country(s) or RegionInventory Nameon Inventory (Yes/No)*CanadaDomestic Substances List (DSL)NoCanadaNon- Domestic Substances List (NDSL)No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing

country(s).

16. Other Information

Abbreviations and Acronyms:

GHS - Globally Harmonizes System on classification and labeling

USP – United States Pharmacopeia

OSHA – Occupational Safety and Health Administration

OEL – Occupational Exposure Limit

NIOSH – National Institute of Occupational Safety and Health

DSL - Domestic Substances List Canada

TSCA - Toxic Substances Control Act - USA

RCRA – Resource Conservation and Recovery Act

CERCLA - Comprehensive Environmental Response, Compensation and Liability Act

Issue date: 10 November 2020 **Revision date:** 10 November 2020

Version No.: 01

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge or was obtained from sources which we believe are reliable. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal and is provided without any warranty regarding its correctness. The information cannot be transferred to other products. In the case of mixing the product with other products, or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. For the abovementioned reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out or in any way connected with the handling, storage, use or disposal of the product.