1. Identification

Product Identifier Watermelon Lemonade

Other means of Identification Flavor

Recommended useNot available **Recommended restriction**Not known

Manufacturer/Importer/Supplier/Distributor Information:

Manufacturer Company Name RENAISSANCE FLAVORS INTERNATIONAL

Address 120 Nashdene Road, Scarborough, ON, Canada M1V 2W3

TelephoneNot availableE-mailNot availableEmergency phone numberNot availableSupplierSee above.

2. Hazard Identification

Physical Hazards Not classified

Health Hazards Skin Sensitization Category 1

Environmental Hazards Not Classified



Label elements

Signal word Warning

Hazard statement May cause an allergic skin reaction.

Precautionary statement

Prevention Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

Response IF on SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store None

Disposal Dispose container in accordance with local, regional, national and international regulation.

Other Hazards None known.

Supplemental Information None.

3. Composition/Information on Ingredients

	5. Composition/information	8		
Mixtures				
Chemical name	Common name and Synonyms	CAS number	0 / ₀	
Lemon Oil		8008-56-8	0.5-1.5*%	
Butyl Acetate		123-86-4	0.1-1*%	
Methyl Heptenone	Menthol	89-78-1	0.1-1*%	
Sucralose		56038-13-2	0.1-1*%	
Citral		5392-40-5	0.1-1*%	
Ethyl Alcohol		64-17-5	7-13*%	
•		57-55-6	80-100* %	
	veight unless ingredient is a gas. Gas co			
Composition comments	*CANADA GHS: The exact percen	_	-	
composition comments	As a trade secret.	tage(concentration) of con	nposition has been withheld	
	4. First-Aid Mea	sures		
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.			
Skin Contact	Wash with plenty of water. If skin irritation /rash occur: Get medical attention. Take off			
	contaminated clothing and wash it b	efore reuse.		
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and			
Toronton	to do. Continue rinsing.	SD 1 (D' (1	D (1.1 1/1	
Ingestion Most important Symptoms/	Immediately call a POISON CENTER or doctor. Rinse mouth. Do not induce vomiting.			
Effects acute and delayed	Symptoms may include eye irritation, tearing, redness, swelling. May cause an allergic skin reaction: Dermatitis, Rash.			
Indication of immediate medical	Symptoms may be delayed.			
attention and special treatment nee				
General Information	If you feel unwell, seek medical adv	ice (show the label where	possible). Show this safety	
	data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid			
	contact with eyes and skin. Keep ou	t of reach of children.		
	5. Fire-Fighting Mo	easures		
Suitable extinguishing media	Alcohol resistant foam. Dry powder	. Carbon dioxide.		
Unsuitable extinguishing media	Do not use water jet as an extinguish	ner, as this will spread fire	2.	
Specific hazards arising from the chemical	During fire, gases hazardous to heal	th may be formed.		
Hazardous Combustion products	May include and are not limited to C	Oxides of carbon.		
Special protective equipment and Precautions for firefighters	Self-contained breathing apparatus a	and full protective clothing	g must be worn.	

Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials			
General Fire Hazards	Flammable liquid and vapor.			
	6. Accidental Release Measures			
Personal precautions, Protective equipment and Emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.			
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. For waste disposal, see the section 13 of SDS. Do not discharge into lakes, streams, ponds or public waters.			
Environmental precautions				
	7. Handling and Storage			
Precautions for safe handling	Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Pregnant or breastfeeding women must not handle this product. Avoid prolonged exposure. Observe good industrial hygiene practices. Wash hands thoroughly after handling.			
Conditions for safe storage, including any compatibilities	Store in tightly closed container. Store away from incompatible material (see section 10 of the SDS). Keep out of reach of children.			

8. Exposure Controls/ Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910. 1000)

Material	Type		Value		
ETHYL ALCOHOL (CAS 64-17-5) TWA		1000 ppm		
	TWA		1900 mg/m3		
BUTYL ACETATE (CAS 123-86-4)	PEL		710 mg/m3		
,			150 ppm		
US. ACGIH Threshold Limit Values					
Material	Гуре	Value	Form		

Material	Type	Value	Form		
CITRAL (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor.		
ETHYL ALCOHOL (CAS 64-17-5)	STEL	1000 ppm	rapor.		
BUTYL ACETATE (CAS 123-86-4)	STEL	150 ppm			
,	TWA	50 ppm			
US. NIOSH: Pocket Guide to Chemical Hazards					
Material	Type	Value			

ETHYL ALCOHOL (CAS 64-1	7-5) IDLH	3300 ppm
	TWA	1000 ppm
	TWA	1900 mg/m3
BUTYL ACETATE (CAS 123-8	86- STEL	950 mg/m3
,		200 ppm
	TWA	710 mg/m3
		150 ppm
Canada. Alberta OELs (Occupa	ational Health & Safety Code	e, Schedule 1, Table 2)
Material	Type	Value
ETHYL ALCOHOL (CAS 64-1	7-5) TWA	1000 ppm
		1880 mg/m3
Canada. British Columbia OEl	Ls (Occupational Exposure I	Limits for Chemical substances, Occupational Health a
Safety Regulations 296/97, as a	mended)	
Material	Type	Value
ETHYL ALCOHOL (CAS 64-1	7-5) STEL	1000 ppm
Canada. Manitoba OELs (Reg.	. 217/2006, The Workplace S	afety and Health Act)
Material	Туре	Value
ETHYL ALCOHOL (CAS 64-1		1000 ppm
Canada. Ontario OELs (Contr		
Material	Туре	Value
ETHYL ALCOHOL (CAS 64-1		1000 ppm
		pecting Occupational Health and Safety)
Material Material	Туре	Value
ETHYL ALCOHOL (CAS 64-1	7-5) STEL	1000 ppm
Canada. Saskatchewan OELs (Occupational Health and Sa	fety Regulations, 1996, Table 21)
Material	Туре	Value
ETHYL ALCOHOL (CAS 64-1	7-5) 15-minute	1250 ppm
	8-hour	1000 ppm
logical limit values	No biological exposure limit	s noted for the ingredient(s).
propriate Engineering Controls	Ensure adequate ventilation.	-
lividual protection measures, sucl	h as nersonal protective equi	nment
Eye/Face protection	Wear safety glasses with side	•
Skin protection		
Hand protection Other	Rubber gloves. Confirm with As required by employer cod	
Respiratory protection	Respirator should be selected safety professional following	evels may be exceeded, use an approved NIOSH respirator of by and used under the direction of a trained health and grequirements found in OSHA's respirator standard (29 CH and ANSI's standard for respiratory protection (Z88.2).
	D 4 . (10

Thermal hazards Not applicable.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practises. Wash hands

before breaks and immediately after handling the product.

9. Physical and Chemical Properties

AppearanceLiquidPhysical stateLiquidFormLiquid

Colour Vary from colorless to light yellow

Odour Generally the odour reflects the flavour on the manufacturing label

Odour Threshold Not available рH Not available Not available Melting/Freezing point Initial boiling point and range Not available Flash point Not available Not available **Evaporation rate** Flammability (solid, gas) Not available **Upper/Lower Flammability or Explosive Limits** Flammability limit – lower (%) Not available

Flammability limit – lower (%) Not available
Flammability limit – upper (%) Not available
Explosive limit – lower (%) Not available
Explosive limit – upper (%) Not available
Vapour pressure Not available
Vapour density Not available
Relative density Not available

Solubility(ies)

Solubility (water) Soluble or miscible in water

Partition coefficient(n-octanol/water) Not available

Auto-Ignition Temperature Product is not self-igniting

Decomposition temperatureNot availableViscosityNot available

Other Information

Explosive properties Not explosive **Oxidizing properties** Not oxidizing

10. Stability and Reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of Hazardous Hazardous polymerization doe not occur.

Reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and ignition sources. Do not mix with other

chemicals.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition May include and are not limited to: Oxides of carbon

products

11. Toxicological Information

Information on likely routes of exposure

Inhalation Not available.

Skin contact May cause an allergic skin reaction.

Pig

Rat

Eye contactNot available.IngestionNot available.

Components Species Test Results

Ethyl Alcohol (CAS 64-17-5)

Acute

Oral

LD50 Dog 5.5g/kg, HSDB

 Guinea Pig
 5600 mg/kg, HSDB

 Monkey
 6000 mg/kg, ECHA

 Mouse
 10,500 mL/kg, ECHA

 3450 mg/kg, SAX

>5000 mg/kg, ECHA 10,470 mg/kg, ECHA

7800 mL/kg, ECHA

Skin corrosion/ irritation Not available.

Exposure minutes Not available. **Erythema value** Not available.

Oedema value Not available.

Serious eye damage/eye irritationNot available.Corneal opacity valueNot available.Iris lesion valueNot available.

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Conjunctival reddening value

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not available.

Carcinogenicity May cause cancer. See below.

Canada - Manitoba OELs: carcinogenicity

Ethyl Alcohol (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethyl Alcohol (CAS 64-17-5) Volume 44, Volume 96, Volume 100E

Volume 96, Volume 100E

Reproductive Toxicity Not available.

Specific target organ toxicity-

Not classified.

Single exposure

Specific target organ toxicity-

Not classified.

Repeated exposure

Not available.

Aspiration hazard Chronic effects

Prolonged inhalation may be harmful.

Ecotoxicity			
Ecotoxicological data			
Components		Species	Test Result
Butyl Acetate (CAS 123-86-4)			
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 17 - < 19 mg/l, 96 hours
Acute			
Algae	EC50	Green algae (Desmodesmus subspicatus)	674.7 mg/l, 72 hours
Crustacea	LC50	Water flea (Daphnia magna)	205 mg/l, 24 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	100 mg/kg, 96 hours
Citral (CAS 5392-40-5)			
Acute			
Other	EC20	Activated sludge of a predominantly domestic sewage	68 mg/l, 0.5 hours OECD Guideline 209 aquatic
Aquatic			
Other	EC50	Bacterium	2100 mg/l, 0.5 hour DIN 38412 Part 27 (draft) aquatic - The produce has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
Acute			
Algae	EC50	Green algae (Chlamydomonas variabillis)	103.8 mg/l, 72 hours DIN 38412 Part 9 static - The produce has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.
Crustacea	EC50	Daphnia magna	7 mg/l, 48 hours Directive 79/831/EEC static - The produce has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

The	details	of	the	toxic	effect

relate to the nominal

LC50 Ide, silver or golden orfe (Leuciscus idus) > 4.6 - <10

> 4.6 - <10 mg/l, 96 hours DIN 38415 Part 15 static -The produce has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. The details of the toxic effect relate to the nominal concentration.

Ethyl Alcohol (CAS 64-17-5)

Fish

Aquatic

Algae EC50 Chlorella vulgaris 275 mg/l, 72 hours
Crustacea EC50 Water flea 10800 mg/l, 24 hours

9268 mg/l, 48 hours

Fish LC50 Fathead minor (Pimephales promelas) 14200 mg/l, 96 hours Microtox EC50 Photobacterium phosphoreum 35470 mg/l, 5 minutes

34634 mg/l, 30 minutes

Menthol (CAS 89-78-1)

Acute

Other EC50 Micro-organisms 306 mg/l, 3 hours

Aquatic

Acute

Crustacea EC50 Daphnia magna 44.3 mg/l, 24 hours Fish LC50 Danio rerio 22.3 mg/l, 96 hours

Persistence and Degradability

No data is available on degradability of any ingredients in the mixture.

Bio accumulative potentialNo data availableMobility in SoilNot available.Mobility in GeneralNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential) are expected from this

component.

13. Disposal Considerations

Disposal Instructions Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local Disposal Regulations Dispose in accordance with all applicable regulations.

Hazardous Waste CodeThe waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/ unused

products

Empty containers/liners may retain some product residues. This material and its container

must be disposed of in a safe manner (see: Disposal Instructions).

Contaminated Packaging Since emptied containers may retain product inside, follow label warnings even after

container is emptied. Empty containers should be taken to approved waste handling site

for recycling or disposal.

14. Transport Information

General Canada: TDG Proof of classification: Classification Method: Classified as per Part 2,

Sections 2.1-2.8 of the Transport of Dangerous Goods Regulations. If applicable, the

technical name and the classification of the product will appear below.

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN Number UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Technical NameEthanolHazard Class3Packing GroupIIISpecial Provisions16, 150

15. Regulatory Information

Canadian Federal Regulations This product has been classified in accordance with the hazard criteria of the HPR and

SDS contains all the information required by the HPR.

Canada NPRI VOCs with Additional Reporting Requirements: Mass Reporting Threshold/ Identification Number

Export Control List Not listed.

(CEPA 1999, Schedule 3)

Greenhouse GasesNot listed.Precursor Control RegulatedNot regulated.WHMISControlledInternational RegulationsControlled

Inventory status

Country(s) or RegionInventory Nameon Inventory (Yes/No)*CanadaDomestic Substances List (DSL)NoCanadaNon- Domestic Substances List (NDSL)No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).

16. Other Information

Abbreviations and Acronyms:

GHS - Globally Harmonizes System on classification and labeling

USP – United States Pharmacopeia

OSHA – Occupational Safety and Health Administration

OEL – Occupational Exposure Limit

NIOSH – National Institute of Occupational Safety and Health

DSL - Domestic Substances List Canada

TSCA - Toxic Substances Control Act - USA

RCRA – Resource Conservation and Recovery Act

CERCLA - Comprehensive Environmental Response, Compensation and Liability Act

Issue date: 17 November 2020

Revision date: 17 November 2020

Version No.: 01

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge or was obtained from sources which we believe are reliable. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal and is provided without any warranty regarding its correctness. The information cannot be transferred to other products. In the case of mixing the product with other products, or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. For the abovementioned reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out or in any way connected with the handling, storage, use or disposal of the product.