SECTION 1 - IDENTIFICATION AND COMPANY DETAILS

| Product Name: | Recovery Stencil Lock |
|---------------------|----------------------------------|
| Product Code: | |
| Product Use(s): | Cosmetic |
| Manufacturers Name: | Recovery, Inc. |
| Address: | 7410 Coca Cola Drive Unit 102 |
| | Hanover, MD 21076 |
| Telephone Number: | 410-712-0145 |
| Date Prepared: | May 8, 2017. |

SECTION 2 - HAZARD(S) IDENTIFICATION

| 2.1 Eye Contact: | Avoid contact with the eyes. May be irritating. | |
|---------------------------------|---|--|
| 2.2 Skin Contact: | May be irritating to the skin with prolonged or repeated contact. Stop use if | |
| | Irritation persists. | |
| 2.3 Ingestion: | Do not ingest. May cause gastrointestinal irritation. | |
| 2.4 Inhalation: | Avoid excessive inhalation. May cause respiratory tract irritation. | |
| 2.5 Other Health Effects: None. | | |

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components:

This information is not looking at the product as a whole, but at individual components within the product. The finished product contains no components classified as hazardous under GHS Regulations. There are no physical hazards expected when the product is used as directed and intended.

SECTION 4 - FIRST AID MEASURES

4.1 FIRST AID MEASURES

| Eye contact: | Rinse eyes with lukewarm, gently flowing water for 20-30 minutes, while holding the eyelids open. If easy to do remove contact lens. Seek medical attention. |
|--------------|--|
| Ingestion: | Rinse mouth with water, drinking 250ml (8oz) of water to dilute material in stomach. DO NOT induce vomiting. Seek medical attention immediately. |

Inhalation: Remove source of exposure or move to fresh air. Artificial respiration should be given if breathing has stopped and cardiopulmonary resuscitation if heart has stopped. Get medical attention.

Skin contact: Wash immediately with plenty of water for at least 20 minutes. Change contaminated clothing and shoes under running water. Wash contaminated clothing before reuse. If skin irritation occurs get medical attention.

SECTION 5 - FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media:

Use dry chemical media or carbon dioxide (CO₂) for small fires.

5.2 Specific hazards arising from the

chemical:

Vapours form from this product and may travel or be moved by air currents and ignited by pilot lights, other flames, sparks, heaters, electrical equipment, static discharges or other ignition sources at locations distant from handling point.

5.3 Special protective equipment and precautions for fire fighters:

Use water spray to cool fire-exposed containers and structures. Use water spray to disperse vapours, reignition is possible. In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Wear suitable personal protective clothing and equipment. Avoid contact with skin and eyes. Ensure adequate ventilation, especially in confined areas. Avoid inhalation of vapour or mist.

6.2 Environmental precautions:

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if sage to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up:

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated surface thoroughly.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling:

Keep away from heat, sparks and flames. Keep container closed when not in use. Use with adequate ventilation. Avoid breathing vapours. Avoid contact with skin and eyes. Wash exposed skin thoroughly after handling. Take precautions to prevent static electricity build-up when transferring contents.

7.2 Conditions for safe storage:

Store in original container. Keep in an area equipped with acid resistant flooring. Incompatible with bases. No decomposition if stored and applied as directed.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

8.1 Control parameters:

Contains no substances with occupational exposure limit values.

8.2 Engineering controls:

Provide sufficient air exchange and/or exhaust in work rooms.

SAFETY DATA SHEET Recovery Stencil Lock

8.3. Individual Protection Measures (PPE)

Respiratory Protection: Respiratory protection in case of vapour/aerosol release. Hand Protection: Neoprene, butyl or natural rubber. Eye Protection: Use chemical resistant mono-goggles when handling.

Body protection: Body protection must be chosen based on level of activity and exposure.

8.4 General Safety and Hygiene Measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| Physical State: | Liquid |
|-----------------|-----------------------|
| Colour: | Various |
| Odour: | Characteristic odour. |

SECTION 10 - STABILITY AND REACTIVITY DATA

10.1 Reactivity: Stable.

10.2 Chemical Stability: Stable under normal conditions.

10.3 Possibility of Hazardous Reactions: Oxidizing materials.

10.4 Conditions to Avoid: Sources of ignition.

10.5 Incompatible Materials: Oxidizing agents.

10.6 Hazardous Decomposition Products: Burning can produce carbon monoxide and/or carbon dioxide and/or formaldehyde.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Likely routes of exposure:

For solids and liquids, ingestion and inhalation but may include eye or skin contact.

11.2 Acute toxicity data:

Ingestion: may cause dizziness, faintness, drowsiness, decreased awareness and responsiveness, euphoria, abdominal discomfort, nausea, vomiting, staggering gait, lack of coordination and coma. Inhalation: high vapour concentrations may cause a burning sensation in the throat and nose, stinging and watering in the eyes. At concentrations which cause irritation, dizziness, faintness, drowsiness, nausea and vomiting may occur.

Skin: mild irritant. Repeated or prolonged exposure may lead to dermatitis, erythema and scaling. Eye: severe eye irritant. Vapours can irritate eyes. Eye damage from contact with liquid is reversible and proper treatment will result in healing within a few days. Damage is usually mild to moderate conjunctivitis, seen mainly as redness of the conjunctiva.

11.3 Chronic toxicity:

Long term repeated oral exposure to ethanol may result in the development of progressive liver injury with fibrosis. Repeated exposure to ethanol may exacerbate liver injury produced from other causes.

NOTE: This product has not been tested as a whole. The information herein is based on previously tested individual ingredient SDS. The overview is taken from the highest concentration of hazardous ingredient within the product.

SECTION 12 - ECOLOGICAL INFORMATION

This product has not been tested as a whole. There is no ecological data available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environment agency for specific rules).

13.1 Disposal methods:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with local authority regulations.

13.2 Container disposal:

Dispose of in a licensed facility.

SECTION 14 - TRANSPORT INFORMATION

Not classified as a dangerous product under transport regulations.

DOT: Not regulated

TDG: Not regulated

IATA: Not regulated

IMDG: Not regulated

SECTION 15 - REGULATORY INFORMATION

Not available for the product as a whole.

Alcohol Denatured: CALIFORNIA PROP 65 COMPONENTS.

WARNING! This product contains a chemical (aka ETHYL ALCOHOL) known to the State of California to cause birth defects or other reproductive harm when drunk as a beverage.

SECTION 16 - OTHER INFORMATION

Notice to Reader:

To the best of our knowledge the Information contained herein is accurate. However, neither the named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein we cannot guarantee that these are the only hazards that exist.