

We are on a mission

TO EMPOWER PEOPLE & PROTECT OUR PLANET

through access to renewable energy

An extra hour of study at night; a charged phone that can send a mobile payment; a family meal cooked without inhaling smoke. These are just a few of the ways energy access can transform an off-grid household – and all of them are core to BioLite's mission.

When you purchase a BioLite product, you support our work delivering renewable energy solutions to households living beyond the grid. This means cooking fires without smoke, solar panels that keep families charged, and lighting that extends the day when the sun goes down.

Thank you for helping us build a future where energy can be shared by all.

IMPACT BY THE NUMBERS

3,612,951 people impacted

4,812,600
kilowatt hours of electricity generated

718,964 tons of CO2 offset



🖔 соок	6	∳ CHARGE	14	🌣 LIGHT	24
PORTABLE STOVES		POWER STATIONS		HEADLAMPS	
CampStove 2+	8	BaseCharge 600	15 NEW	HeadLamp 325	26 NEW
CampStove Complete Cook Kit	8	BaseCharge 1500	16 NEW	HeadLamp 425	27 NEW
CampStove KettlePot	9 NEW	Charging Tables	17	HeadLamp 800 Pro	28 NEW
& Coffee Set		Cables & Accessories	18 NEW		
CampStove Portable Grill	9			USB LANTERNS	
BioFuel Pellets	9	SOLAR PANELS		AlpenGlow 250	30
		SolarPanel 100	20 NEW	AlpenGlow 500	30
CAMPFIRE EVOLVED		SolarPanel 5+	21		
FirePit+	11	SolarPanel 10+	21	SOLAR LIGHTING	
FirePit Grill Lid	11			SolarHome 625	31 NEW
FirePit Griddle	12	USB POWERBANKS			
Prep & Grill Toolkit	12	Charge 20 PD	23	OVERHEAD STRING LIGHTS	
FirePit Carry Bag	13	Charge 40 PD	23	SiteLight String	31
FirePit Poker	13	Charge 80 PD	23		
FirePit Mat	13				









PORTABLE STOVES

CampStove 2+



CampStove KettlePot & Coffee Set



CampStove Portable Grill

CampStove Complete Cook Kit

BioFuel Pellets











CAMPFIRE EVOLVED

FirePit+



FirePit Grill Lid



FirePit Carry Bag



FirePit Poker



FirePit Griddle



Prep & Grill Toolkit



FirePit Mat



INSIDE THE TECH: CampStove 2+


BioLite's origin story centers around a technology that turns fire into electricity - and creates a much cleaner burn in the process.



CLEAN COMBUSTION TECHNOLOGY

BioLite's patented design converts heat from your fire into usable electricity, powering an internal airflow system that optimizes combustion, burning smoke before it has a chance to escape.

Surplus electricity is stored in the onboard battery, enabling you to access power via USB when you need it.





Turn Fire Into Electricity

Turn fire into electricity with BioLite's award-winning wood stove. Patented thermoelectric combustion technology creates a vortex of smokeless flames for a portable campfire that can cook your meals and charge your gear. Featuring an updated 100 lumen FlexLight with ChromaReal LED technology, cook with confidence at night thanks to accurate color rendering.





3200 mAh Integrated Battery

<u></u>

100 Lm ChromaReal FlexLight Included



Extra Storage Stuffsack



Smart LED Dashboard



Smokeless Flames

TECH SPECS

BATTERY 3.200 mAh

FLEXLIGHT (INCLUDED)
100 lumens

WEIGHT


935 g

FUEL

Renewable biomass (twigs, sticks, pellets)

BOIL TIME4.5 minutes for 1 L

USB OUTPUT 1x USB A, 5V / 2.0A



CampStove Complete Cook Kit

BNA0100

Portable Wood Cooking System

Cook, boil, grill, and charge with this outdoor camp kitchen. Generate electricity and create smokeless wood flames with the award-winning CampStove 2+ while cooking up meals and beverages with the Portable Grill, KettlePot, and Coffee Press accessories. Featuring an updated 100 lumen FlexLight with ChromaReal LED technology, cook with confidence at night thanks to accurate color rendering.



On-Demand Electricity



Runs On Sticks Or Pellets



Create Full Meals & Hot Beverages



100 Lm ChromaReal FlexLight Included





TECH SPECS

2.25 kg

TOTAL WEIGHT

INCLUDED IN BUNDLE

CampStove 2+ CampStove Portable Grill CampStove KettlePot KettlePot Coffee Press FlexLight 100

CampStove KettlePot & Coffee Set

BNA0101 NEW

1.5L Pot For CampStove & **Coffee Accessory For KettlePot**





Featherlite and Food safe



Make 6 Cups of Coffee

TECH SPECS

MATERIALS Stainless steel,

silcone, plastic

WEIGHT 465 g

MATERIALS

BPA-free polypropylene VOLUME

Boils 1-6 cups

CampStove Portable Grill

CSD0200

Tabletop Grill For CampStove





Portable and Light

TECH SPECS

MATERIALS

WEIGHT

Stainless steel

850 g

BioFuel Pellets

CSG0301

For CampStove - 1KG

Wood fires have never been easier. Enjoy gourmet flavours and long burn times with BioLite's premium BioFuel Pellets. Ideal for outdoor cooking, rainy conditions, or backup fuel when sticks are scarce. Quick to light and foodsafe.





Portable and Light

TECH SPECS

2 hours

DIMENSIONS

WEIGHT

1kg



1 Bag = 2 Gas Cannisters

BURN TIME

21.59 x 11.43 x 6.35 cm


INSIDE THE TECH: FirePit+

The Secret to a Better Fire? Burn The Smoke. Smoke is just unburned fuel that has escaped your fire - we don't let that happen.



CLEAN COMBUSTION TECHNOLOGY

BioLite technology creates a carefully calibrated airflow, using an internal fan to inject oxygen into the fire. With 51 air jets distributed across the FirePit's burn chamber, the result is a highly efficient and complete burn.





See Fire, Not Smoke

With capacity for up to four standard firewood logs, the BioLite FirePit creates a hyper-efficient burn with patented airflow technology and gives you a front-row seat to the magic thanks to the X-Ray Mesh Body, enabling 360 views. Lift the fuel rack and toss in charcoal to transform the FirePit into a hibachi-style grill, complete with an included grill grate.







TECH SPECS

BURN TIME

Fan Low: 30 Hours Fan Medium: 14 Hours Fan High: 7 Hours

WEIGHT

8.98 kg

FUEL

Firewood or charcoal

COOKING SURFACE

822 cm2

INPUTS/OUTPUTS

Micro USB/USB A



12,800 mAh Battery For Longer Run Times



High-Temp Enamel Coating




X-Ray Mesh For 360° Viewing




Use Wood or Charcoal



Bluetooth Enabled





FirePit Grill Lid

FPF0100

Concentrated Cooking

Turn your FirePit Grill into a wood-fired oven and take your outdoor cooking to the next level. Featuring enamel coated stainless steel construction, this durable accessory integrates with the FirePit to concentrate heat for both low-and-slow and quick-grill cooking methods.





TECH SPECS

TOTAL WEIGHT 1.77 kg

MATERIALS

Enamel-coated steel

DIMENSIONS 56 x 32 x 16 cm

Heat-Resistant Handles



Adjustable Air Vent For Heat Control

Flat Surface Cooktop for FirePit

Designed to perfectly fit the FirePit, this cast iron griddle will transform the way you do breakfast outside. A pre-seasoned nonstick surface means great meals from the very first sizzle while the raised edges help contain grease and other runoff. May be used on its own or pair with the FirePit OvenTop (sold separately) for even more concentrated cooking.



Durable Cast Iron



Pre-seasoned, Nonstick Surface





TECH SPECS

TOTAL WEIGHT 3.98 kg

MATERIALS

Nonstick cast iron

DIMENSIONS

49 x 24 x 50 cm

FirePit Carry Bag

FPD0100

Durable Canvas Haul Bag





Fits FirePit + All Accessories Inside



Doubles as Firewood Carrier

TECH SPECS

MATERIALS Heavy duty **DIMENSIONS** 61 x 41 x 32 cm

canvas

Go-To Utensils, All Rolled Up





Durable, Food Grade Materials



Kit Rolls Up For Compact Storage

TECH SPECS

INCLUDES

Santoku knife Slotted turner Locking tongs Tool roll

MATERIALS

Heat resistant stainless steel, nylon

FirePit Poker

FAB0200

Fuel & Fire Management





Adjust Fuel Rack For Wood & Charcoal



Tend Your Fire

TECH SPECS

silicone rubber

MATERIALSStainless steel,

DIMENSIONS

WEIGHT

59 x 5.6 x 1.4 cm 147 g

FirePit Mat

FAA0200

Ground Protector For FirePit





Protects Sensitive Surfaces Like Decks & Grass

TECH SPECS

MATERIALS

Aluminum coated fiberglass fabric

DIMENSIONS 80.8 x 61.0 cm

WEIGHT

450 g



♦ CHARGE

POWER STATIONS SOLAR PANELS NEW BaseCharge 600 SolarPanel 100 SolarPanel 5+ SolarPanel 10+ USB POWERBANKS Charge 20 PD Charge 40 PD Charge 80 PD

Build Your Own Grid

A high capacity power station ready to keep you charged off-grid, the BaseCharge 600 delivers 622 watt hours of flexible energy to your own personalized ecosystem of devices for an on-grid experience wherever you may be. Integrates with BioLite Solar for full solar generator solution and utilizes **Maximum Power Point Tracking** to pull up to 30% more energy than other non-MPPT systems.



25% More Capacity Than 500 Wh Power Stations



Up to 600 W (1,000 W Surge) AC Output



USB-C PD (100 W) and Wireless Charging Included



Extra Large Easy-Read Display for Realtime Feedback & Control



Safe & Reliable Design With 12 Checkpoint Battery Safety System







TECH SPECS

BATTERY

622 Wh (21.6 V, 28.8 Ah) Li-Ion (NMC)

INPUTS

Wall/Solar Input (HPP): 120 W (10-30 V DC, 10 A max) **USB-C PD:** 100 W

AC OUTPUTS

US: (2x) 110 V: Pure Sine Wave, 600 W, 1,000 W Surge EU/UK/AUS: (2x) 230 V: Pure Sine Wave, 600 W, 1,000 W Surge

WIRELESS OUTPUT

10W Wireless Charger

DC OUTPUTS

(1x) 12 V Car Port Output: 120 W (2x) 12 V DC Barrel Ports: 120 W, 5.5 mm OD / 2.1 mm ID

USB OUTPUTS

(2x) USB-A: 5 V/2.4 A (1x) USB-C: 5 V/3.0 A (1x) USB-C PD: 5 V, 9 V, 12 V, 20 V / 5 A (100 W)

DIMENSIONS

309 x 200 x 201 mm

WEIGHT

5.9 kg

CHARGE TIME

7 Hours (Included Wall Charger) 3.5 Hours (Wall Charger + USB-C PD) 6 Hours (Peak Input, 1x SolarPanel 100)

Scale Up Your Off-Grid Power

Looking to power bigger jobs or longer periods of time? Step up to the BaseCharge $\,$ 1500 and have 1521 watt hours of shareable energy at your fingertips: from medical devices to refrigerators, this high capacity power station can handle hungry devices and an array of electrical requrements. Integrates with BioLite Solar for full solar generator solution and utilizes Maximum Power Point Tracking to pull up to 30% more energy than other non-MPPT systems.



USB-C PD (100 W) and Wireless **Charging Included**



Up to 1200 W (2,400 W Surge)



Extra Large Easy-Read Display for Realtime Feedback & Control



Safe & Reliable Design With 12 **Checkpoint Battery Safety System**







TECH SPECS

BATTERY

1521 Wh (21.6 V, 70.4 Ah) Li-lon (NMC)

INPUTS

Wall/Solar Input (HPP): 400 W (10-30 V DC, 20 A max) **USB-C PD:** 100 W

AC OUTPUTS

US: (3x) 110 V: Pure Sine Wave, 1200 W, 2,400 W Surge UK/EU/AUS: (3x) 230 V: Pure Sine Wave, 1200 W, 2,400 W Surge

WIRELESS OUTPUT

10W Wireless Charger

DC OUTPUTS

(1x) 12 V Car Port Output: 120 W (2x) 12 V DC Barrel Ports: 120 W, 5.5 mm OD / 2.1 mm ID

USB OUTPUTS

(2x) USB-A: 5 V/2.4 A (2x) USB-C: 5 V/3.0 A (1x) USB-C PD: 5 V, 9 V, 12 V, 20 V / 5 A (100 W)

DIMENSIONS

367 x 310 x 209 mm

WEIGHT

12.1 kg

CHARGE TIME

13.5 Hours (Included Wall Charger) 8 Hours (Wall Charger + USB-C PD) 4 Hours (Peak Input, 4x SolarPanel 100)

CHARGING TABLES

BaseCharge 600



CAMPING			
Smartphones	USB	48	Charges
BioLite AlpenGlow 500	USB	23	Charges
Dometic 45L Cooler	USB	15	Hours
OFF-GRID OFFICE			
Laptop Computer	PD	9	Charges
DSLR Camera Battery	AC	34	Charges
POV Camera	USB	106	Charges
REMOTE WORKSITE			
Cordless Tool Charges	AC	9	Charges
10,000 Lumen Worklights	AC	6	Hours
HOME BACKUP			
CPAP	AC	13	Hours
55" TV	AC	6	Hours

PORT

RATING

METRIC

SCENARIO / DEVICES

SCENARIO / DEVICES

BaseCharge 1500



CAMPING			
Smartphones	USB	117	Charges
Blended Margaritas	AC	164	Margs
Dometic 45L Cooler	DC	137	Hours
OFF-GRID OFFICE			
Laptop Computer	PD	22	Charges
DSLR Camera Battery	AC	82	Charges
Quadcopter Drone	USB	20	Charges
REMOTE WORKSITE			
Corded Drill	AC	57	Minutes
10,000 Lumen Worklights	AC	51	Minutes
HOME BACKUP			
Refrigerator	AC	20	Hours
Microwave	AC	62	Minutes
CPAP	AC	31	Hours
55" TV	AC	16	Hours

PORT

RATING

METRIC

4x1 Solar Chaining Adapter

ACA0103

NEW

Adapter cable to allow up to 4 BioLite SolarPanel Products to connect to a single **BaseCharge powerstation**



TECH SPECS

LENGTH 360 mm

CONNECTOR TYPE

1x High Power Pole (HPP), Output 4x High Power Pole (HPP), Inputs

GAUGE

(4) 16AWG/14AWG

Solar Power Extension Cable, 15 ft

ACA0104

NEW

4.5m long extension cable for use with BioLite SolarPanel 100 and BaseCharge series powerstations. Anderson Power Pole (APP) connections on both ends.



TECH SPECS

LENGTH 4.5 m

CONNECTOR TYPE

1x High Power Pole (HPP), Output 1x High Power Pole (HPP), Input

GAUGE

12 AWG

Solar MC4 to HPP Adapter

ACA0101

NEW

Adapter cable to allow use of MC4 solar panel connectors with BioLite BaseCharge



TECH SPECS

LENGTH 380 mm

CONNECTOR TYPE

1x High Power Pole (HPP), Output

2x MC4 Connectors (+, -), Inputs

GAUGE

16AWG/12AWG

12 V Car Charger Cable

ACA0102

NEW

Adapter cable to allow charging BioLite BaseCharge powerstations from 12 V carport (cigarette lighter)



TECH SPECS

LENGTH

3 m

CONNECTOR TYPE

1x High Power Pole (HPP), Output 1x 12 V Male Carport, Input

GAUGE


18 AWG (15 A fuse)

INSIDE THE TECH: SolarPanels

The Most From The Sun In Minimalist Form

- OPTIMAL SUN SYSTEM

BioLite's SolarPanel Series pairs usercentric design with minimalist materials to create a more powerful charge. Instead of cumbersome casings and plastics, our proprietary panel-bonding design allows us to feature a sun-optimizing kickstand and sundial while maintaining an ultraslim, packable profile.





generator solution.

Highly Powerful, Highly Packable

serious power and ultimate packability for your

monocrystalline cells to run at peak performance

without any unnecessary bulk or materials while simultaneously providing protection from surprise showers. Power devices directly through the

integrated USB-A and USB-C PD ports or pair

with the BioLite Power Station for a full solar

The BioLite SolarPanel 100W is a 100 watt, lightweight, chainable solar panel that offers

off-grid activity. The sleek ETFE laminated construction enables the high efficiency

Optimal Sun System Sets Panel Up for Direct Rays via Integrated Sundial and Kickstand



Packs Down to 51x36x4 cm With Easy-Carry Handles



Durable and Water Resistant, With Storage Pouch for Added Protection



Works with BioLite or non-BioLite Stations using a standard connector



Compatible With 4x1 Chaining Adapter Cable for up to 400W Solar Generator



TECH SPECS

WEIGHT

4.3 kg

OUTPUTS

High Power Pole (HPP) Powerstation connection USB-C PD, 45 W 2x USB-A

POWER OUTPUT

100 W in Peak Sunshine

DIMENSIONS (FOLDED)

50.8 x 36.3 x 3.8 cm

DIMENSIONS (UNFOLDED)

50.8 x 146.0 x 2.5 cm

5 Watt Panel with Power Storage

Featuring BioLite's Optimal Sun System, an integrated sundial aligns you to the sun to capture direct rays and a 360 degree kickstand simplifies positioning on uneven terrain. Designed to put you in control of your energy, Maximum Power Point Tracking helps you get the strongest charge under all conditions while the 3,200 mAh on-board battery stores power, enabling you to charge devices when you need it most.



Real Time Power



On-Board 3,200 mAh Battery



Sundial For Optimal Alignment



Ultraslim Design





TECH SPECS

WEIGHT 390 g

INPUTS/OUTPUTS

Micro USB charge in USB charge out

DIMENSIONS 257 x 208 x 24 mm

BATTERY 3,200 mAh

POWER OUTPUT

5 watts

WEATHER RESISTANCE

IPX4

SolarPanel 10+

SPC0200

10 Watt Panel with Power Storage

Looking for more power? Double-down with the folding SolarPanel 10+ and enjoy the same optimizing benefits of the 5+, but with twice the output. Thanks to minimalist construction, the folding design maintains a small footprint, slipping easily into laptop sleeves for ultimately portability.





Real Time Power



On-Board 3,200 mAh Battery



Sundial For Optimal Alignment



Ultraslim Fold-Flat Design



WEIGHT

558 g

INPUTS/OUTPUTS

Micro USB charge in USB charge out

DIMENSIONS (FOLDED)

257 x 208 x 24 mm

BATTERY 3,200 mAh

POWER OUTPUT

10 watts

WEATHER RESISTANCE

IPX4



6000mAh USB-C PD Power Bank



TECH SPECS

BATTERY

6,000 mAh, (22.2 Wh)

USB A & USB C-PD POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

CHARGE TIME

2 hrs by up to 18W USB C-PD

WEIGHT

165 g

DIMENSIONS

112.3 x 51.0 x 24.8 mm

Charge 40 PD

CBB0100

10,000mAh USB-C PD Power Bank



TECH SPECS

BATTERY

10,000 mAh, (37 Wh)

USB A & USB C-PD POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

CHARGE TIME

2.5 hrs by up to 18W USB C-PD

WEIGHT 265 g

DIMENSIONS

139.5 x 78.3 x 24.0 mm

Charge 80 PD

CBC0100

20,000mAh USB-C PD Power Bank



TECH SPECS

BATTERY

20,000 mAh, (74 Wh)

USB A & USB C-PD POWER OUTPUT

5V/3.0A, 9V/2A, 12V/1.5A

INPUTS

USB C-PD, up to 18W

CHARGE TIME

5 hrs by up to 18W USB C-PD

WEIGHT

465 g

DIMENSIONS

221.5 x 78.3 x 24.0 mm



埃LIGHT

HEADLAMPS

NEW

HeadLamp 325



NEW

HeadLamp 425



NEW HeadLamp 800 PRO

USB LANTERNS

AlpenGlow 250



AlpenGlow 500



SOLAR LIGHTING

NEW

SolarHome 625



OVERHEAD STRING LIGHTS

SiteLight String




INSIDE THE TECH: HeadLamp Series

Our line of HeadLamps are not only designed for peak performance, the proprietary construction delivers the best fit of any headlamp on the market.

3D SLIMFIT CONSTRUCTION

By integrating our electronics into the fabric with a custom molded housing, we pack all your lighting into an ultrathin facing that is designed to fit as seamlessly as a contact lens.

Our headlamps move with you as a single unit and you soon forget it's even there.





The End of Disposable Batteries Starts Here

A minimalist design that maximizes comfort and fit, HeadLamp 325 is a compelling entry into the rechargeable landscape. Delivering 325 lumens, four lighting modes, and weighing only 50 grams, this generalist headlamp is ready to go head-to-head with alkalines – and win.



3D SlimFit Construction



USB Rechargeable



4 Modes, Including Dimmable Red



Weighs Only 50g

















TECH SPECS

LUMENS 325 Lm BATTERY

700 mAh, USB Rechargeable BEAM DISTANCE



BURN TIME (HOURS)

40 LO/3 HI

WEIGHT 50 g

Red I

MODES

Red Flood Red + Dimming Strobe

White White Spot Strobe + Dimming

WATER RESISTANCE

IPX4

No-Bounce, Ultra-Thin, Rechargeable Head Light

HeadLamp 425 combines an ultra-thin 9mm front with balanced weight and moisture-wicking fabrics to create a fit so comfortable, you'll forget you are wearing it. With five front modes and a rear red light for added visibility, this headlamp is ready to illuminate your next adventure



3D SlimFit Construction



USB Rechargeable



9mm Ultra-Thin Front



Weighs Only 69g



Rear Red Flood & Strobe















TECH SPECS


LUMENS 425 Lm

BATTERY

1000 mAh,

USB Rechargeable

—15M₌



BURN TIME (HOURS)

60 LO/3.5 HI

WEIGHT 78 g

Red Flood White Flood

MODES

BEAM DISTANCE

+ Dimming

White Strobe

White Spot + Dimming

Red Rear Strobe

WATER RESISTANCE

IPX4

High Performance Light With A High Performance Fit

Go further and stay brighter with the Pro-Level HeadLamp 800. Utilizing 3D SlimFit construction, this hands-free light packs serious lumens and rechargeable power into a compact profile with an unprecedented no-bounce fit. With key features including a 800 lumen Burst Mode, Constant Brightness Setting, and a red rear light, this HeadLamp is ready to match your own epic performance.



3D SlimFit Construction



USB Rechargeable



Constant Brightness Mode



Rear Red Flood & Strobe



CO Run Forever Cable Included









TECH SPECS

LUMENS

800 Lm BURST 500 Lm HIGH 5 Lm HOW

BURN TIME (REGULATED)

150 LO/7 HI

BURN TIME (CONSTANT)

150 LO/2 HI

ADDITIONAL RESERVE

+8 Hours at 5 Lm

BATTERY

3,000 mAh, USB Rechargeable

WEIGHT

150 g

MODES



Flood

+Dimming



Red Rear Red Flood Strobe +Dimming



White Strobe

BEAM DISTANCE

15 M

₩ <u>`</u> nite White

White Spot + Dimming


135 M

INSIDE THE TECH: AlpenGlow

High-efficiency LEDs emit broad-spectrum light for more accurate color rendering



ChromaReal Technology is a departure from the colder blue lights typically found among many portable lanterns. It helps colors pop and allows finishes to have more depth and luster. ChromaReal is especially helpful with nighttime cooking.





Feel At Home With Nature - Inspired Light

High efficiency meets high ambiance with this nature-inspired portable lantern. Combining ChromaReal LED technology with ergonomic user-friendly design, chose from a mix of warm, cool, and color tones to match the mood of your environment.



Cool, Warm, & Color Modes



ChromaReal LED Technology



Rechargeable 3,200 mAh **Battery Offers Charge Out**









TECH SPECS

LUMENS INPUTS/OUTPUTS

250 Lm Micro USB charge in USB A charge out

BURN TIME (HRS)

48 LO/4.5 HIGH

DIMENSIONS 95 x 75mm diameter **BATTERY** 3,200 mAh, (11.1 Wh)

WEIGHT

IPX4 RATING

IPX4

LIGHTING MODES

- Cool light, full (360 degree)
- Cool light, half (180 degree)
- Warm light, full (360 degree)
- Warm Candle Flicker
- 1 color light
- 1 color party mode
- Multicolor light (preset)
- Multicolor party mode

AlpenGlow 500

LNB0100

215 g

Feel At Home With Nature - Inspired Light

Inspired by lighting you can only find in the great outdoors, the AlpenGlow lantern gives you the ability to create your own dusk and daylight feel no matter the time of day. Featuring ChromaReal LED technology, accurately render the colors in your environment with the glow of natural light; feeling more aurora borealis? Shake the lantern for an instant rotation of mesmerizing color. Highly responsive to your mood and setting, this lantern steps up the power of ambient lighting through smart tech and thoughtful design.



Cool, Warm, & Color Modes



ChromaReal LED Technology



Rechargeable 6,400 mAh **Battery Offers Charge Out**









TECH SPECS

LUMENS INPUTS/OUTPUTS

Micro USB charge in USB A charge out 500 Lm

BURN TIME (HRS) 48 LO/4.5 HIGH

6,400 mAh, (22.2 Wh)

IPX4 RATING IPX4

DIMENSIONS WEIGHT 136 x 97mm diameter 390 g

LIGHTING MODES

- Cool light, full (360 degree)
- Cool light, half (180 degree)
- Warm light, full (360 degree) Warm Candle Flicker
- 1 color light
- 1 color party mode
- Multicolor light (preset)
- Multicolor party mode

Multi-Room Solar Light & Power

Solar Home 625 is a self-contained system of solar lighting and charging that can turn any off-grid structure into an electrified home. The system combines functional and protective lighting (motion sensor included), USB charging, and radio and mp3 capabilities, creating a hub designed for everyday use. Ideal for cabins, van life, and hunting structures, the SolarHome 625 is a perfect entry into solar living with easy installation and flexible setup.



6 Watt Solar System



Multi-Room Light



MP3 & Radio



Motion Sensor Light



Centralized Control Box







TECH SPECS (ESTIMATED)

BATTERY

3800 mAh @ 6.4 V (24.3 Wh), LFP

WEIGHT

Control Box 610 g Lights (each) 230 g Solar Panel 720 g

IN THE BOX

Control Box 2 Hanging Lights 1 Security/Motion Light 1 Solar Panel USB Device Adapter (micro, USB-C, 3.5mm DC) Mounting Hardware

SiteLight String

SLB0200

SiteLight Series

BioLite's daisy-chainable SiteLights offer easy overhead lighting and can be run from any USB power source, including BioLite lanterns and powerbanks.



USB Adapter Included



Chainable



Compact, Packable Design





TECH SPECS

LUMENS 150 Lm (in 4 lights) **CORD LENGTH**

3 m

WEIGHT 80 g PACKED DIMENSIONS 47 x 47 x 70 mm

Contact Details

Burton McCall Limited 163 Parker Drive, Leicester LE4 0JP

Tel Main Switchboard: 0116 234 4600

www.burton-mccall.co.uk

f @BTNMCCALL

@ @burtonmccallltd

Sales Office

Tel: 0116 234 4611/4622

Email: sales@burton-mccall.com

Customer Services

Tel: 0116 234 4646

Email: customerservices@burton-mccall.com

