

ベッドフレーム下収納・大・オーク材
ベッドフレーム下収納・大・オーク材・高さ25cmタイプ
ベッドフレーム下収納・大・ウォールナット材
ベッドフレーム下収納・大・ウォールナット材・高さ25cmタイプ

BED FRAME / UNDERBED STORAGE / L / OAK

BED FRAME / UNDER-BED STORAGE / L / OAK / H 25cm

BED FRAME / UNDERBED STORAGE / L / WALNUT

BED FRAME / UNDER-BED STORAGE / L / WALNUT / H 25cm

床框下収納/大/OA

床框下収納/大/OA/高25cm型

床框下収納/大/WN

床框下収納/大/WN/高25cm型

組立・取扱説明書

User Guide

组装 / 使用说明书

日本語

この度は本商品をお買い上げいただき、誠にありがとうございます。

1ページからお読みください。

English

Thank you for your purchase.

Read these instructions from Page 12.

中文

本次承蒙惠购本产品，在此深表感谢。

请从第二十三页开始阅读。

使用说明书发行日期：2023 年 11 月 21 日

4550002554019 BED FRAME / UNDERBED STORAGE / L / OAK
4550002554026 BED FRAME / UNDERBED STORAGE / L / WALNUT
4550002550929 BED FRAME / UNDERBED STORAGE / L / OAK / 25CM
4550002550936 BED FRAME / UNDERBED STORAGE / L / WALNUT / 25CM

333666152-001-005

ベッドフレーム下収納・大・オーク材
ベッドフレーム下収納・大・オーク材・高さ25cmタイプ
ベッドフレーム下収納・大・ウォールナット材
ベッドフレーム下収納・大・ウォールナット材・高さ25cmタイプ

組立・取扱説明書

この度は本商品をお買い上げいただき、誠にありがとうございます。
ご使用前に本書をよくお読みいただき、内容を理解した上で正しく組み立て、正しくお使いください。
また、本書はいつでも確認できるように大切に保管してください。

もくじ	ページ
重要なお知らせ（安全上のご注意）	2～3
パーツリスト	4
各部の名称	4
組立方法	5～8
ご使用方法	9
お手入れ方法	9
ご使用に際して	10
製品仕様	11
お問い合わせ先	11

重要なお知らせ (安全上のご注意)

必ずお守りください。

本書には、お使いになる方や他の人への危害と財産への損害を未然に防ぎ、安全に正しくお使いいただくために、重要な内容を記載しています。

次の内容 (表示・図記号) をよく理解してから本文をお読みになり、記載事項をお守りください。

● 表示の説明

誤った使い方をしたときに生じる危害や損害の程度を区分して説明しています。



警告

使用者が死亡または重傷 (※1) を負うことが想定される内容です。



注意

使用者が傷害 (※2) を負うことや物的損害 (※3) が発生することが想定される内容です。

● 図記号の説明

お守りいただく内容を次の図記号で説明しています。(次は図記号の例です。)



してはいけない「禁止」の内容です。



実行しなければならない内容です。

※1 重傷とは、失明やケガ、やけど、骨折、中毒、感電などで後遺症が残るもの及び、治療に入院、長期の通院を要するものをさします。

※2 傷害とは、治療や入院や長期の通院を要しない、ケガ、やけどをさします。

※3 物的損害とは、家屋、家財にかかわる拡大損害をさします。

警告



禁止

- 電化製品の電源コードを本商品で踏まないでください。コードが破損し、感電や火災の原因になります。
- 不要になった梱包材は幼児の手の届くところに置かないでください。頭からかぶるなどしたときに口や鼻をふさぎ窒息するおそれがあります。

注意



禁止

- 組み立てが不完全なまま使用しないでください。ケガの原因になることがあります。
- 収納部の上に直接腰かけたり、乗ったり、無理な力で引っ張ったりしないでください。破損しケガをする原因となります。
- 引出しの開閉は、指や手をはさまないでください。ケガをする原因となります。
- 修理および改造はしないでください。製品の強度が弱くなりケガをするおそれがあります。
- 破損、変形した状態では使用しないでください。製品の強度が弱くなりケガをするおそれがあります。
- 規定の用途以外での使用はしないでください。破損してケガをするおそれがあります。
- 屋外では使用しないでください。反りやゆがみ、割れなどの原因になりケガをするおそれがあります。
- 収納部の1箇所にも過度の荷重をかけないでください。また、無理に引っ張ったり、進行方向以外に動かしたりしないでください。床にキズがつく原因となります。
- 汚れた物や湿った物は収納しないでください。収納物や本体にカビが生じる原因となります。
- 耐荷重を超えて物をのせたり、耐荷重内でも一部に片寄ってのせたりしないでください。変形や破損によりケガをするおそれがあります。

⚠ 注意



行う

- 組み立ては必ず2人以上で行ってください。1人で作業をされると、部材の転倒、破損によるケガの原因となります。
- 組み立ては十分な場所を確保し、敷物を敷いてください。床や既存の家具にキズがつく原因となります。注意して行ってください。
- 移動する際は、2人以上で移動させてください。1人で無理に移動させるとケガや商品が破損する原因となります。
- 引出内部の湿気対策を行ってください。
収納部は湿気がこもりやすくなりますので、市販の除湿剤(湿気取り用)などを使用してください。また定期的な換気をおこなってください。湿気は収納物や本体にカビが生じる原因となります。
- 使い始めの時は、室内の換気を十分に行ってください。木材の接着剤等に含まれるホルムアルデヒドが残っている可能性があり、化学物質に敏感な体質の方や乳幼児などは、アレルギー症状を起こすことがあります。特に乳幼児の衣類などを収納する場合はプラスチック製の袋などに入れたままの状態での収納してください。
- 部屋の換気は定期的に行ってください。特に下記の条件ではカビやダニが生じやすく健康を害することがあります。
 - ・ 湿度の高い季節
 - ・ 冬季など外気が冷たく、室内温度との差により結露が生じる場合
 - ・ 過度な加湿器の使用
- 床面がフローリングや畳などの場合は、敷物などを敷いて使用してください。床面のキズ防止になります。










お願い (その他 注意)

- 毛足の長いじゅうたん類の上でご使用になると、キャスターの動きが悪くなる場合があります。
- 衣類やタオル類は直接収納しないでください。本体の素材特有のにおいが移る場合がありますので、収納する際はプラスチック製の袋などに入れてください。
- この商品は水平に保つように置いてください。ガタついたまま使用すると商品の変形やゆがみ、破損の原因となることがあります。
- 高温(目安: 35℃以上)や乾燥した場所(目安: 湿度30%以下)で長期間設置はしないでください。製品の反りやゆがみ、割れなどが生じる原因になります。
- 直射日光や照明、ストーブやエアコンなどの冷暖房器具の熱や風を商品に直接あてないでください。反りやゆがみ、割れ、変色などの原因になります。暖房器具を使用する場合は室内温湿度は適正に保つようにしてください。
- シンナーなどの有機溶剤を含んだ布で拭かないでください。変色や変形の原因となります。
- 組み立ての際は、手袋などをつけて作業してください。思わぬケガの防止になります。


パーツリスト

オーク材 ウォールナット材 共通

※各リストはオーク材、ウォールナット材ともに共通です。

パーツ			
① 前板  ※溝のあるほうが内側 ×1	② 背板  ※溝のあるほうが内側 ×1	③ 側板  ※左右あります ※溝のあるほうが内側 ×2	④ 補強棧（センター）  ×1
⑤ 補強棧（穴あき）  ×2	⑥ 底板  ×1	⑦ 仕切板（長）  ×1	⑧ 仕切板（短）  ×4
フィッティングパーツ			
⑨ ジョイントピン  ×10	⑩ カムナット  ×10	⑪ キャスター  ×4	
⑫ キャスター用・木ネジ  ×8	⑬ ハンドル  ※ネジは取り付けてあります。 組立時に取りはずしてご使用ください。×1	⑭ 仕切板固定ワイヤー  ×8	

各部の名称



組立方法

オーク材 ウォールナット材 共通

※組み立てはオーク材、ウォールナット材ともに共通です。



注意

- ❗ 組み立ては、必ず2人以上で行ってください。
1人では商品破損や商品落下などによりケガをする原因となります。
- ❌ 組み立てには電動工具は使用しないでください。
無理に負荷がかかると、商品破損によりケガをする可能性があります。
- ❗ 組み立て後、1週間程度経過しましたら、ボルトを締め直してください。
使い始めはゆるんでいる場合があり、そのまま使用すると破損、ケガの原因となります。
- ❗ 組み立て、設置の際は、床や既存の家具がキズつかないようにご注意ください。


1

はじめに、組み立てる場所に敷物を敷いて床面を保護してください。

下図のように、① 前板に②ジョイントピンを取り付けます。

ジョイントピンは、はじめに手でねじ込んでおき、それからお手持ちのマイナスドライバーで締め込むと容易です。

※ジョイントピンとカムナットの取付け方の詳細については6ページ「ジョイントピンとカムナットの取り付け方」をご参照ください。




2

③ 側板内側に④カムナットを入れ込みます。


(※カムナットはジョイント方向に合わせて、向きを調整しておいてください)

木ダボ位置を合わせながら③ 側板と① 前板を組み合わせた後、お手持ちのマイナスドライバーで④カムナットを時計まわりに回転させて締め付けてください。

(6ページのジョイントピンとカムナットの取り付け方を参照)



※ ③ 側板には方向性があります。
マグネットの向きをご確認の上、
組み立てを行ってください。




お願い
(その他 注意)

カムナットは
マイナスドライバーで
ゆっくり回してください

ジョイントピンとカムナットの取り付け方

ジョイントピンのねじ込みかた

- ① ① a) ジョイントピンを装着部位の穴に取り付けてください。
- ② ② まずは手で回してねじ込んでください。手で回せないときには、お手持ちのマイナスドライバーで時計回りに回し、固定してください。



お願い
(その他 注意)

ジョイントピンを強く締め過ぎるとカムナットが回りきらない場合がございます。


カムナットの取り付けかた

- ① ⑥カムナットの開口部をジョイント方向に合わせてカムナット穴に入れ込む。その際“+”の向きは下図のようになります。

② ①ジョイントピンを⑥カムナットの方向に向けて差し込みます。

③ お手持ちの一(マイナス)のドライバーで⑥カムナットを時計回りに回します。仕様上、カムナット穴はきつめに設定されております。⑥カムナットがカムナット穴に入りにくい場合は、ドライバーなどで押し込んでください。最後に、⑥カムナット取り付け箇所及び、接合部に、ゆるみ、ぐらつきがないかご確認ください。






お願い
(その他 注意)

回りきらない状態のカムナットを強引に回そうとすると、カムナットが破損するおそれがあります。必ず下記の調整を行い、正しく組立ててください。

取り付け時の調整方法


ジョイントピンは、どのくらいねじ込むのですか？

ジョイントピンと部材との間にスキマがなくなるまで、
しっかりとねじ込んでください。
また、入り過ぎないようにねじ込んでください。




カムナットが回りきらない場合の調整方法は？


ジョイントピンを反時計回りに少しだけ緩めてください。



- 3** ③側板の溝に合わせ、⑥底板をスライドさせながら入れ込み（底板の穴位置は下図のように上下になります）、
 ②カムナットを入れ込んだ ④補強棧（センター）を中央に、⑤補強棧（穴あき）を両側に、①前板のダボ穴に
 差し込みます。




- 4** 手順 **1** 同様に、②背板にも ①ジョイントピンを取り付け、ダボと①ジョイントピンの位置
 を合わせてはめ込み、②カムナットをマイナスドライバーで締め付けます。
 ④補強棧（センター）にはめ込んだ2箇所の②カムナットも内側から締め付けてください。



組立方法 (つづき)


オーク材 ウォールナット材 共通

- 5** ⑤ ハンドルに取り付け済みのネジをお手持ちのドライバー、もしくは手ではずしてから、① 前板に取り付けてください。




※ネジは取り付け済みです。
組立時に取りはずしてご使用ください。

- 6** ゆっくりと本体を裏返し、⑤ 補強棧 (穴あき) の4箇所に
④ キャスター用・木ネジを使って③ キャスターを取り付けてください。
※お手持ちのプラスドライバーをご使用ください。



- 7** 本体を表向きにし、⑥ 仕切板 (長) を ① 前板と ② 背板の溝に差し込みます。
つぎに、③ 側板と ⑥ 仕切板 (長) のお好みの位置に⑦ 仕切板固定ワイヤー
を取り付け、⑧ 仕切板 (短) を取り付けます。
最後にもう一度全ての② カムナットがしっかり締め付けてあるか確認してください。



ご使用方法

移動について

〈組み立てた状態で動かす場合〉

- 組み立てた商品を移動するときは、床面を引きずらず、必ず商品の下に両手を掛け、大人2人以上で同時に持ち上げて運んでください。ケガや破損、床面へのキズの原因となります。

〈引越しなどで運ぶ場合〉

- 引越しなどで移動をする際は、組み立て前の状態に戻してから運んでください。ケガや破損、床面へのキズの原因となります。

廃棄について

- 廃棄の際は、居住地域自治体のルールに従い、処分してください。

お手入れ方法

保守・点検

- 破損、変形した状態では使用しないでください。
- 金具類は、ゆるみやグラツキがないか定期的に点検し、ゆるみははじめたら、しっかり締め直してください。ガタツキや異常音の発生などの故障の原因になります。また、ケガや脚・本体の破損、床面のキズの原因になります。
- 害虫を発見した場合は、直ちに殺虫や防虫処理をしてください。放置すると虫害が拡大するおそれがあります。

木部のお手入れ

- 塗装面のホコリはやわらかい布、またはハタキで軽く払ってください。硬い布でホコリのあるままでこすると、細かなキズがついてしまい逆効果です。通常、やわらかい布での乾拭きで十分です。
- 汚れのひどい時は、3～5%程度に薄めた中性洗剤を浸した布で汚れを落とし、その後、水で浸した布で洗剤をよくふき取ってください。次に乾いた布で軽くふいた後、自然乾燥させてください。
- 化学雑巾を長い間接触させておくと、変色・変形したりする事がありますのでご注意ください。

金属部のお手入れ

- 通常のお手入れはやわらかい布で乾拭きしてください。
- 汚れがひどい時は、3～5%程度に薄めた中性洗剤を浸した布で汚れを落とし、その後、水で浸した布で洗剤をよくふき取ってください。次に乾いたやわらかい布で軽くふいた後で自然乾燥してください。
- 金属部分には、潤滑油を薄く塗り、やわらかい布で軽くふきとってください。

ご使用に際して

天然木製品についてのおことわり

- 本商品は天然木を使用しているため、木目や色合い等、天然木材特有の個体差があります。
そのため、商品として木目や色調に差がありますが、あらかじめご了承ください。
- 天然木（突板）は下記の条件により、割れや反りなどが発生することがありますので、ご注意ください。
 - ①直射日光の当たる場所でのご使用は出来る限りお避けください。
どうしても直射日光が当たる場合は、カーテンなどで出来る限り避けてご使用ください。
 - ②冷暖房器具の近くでのご使用は出来る限りお避けください。必ず冷暖房の風が直接当たらないようにしてご使用ください。
 - ③特に冬の暖房による室内の極端な乾燥は、天然木の割れ、反りを発生させる原因になります。

ホルムアルデヒドの対策について

- ホルムアルデヒドとは
ホルムアルデヒドとは、シックハウス症候群の原因物質の一つとされています。常温で気化する無色で刺激臭のある化学物質で、家具はもとより建築資材、壁紙を貼る接着剤などに含まれています。少しずつ放散されるため、ホルムアルデヒドに汚染された室内に長時間いると目がチカチカしたり、喉に不快な刺激を感じたりすることがあります。濃度が高いと呼吸困難を起こす場合もあります。
- お部屋の換気をしてください



❗ 家具を設置の際は、室内の換気を十分にしてください。化学物質に敏感な体質の方や乳幼児などアレルギー症状を起こすことがあります。

ホルムアルデヒドは空気中に放散されやすいので、普段からこまめに室内の換気を行うようにしてください。複数の家具を同時に設置した場合は特に窓をできるだけ広く開け、十分な換気を行ってください。室内の温度が高くなると、ホルムアルデヒドは多く放散される傾向がありますので、夏季に室内を長時間閉め切っている場合は特に換気をするようご注意ください。換気効率を上げるため、複数の窓を開けたり、換気扇、扇風機、サーキュレーターなどの利用をおすすめします。

●化学物質に敏感な体質のお客様へ

ホルムアルデヒドに限らず、シックハウス症候群に該当する化学物質は許容量に個人差があります。よって、室内濃度指針値（健康上望ましいとされるホルムアルデヒドの室内濃度値）以下の濃度であっても反応する体質の方もいらっしゃいます。現段階の無印良品の家具におきましてもホルムアルデヒド放散量の少ない材料を極力使用しておりますが、まったく放散されないわけではありませんので、ご注意ください。特に乳幼児の衣類などを収納する場合はプラスチック製の袋などに入れたままの状態での収納してください。アレルギー症状が起きた際は、医師にご相談されることをおすすめします。

●無印良品の家具は、梱包内にホルムアルデヒド吸着・分解シートを入れて出荷しています。

狭い空間ではホルムアルデヒドは逃げ場がなく、材料に再吸着する可能性があります。そこで、お手元に届くまでに少しでもホルムアルデヒド濃度を低下させるために、ホルムアルデヒド吸着・分解シートを入れてあります。

※同梱の「ホルムアルデヒド吸着・分解シート」は効力が落ちておりますので、燃えるゴミとして処分してください。

製品仕様

品 名	ベッドフレーム下収納・大・オーク材	ベッドフレーム下収納・大・オーク材 ・高さ25cmタイプ
J A N	4550002554019	4550002550929
品 名	ベッドフレーム下収納・大 ・ウォールナット材	ベッドフレーム下収納・大 ・ウォールナット材・高さ25cmタイプ
J A N	4550002554026	4550002550936
製 品 寸 法	幅800×奥行903×高さ190 mm	幅800×奥行903×高さ250 mm
製 品 重 量	約13 kg	約18 kg
用 途	収納（ベッドフレーム ベッド下スペース用）	
耐 荷 重	約10 kg（※全体で均等に荷重をかけた場合）	
材 質 (オーク材)	表 面 材：外 枠：天然木化粧MDF（オーク材突板） 仕切板、底板：MDF 表面加工：本 体（突板）：アクリル樹脂塗装 ハ ン ド ル：エポキシ・ポリエステル混合樹脂粉体塗装	
材 質 (ウォールナット材)	表 面 材：外 枠：天然木化粧MDF（ウォールナット材突板） 仕切板、底板：MDF 表面加工：本 体（突板）：アクリル樹脂塗装 ハ ン ド ル：エポキシ・ポリエステル混合樹脂粉体塗装	
原 産 国	インドネシア	

お問い合わせ先

製品のお問い合わせは、お買い上げの販売店もしくは下記お客様相談室までご連絡ください。

株式会社 良品計画

お客様相談室でんわ



0120-14-6404

BED FRAME / UNDERBED STORAGE / L / OAK

BED FRAME / UNDER-BED STORAGE / L / OAK / H 25cm

BED FRAME / UNDERBED STORAGE / L / WALNUT

BED FRAME / UNDER-BED STORAGE / L / WALNUT / H 25cm

User Guide

Thank you for your purchase.

Read the User Guide before use to ensure correct use and assembly of this product.

Please store this User Guide in an easily accessible place for future reference.

Table of Contents	Pages
Important Information (Safety Advice)	13 - 14
Parts	15
Part Names	15
Assembly Instructions	16 - 19
Directions for Use	20
Care Instructions	20
Usage	21
Specifications	22
Contact Information	22

Important Information (Safety Advice) These instructions must be followed.

This User Guide contains important information for the safe use of this product in order to prevent harm to the user and others or damage to property. Please note the following contents (indications and graphic symbols) before reading the main contents of this manual, and follow the instructions given.

- **Explanations of Indications**
The degrees of injury and damage that may arise when the product is used incorrectly are classified and explained with the following symbols.

 WARNING	Indicates a hazard with a level of risk which, if not avoided, could result in death or serious injury* ¹ to the user.	 CAUTION	Indicates a hazard with a level of risk which, if not avoided, could result in injury* ² to the user or property damage* ³ .
--	---	--	--

- **Explanations of Graphic Symbols**
Instructions are given in the form of the following graphic symbols. (Examples of graphic symbols are as follows.)

 DON'Ts: Actions that are prohibited.	 DOs: Actions that must be taken.
---	---

*¹ "Serious injury" indicates blindness, injuries, burns, bone fractures, poisoning, or electric shocks which have long term effects and require hospitalisation and/or long-term hospital visits for treatment.
*² "Injury" indicates injuries or burns which do not require hospitalisation or long-term hospital visits for treatment.
*³ Property damage indicates expanded damage that involves the house or household property.

 **WARNING**

 DON'Ts	• Do not place the product on the power cord of an electrical appliance. Doing so may damage the cord, resulting in electric shock or fire. • Keep unwanted packaging materials out of reach of infants. Infants may accidentally pull packaging materials over the mouth or nose, causing suffocation.
---	---

 **CAUTION**

 DON'Ts	• Do not use unless fully assembled. Doing so may cause injury. • Do not sit or climb directly on the storage section, or apply excessive force to it. Doing so may cause damage to the product or injury. • Be careful not to trap hands or fingers when opening and closing drawers. Doing so may cause injury. • Do not attempt to repair or modify the product. Doing so may weaken the product, resulting in injury. • Do not use this product if it is damaged or deformed. Doing so may weaken the product, resulting in injury. • Use this product only for its intended purpose. Failure to do so may cause damage to the product or injury. • Do not use the product outdoors. Doing so may cause warping, deformation or cracks, resulting in injury. • Do not place excessive weight in one part of the storage section. Also, do not pull the drawers with excessive force or move them in a direction other than the intended direction. Doing so may cause scratches on the floor. • Do not store dirty or wet items. Doing so may cause mould in the stored items or main unit. • Do not place a heavy item that exceeds the withstand load on the product, or place items within the withstand load on one part of the product. Doing so may cause deformation or damage to the product, resulting in injury.
---	--











! CAUTION	
! DOs	• This product must be assembled by two or more people. Assembling alone may result in injury due to parts of the product falling or becoming damaged. • Secure sufficient space when assembling the product, and assemble on a sheet/rug. Failure to do so may result in damage to the floor or existing furniture. • The product must be moved by two or more people. Attempting to move the product alone may result in injury or damage to the product. • Take measures to reduce the amount of humidity in the drawers. Humidity accumulates easily in the storage section. Use a commercially available dehumidifying agent (for absorbing moisture) to reduce humidity. Also, regularly ventilate the storage section. Humidity may cause mould in the stored items or main unit. • Ventilate the room well at the early stage of product use. A small quantity of formaldehyde may still remain in the wood adhesives, which may cause an allergic reaction in those who are sensitive to chemicals or infants. Put clothes and such, especially clothes for infants, in a plastic bag when storing. • Periodically ventilate the room. The following conditions in particular may cause mould or mites to occur, resulting in a health hazard. • Humid season • During winter, when the difference in temperature between outside and inside is large causing condensation. • Excessive use of a humidifier. • Lay a rug, etc. underneath the product if it is to be used on a wooden or tatami floor. Doing so prevents the floor from being scratched.

Note (Other Cautions)	
	• Castors may not roll well when used on long pile carpets. • Do not store clothes and towels directly in the product. Put them in plastic bags or similar items to keep them from the distinct odour of the furniture. • Install the product so that it remains horizontal. Using this product in a wobbly or unstable state may cause deformation or warping, resulting in damage to the product. • Do not store for long periods of time in a hot (approx. temperature 35°C or higher) or dry (approx. humidity 30% or lower) location. Doing so may cause warping, deformation or cracks in the product. • Do not expose the product to heat or hot air such as from direct sunlight, illumination or heated air from a heating device such as a room heater or air conditioner. Failure to do so may cause warping, cracks or discolouration. When using a heating appliance, be sure to keep the room at an appropriate temperature and humidity. • Do not wipe with a cloth that contains an organic solvent such as thinner. Doing so may cause deformation or discolouration. • Wear gloves during assembly of the product. This is to prevent unexpected injury.


Parts

For both OAK / WALNUT models

* Each list applies to both oak and walnut models.

Parts			
Ⓐ Front Panel  ×1 * Grooves are on the inside	Ⓑ Back Panel  ×1 * Grooves are on the inside	Ⓒ Side Panel  * Left and right side items are different. * Grooves are on the inside ×2	Ⓓ Reinforcement Bar (Centre)  ×1
Ⓔ Reinforcement Bar (with holes)  ×2	Ⓕ Bottom Plate  ×1	Ⓖ Divider (Long)  ×1	Ⓗ Divider (Short)  ×4
Fitting Parts			
Ⓐ Joint Pin  ×10	Ⓑ Cam Nut  ×10	Ⓒ Castor  ×4	
Ⓓ Wood Screw for Castors  ×8	Ⓔ Handle  * Screw ×1 * Screws are already attached. Remove for use when assembling the product.	Ⓕ Divider Fixing Wire  ×8	

Part Names



Back

Front

Handle

○ Section: Magnet Holder

(Completion Image)

* Magnet holders (5) are required to use the "LID FOR UNDERBED STORAGE" (sold separately).

Assembly Instructions

For both OAK / WALNUT models

* Assembly instructions apply to both oak and walnut models.


CAUTION

- ❗ This product must be assembled by two or more people.
Assembling alone may result in damage to the product or injury due to the product falling.
- ⚠ Do not use power tools to assemble the product.
Placing unnecessary strain on the product may result in injury due to damage to the product.
- ❗ Re-tighten all bolts approximately one week after assembly.
Bolts may become loose at the start of use, and continued use with loose bolts may result in damage or injury.
- ❗ Be careful not to damage the floor and existing furniture when assembling and installing the product.

1


First, lay a sheet/rug on the ground where the product will be assembled to protect the floor. As shown in the figure below, attached (a) joint pin to (A) front panel. Tighten the joint pin by hand at first, then use a flat head screwdriver to fully tighten it.

* For details on how to attach the joint pin and cam nut, see "Attaching the Joint Pin and Cam Nut" on page 17.




2

Insert (b) cam nut into the inside of (C) side panel. (*Adjust the position of the cam nut so that it fits joint pin direction.) Align the position of the wooden dowels and fit (C) side panel and (A) front panel together, then use a flat head screwdriver to turn (b) cam nuts clockwise to tighten them. (See "Attaching the Joint Pin and Cam Nut" on page 17.)



* The left and right side (C) side panels are different. Check that the magnets are facing in the correct orientation during assembly.




Note

(Other Cautions)

Turn the cam nuts slowly using a flat head screwdriver.


Attaching the Joint Pin and Cam Nut

How to screw in the joint pin



Note
(Other Cautions) The cam nut may not rotate fully if the joint pin is over-tightened.

Attaching the Cam Nut




Note
(Other Cautions) Do not forcefully rotate a cam nut that was not fully rotated, as doing so may cause damage to the cam nut. Be sure to adjust as shown below and assemble correctly.

Adjustment During Assembly


How far should you screw in the joint pin?

Screw in the joint pin tightly so there are no gaps between the joint pin and the panel. Do not screw in the joint pin too far.



How do you adjust if the cam nut doesn't rotate fully?


Slightly loosen the joint pin by rotating it anti-clockwise.




Assembly Instructions (Continued)

For both **OAK** / **WALNUT** models

- 3** Slide in (F) bottom plate along the grooves in (C) side panels (holes are positioned at the top and bottom as shown in the figure below). Insert (D) reinforcement bar (centre) that has the (b) cam nuts inserted into the centre dowel holes, and (E) reinforcement bars (with holes) on both sides into the dowel holes on (A) front panel.




- 4** In the same way as step **1**, attach (a) joint pins to (B) back panel, align the positions of the (a) joint pins with dowels and insert them, then tighten (b) cam nuts with a flat head screwdriver. Also tighten the two (b) cam nuts that (D) reinforcement bar (centre) are inserted into from the inside.




Assembly Instructions (Continued)

For both **OAK** / **WALNUT** models


- 5** Remove the screws from (e) handle by hand or using a screwdriver, and attach them to (A) front panel.



- 6** Turn the unit over slowly, and use the (d) wood screws for castors to attach the (c) castors to the four places on the (E) reinforcement bars (with holes).
* Phillips screwdriver is not provided.



- 7** Turn the unit upright, and insert (G) Divider (Long) into the grooves in (A) front panel and (B) rear panel.
Next, attach (f) divider fixing wires to the desired positions on (C) side panels and (G) divider (long), and attach (H) dividers (short).
Lastly, check that all of the (b) cam nuts are fully tightened.



Directions for Use

Moving the Product

<Moving when Fully Assembled>

- When moving a fully assembled underbed storage unit, do not drag it on the floor. The unit must be lifted by two or more people, and held with both hands underneath the unit. Failure to do so may cause injury, damage to the unit or scratches to the floor.

<Moving when Moving House, etc.>

- When moving the unit in order to move house, etc., disassemble the unit before moving it. Failure to do so may cause injury, damage to the unit or scratches to the floor.

Disposal

- To dispose of this product, follow the rules implemented by your local government.

Care Instructions

Maintenance and Inspection

- Do not use this product if it is damaged or deformed.
- Periodically check for any looseness in fittings, and re-tighten them if any looseness is found. Looseness may lead to abnormalities such as wobbling or abnormal noises. Also, failure to do so may cause injury, damage to the legs or main unit, or scratches to the floor.
- Take insecticidal measures immediately if any type of insect damage is found. Insect damage may worsen if left untreated.

Maintenance for Wooden Sections

- Gently wipe off dust from coated surfaces using a soft cloth or duster. Rubbing dusty surfaces with a hard cloth is counter-productive as it may cause small scratches to occur. Normally, wiping off with soft, dry cloth is sufficient for cleaning.
- If the product is particularly dirty, wipe off the dirt with a cloth soaked in a 3% to 5% neutral detergent solution. Then wipe off any detergent residue with a damp cloth. Next, gently wipe with a dry cloth and let the product dry naturally.
- Do not leave a chemical duster in contact with the product for a long time, as doing so may cause discolouration or deformation.

Maintenance for Metal Sections

- For normal care, wipe them with a soft, dry cloth.
- If the product is particularly dirty, wipe off the dirt with a cloth soaked in a 3% to 5% neutral detergent solution. Then wipe off any detergent residue with a damp cloth. Next, gently wipe with a soft, dry cloth and let the product dry naturally.
- Apply a thin coating of lubricating oil to metallic parts, and wipe off with a soft cloth.

Usage

Cautions for Natural Wood Products

- This product is manufactured using natural wood. There are differences in the grain and colouring as a result of these natural materials.
Please note that the wooden grains and colours of the all products are not the same.
- Please note that cracks and warping may occur in natural wood (sliced veneer) in the following conditions.
 - ① Avoid use in a place that is subject to direct sunlight wherever possible.
If use in direct sunlight is unavoidable, reduce the amount of sunlight wherever possible using curtains, etc.
 - ② Avoid use near heaters or air conditioners wherever possible.
Be sure that the air from heaters or air conditioners does not come into direct contact with the product.
 - ③ In particular, air from heaters in the winter season is very dry and can easily cause cracks and warping in natural wood.

Formaldehyde Countermeasures

- What is Formaldehyde?
Formaldehyde is said to be one of the causes of sick house syndrome. It is a colourless, pungent smelling compound that vaporizes at room temperature, and is found in such items as furniture, building materials and wallpaper adhesives. It is released gradually, but people in a room where formaldehyde has accumulated for a long time may experience symptoms such as itchy eyes or a sore throat. A high concentration of formaldehyde may cause breathing difficulties.
- Ventilate the room.

 CAUTION	! Ventilate the room well when installing the furniture. Small children and those who are sensitive to chemicals may have an allergic reaction.
---	--

Formaldehyde is easily dispersed in the air. Therefore, be sure to ventilate the room regularly. In particular, be sure to open the window as wide as possible and thoroughly ventilate the room when assembling a number of furniture items at the same time. More formaldehyde is released when the room temperature increases. Therefore, be careful if the room is closed for a long time during the summer, and ventilate the room thoroughly. In order to increase ventilation efficiency, it is recommended that you open multiple windows, or use a ventilation fan or air circulator.

- For Persons Who Have High Sensitivity to Chemicals
There are individual differences in resistance to chemicals other than formaldehyde that are related to sick house syndrome.
Therefore, some people may have a reaction to chemicals even if the concentration is below the indoor concentration guideline value (indoor concentration value of formaldehyde considered acceptable for a healthy environment). At present, MUJI furniture products are made with materials that emit as little formaldehyde as possible, but this does not guarantee that no formaldehyde is emitted at all. Put clothes and such, especially clothes for infants, in a plastic bag when storing.
We recommend consulting a physician if you experience any allergic symptoms.
- MUJI furniture products contain formaldehyde absorption/decomposition sheets as part of the packing materials.
If the product is used in a restricted space, formaldehyde may be re-absorbed by the material if there is nowhere for it to dissipate. Formaldehyde absorption/decomposition sheets are used to reduce the concentration of formaldehyde as much as possible before the product reaches the customer.
* Effectiveness of the "formaldehyde absorption/decomposition sheet" in the packaging has been expended by the time the package reaches the customer, and it can be disposed of as burnable rubbish.

Specifications

Product Name	BED FRAME / UNDERBED STORAGE / L / OAK	BED FRAME / UNDERBED STORAGE / L / OAK / 25CM
JAN	4550002554019	4550002550929
Product Name	BED FRAME / UNDERBED STORAGE / L / WALNUT	BED FRAME / UNDERBED STORAGE / L / WALNUT / 25CM
JAN	4550002554026	4550002550936
Product Dimensions	W800 x D903 x H190 mm	W800 x D903 x H250 mm
Product Weight	Approx. 13 kg	Approx. 18 kg
Usage	Storage (for the space under a bed frame)	
Withstand Load	Approx. 10 kg (* When load is spread evenly across the unit)	
Materials (Oak)	Surface Material: Frame: Natural Wood Laminated MDF (Oak Veneer) Partition Board, Bottom Board: MDF Surface Finish: Main Unit (Sliced Veneer): Acrylic Resin Coating Handle: Epoxy Polyester Mixed Resin Powder Coating	
Materials (Walnut)	Surface Material: Frame: Natural Wood Laminated MDF (Walnut Veneer) Partition Board, Bottom Board: MDF Surface Finish: Main Unit (Sliced Veneer): Acrylic Resin Coating Handle: Epoxy Polyester Mixed Resin Powder Coating	
Place of Origin	Indonesia	

Contact Information

For your inquiry about the product, please contact the store where you bought it.

床框下收纳/大/OA
床框下收纳/大/OA/高25cm型
床框下收纳/大/WN
床框下收纳/大/WN/高25cm型

组装/使用说明书

本次承蒙惠购本商品，在此深表感谢。

使用前请务必仔细阅读本文，并在对内容充分理解的基础上再正确组装和使用。

此外，请务必妥善保管本文，以备随时进行确认。

目录	页
重要通知 (安全注意事项)	24 ~ 25
配件清单	26
各部位名称	26
组装步骤	27 ~ 30
使用方法	31
保养方法	31
产品故障分析和排除	31
有害物质限量的控制指标	32
使用注意事项	32
产品规格	33
联系方式	33

重要通知(安全注意事项)

请务必遵守。

为了防止使用者或他人遭受危害和经济损失，本文中记述了确保安全且正确使用的重要内容。
请在充分理解下述内容(标示/图形符号)的基础上仔细阅读本文，并严格遵守所述事项。

●标示说明

按错误使用所造成的危害或损失程度进行分类说明。

 警告	可能会导致使用者死亡或重伤(※1)的内容。	 注意	可能会导致使用者遭受伤害(※2)或物质损失(※3)的内容。
---	-----------------------	---	-------------------------------

●图形符号说明

通过以下图形符号对应严守的内容进行说明。(以下为图形符号范例。)

 不得执行的“禁止”内容。	 必须执行的“强制”内容。
--	--

※1 所谓重伤，是指因失明或受伤、烫烧伤、骨折、中毒、触电等原因而留下后遗症以及需住院治疗、长期就医的伤势。

※2 所谓伤害，是指无需治疗或住院、长期就医的受伤、烫烧伤。

※3 所谓物质损失，是指住房、家庭财产相关的连带损失。

 **警告**

 禁止	● 请注意产品不要压住家电产品的电源线。否则可能会因电源线断裂而导致触电、火灾。 ● 不要的包装材料请放置于婴幼儿无法触及的场所。否则可能因包装材料套住头部等阻碍嘴或鼻的呼吸而导致窒息的危险。
--	--

 **注意**

 禁止	● 组装完成之前请勿使用。否则可能导致人体受伤。 ● 请勿在收纳部位上方乘坐、施压或大力拉开抽屉。否则可能导致损坏、人体受伤。 ● 开关抽屉时请小心不要夹到手。否则可能导致人体受伤。 ● 请勿擅自维修或改造。否则可能导致产品强度下降、人体受伤。 ● 在损坏、变形的状态下请勿使用。否则可能导致产品强度下降、人体受伤。 ● 请勿用于规定用途以外的其他用途。否则可能导致损坏而受伤。 ● 请勿在室外使用。否则可能发生弯曲、变形或开裂等导致受伤。 ● 请勿使收纳部位局部过度承重。此外，请勿用力拉扯，移动时请顺着(滑轮)行进方向。否则可能导致地面损伤。 ● 请勿收纳脏的或湿的物品。否则可能导致收纳物品或主体发霉。 ● 请勿放置超过承重的物品，即使在承重范围内也请避免局部偏重。否则可能导致变形或损坏而受伤。
--	---

! 注意	
! 严守	● 组装时，请务必确保两人以上共同作业。一人作业的话，可能会由于组件倾倒、损坏而受伤。 ● 组装时请确保有足够的空间，并铺设铺垫物。以防损伤地面和原有的家具。作业时请特别注意。 ● 移动时，请务必确保两人以上共同作业。如果由一人强行移动，则可能导致受伤或商品损坏。 ● 请采取排除抽屉内部湿气的对策。 收纳部位容易积存湿气，请使用市面贩卖的除湿剂(除湿用)等。同时请定期换气。湿气可能导致收纳物品或主体发霉。 ● 刚开始使用时，请务必对室内进行充分换气。木材粘合剂等中可能含有甲醛残留物，易导致化学物质过敏体质者及婴幼儿等出现过敏症状。尤其收纳婴幼儿的衣物等时，请先放入塑料袋内再收纳。 ● 请定期进行房间的换气。尤其在下述环境下易导致发霉或螨虫繁殖而危害健康。 · 高湿度的季节 · 冬季等外部冷空气与室内温度产生温差而导致结露的环境 · 过度使用加湿器 ● 地面若为木地板或榻榻米等，请务必铺设铺垫物等后再使用。可防止地面损伤。

请求(其他注意事项)	
	● 在长毛类的地毯上使用时，可能会不利于滑轮的转动。 ● 请勿直接收纳衣物、毛巾类等物品。收纳时请先装入塑料袋内等，以避免附着产品材质特有的气味。 ● 本商品请保持水平放置。在松动的状态下使用可能会导致商品变形、歪斜或损坏。 ● 请勿长期设置于高温场所(参考：温度在35℃以上)或干燥的场所(参考：湿度在30%以下)。可能导致产品弯曲、变形或开裂等。 ● 请勿使商品直接受到阳光和照明直射，以及火炉和暖气设备的热源及暖风直吹。否则可能导致弯曲或变形、开裂、变色等。使用暖气设备时，请保持适当的室内温湿度。 ● 请勿使用含有天那水等有机溶剂的布擦拭。否则可能导致变色或变形。 ● 组装时请务必佩戴手套进行作业，否则可能会导致意外受伤。











配件清单

OA


WN

共通

※各清单中，OA/WN皆共通。

配件			
① 前板  ※带有沟槽的为内侧 × 1	② 背板  ※带有沟槽的为内侧 × 1	③ 侧板  ※有左右区分 ※带有沟槽的为内侧 × 2	④ 加强横木(中心)  × 1
⑤ 加强横木(带孔)  × 2	⑥ 底板  × 1	⑦ 分隔板(长)  × 1	⑧ 分隔板(短)  × 4
组装零件			
⑨ 连接销  × 10	⑩ 偏心轮螺母  × 10	⑪ 滑轮  × 4	
⑫ 滑轮用/木螺钉  × 8	⑬ 手柄  ※装有螺钉。 组装时请先拆卸再使用。 × 1	⑭ 分隔板固定钢丝  × 8	

各部位名称



※OA、WN的组装步骤皆共通。



注意

- ❗ 组装时，请务必确保两人以上共同作业。
单人操作可能会因商品损坏或掉落等而导致受伤。
- ⊘ 组装时请勿使用电动工具。
过度施压可能会导致商品损坏而受伤。
- ❗ 请在组装一周左右后，重新紧固螺栓等零部件。
开始使用时可能会出现松动，如果照常使用可能会造成损坏或受伤。
- ❗ 组装、设置时请多加小心，以防损伤地面或原有的家具。


1

请在组装场所铺设铺垫物以保护地面。

如下图，在(A)前板安装(a)连接销。

先手动拧进连接销，再用一字型螺丝刀就会很容易拧紧。

※关于连接销与偏心轮螺母的详细安装方法，请参照第28页“连接销与偏心轮螺母的安装方法”。




2

在(C)侧板内侧拧入(b)偏心轮螺母。

(※偏心轮螺母请对准连接方向进行调整)

对准木榫位置，组合(C)侧板与(A)前板，再用备好的一字型螺丝刀按顺时针方向旋转紧固(b)偏心轮螺母。


(参照第28页的连接销与偏心轮螺母的安装方法)



请求
(其他注意事项)

请用一字型螺丝刀将
偏心轮螺母慢慢拧紧。


※(C)侧板有方向区分。
请先确认磁铁的方向再组装。



连接销与偏心轮螺母的安装方法

连接销的拧入方法 ① 对准并安装
② 首先请用手旋转拧入。

③ 首先请用手旋转拧入。
用手无法旋入时，请用自备一字型
螺丝刀按顺时针方向拧紧固定。



请求
(其他注意事项)




如果过度拧紧连接销，可能会导致偏心轮螺母无法转动。

偏心轮螺母的安装方法

① 请按照连接方向将⑥ 偏心轮螺母的开口部拧入偏心轮螺母孔。此时，“+”的方向如下图。

② 将⑤ 连接销朝着⑥ 偏心轮螺母的方向插入。

③ 用自备的一字型螺丝刀按顺时针方向拧紧⑥ 偏心轮螺母。
规格上，将偏心轮螺母孔设定得较紧。
⑥ 偏心轮螺母不易拧入偏心轮螺母孔时，请用螺丝刀等拧入。
最后，请确认⑥ 偏心轮螺母安装处及接合部是否出现松缓或摇动。



请求


(其他注意事项)

偏心轮螺母无法转动时如果强行拧入，可能导致偏心轮螺母损坏。
请务必进行以下调整并正确组装。

安装时的调整方法


连接销要拧入多少？

请确实拧入，直到连接销与部件之间没有空隙。此外，注意请勿过度拧入。




偏心轮螺母无法正常旋入时的调整方法？


请按逆时针方向将连接销稍微松开。




- 3** 对准③侧板的沟槽，将⑥底板滑动装入(底板的上下孔位置如下图)，已装好②偏心轮螺母的④加强横木(中心)放在中央，⑤加强横木(带孔)放在两侧，插入①前板的木榫孔。




- 4** 如同步骤**1**，②背板上也要安装③连接销，对准木榫与③连接销的位置插入，用一字型螺丝刀拧紧②偏心轮螺母。④加强横木(中心)两处已装上的②偏心轮螺母也请从内侧拧紧。




- 5** 将装在⑤手柄上的螺钉，
用自备的螺丝刀或用手拆卸再安装在①前板。



- 6** 请先轻轻将抽屉主体翻面，在⑤加强横木(带孔)上4处，
使用④滑轮用/木螺钉安装③滑轮。
※请使用自备的十字型螺丝刀。



- 7** 将主体正面朝上放置，将⑥分隔板(长)插入①前板与②背板的沟槽。
接着，在③侧板与⑥分隔板(长)之间根据需要在适当位置上安装⑦分隔板固定钢丝，
再安装⑧分隔板(短)。
最后，确认所有的②偏心轮螺母是否完全拧紧。



使用方法

关于移动

<组装完毕状态下移动时>

- 移动组装后的床框下收纳产品时，请务必确保两名以上成人共同作业，不要在地面拖拉，请用双手抬住收纳产品下方，然后同时搬起再移动。否则可能导致人体受伤或商品损坏、地面损伤。

<搬家等需要搬运时>

- 因搬家等原因移动时，请将其恢复组装前状态后再搬动。否则可能导致人体受伤或商品损坏、地面损伤。

关于报废

- 报废时，请按各地区官方规定的方式进行报废处理。

保养方法

保养检查

- 在损坏、变形的状态下请勿使用。
- 请定期检查金属零件类有无松动或摇动，一旦发现松动，请立即重新紧固。否则可能导致摇晃或异常声音等故障。此外，还可能导致受伤或床脚及主体损坏、地面损伤。
- 发现虫害时，请立即杀虫或使用防虫剂进行清理。若置之不理则可能导致虫害范围扩大。

木质部分的保养方法

- 涂漆面的灰尘请用软布或掸子等轻轻掸去。若用硬布直接擦拭灰尘则会造成留下细小伤痕的不良作用。一般使用软布干擦即可。
- 污垢严重时，请用经过3~5%稀释的中性洗涤剂将软布浸透后擦除污垢，再用清水浸湿的软布将洗涤剂擦拭干净。最后用柔软的干布擦拭后使其自然风干。
- 长时间接触化学抹布可能会导致变色或变形，请特别注意。

金属部分的保养

- 平常保养时，请使用柔软的布干擦。
- 污垢严重时，请用经过3~5%左右稀释的中性洗涤剂将软布浸透后擦除污垢，然后再用清水浸湿的软布将洗涤剂擦拭干净。然后用柔软的干布擦拭后使其自然风干。
- 请在金属部分薄薄地涂上一层润滑油，再用软布轻轻地擦拭干净。

产品故障分析和排除

- 使用初期觉得有气味的話
由于是直接工厂放入箱子里，从箱子里拿出来后一段时间会有气味。如果在意的話，可以将其在无阳光直射无雨的地方放置一段时间。慢慢的气味会变淡。
- 家具不稳定的情况下
请确认家具和地面的接触面是否有夹杂物品。如有障碍物，可以将其移走将家具放在平坦的地面。带有调节器的家具，可以进行调整保证其不会前后左右晃动。
- 感觉有摇晃的话
点检各部件的螺丝钉或螺栓是否有松动的情况。如有松动的话请重新安置。部分零件如有裂痕或破损的话请停止使用。
- 其它
上述内容解决不了的问题或存在不清楚的地方请联络所购的店铺。

有害物质限量的控制指标

木家具中有害物质限量 符合GB 18584
甲醛释放量：≤1.5 mg/L
木家具中重金属限量
可溶性铅：≤90 mg/kg
可溶性镉：≤75 mg/kg
可溶性铬：≤60 mg/kg
可溶性汞：≤60 mg/kg

使用注意事项

关于天然木材产品的注意事项

- 本商品采用天然木材制作，木纹及色调等均具有天然木材特有的个体差异。因此，商品会在木纹及色调上存在差异，敬请谅解。
- 天然木材(刨切单板)根据以下条件，可能会出现开裂或弯曲等，敬请注意。
 - ① 请尽量避免在阳光直射的场所使用。
难以避开阳光直射的场所，请尽量使用窗帘等遮挡。
 - ② 请尽量避免在暖气设备附近使用。请务必不要在暖气设备风口处使用。
 - ③ 尤其是冬季的暖气会使室内极度干燥，因而导致天然木材发生开裂、弯曲。

关于甲醛对策

- 何谓甲醛
据说甲醛是导致病态建筑综合症的物质之一。是一种在常温下会气化的无色且具有刺激性气味的化学物质，除了家具以外，建筑材料、粘贴墙纸使用的粘合剂等中也均含有这种物质。由于会逐渐扩散，所以如果长时间滞留于被甲醛污染的室内环境，将会刺激眼睛、导致咽喉产生不适的刺激感。如果浓度过高，还可能导致呼吸困难。
- 请对房间进行换气。



❗ 设置家具后，请务必对室内进行充分换气。否则可能导致化学物质过敏体质者及婴幼儿等出现过敏症状。

- 甲醛易于空气中扩散，故请在日常随时对室内进行充分换气。同时设置多款家具时，请尽量开大窗户，对室内进行充分换气。室内温度一旦升高，甲醛可能出现加速扩散的倾向，所以在夏季长时间门窗紧闭时，请务必确保充分换气。为了提高换气效率，建议同时打开多扇窗户、开启换气扇、电风扇、空气循环风扇等。
- 致化学物质过敏体质的用户
除甲醛以外，其他导致病态建筑综合症的化学物质在容许量上也均因人而异。因此，即使浓度在室内浓度标准值(不会影响健康的甲醛室内浓度值)以下，也会存在过敏反应体质的用户。我们在目前的无印良品家具上已尽力使用甲醛含量较少的材料，但依然无法完全阻止扩散，故请多加注意。尤其收纳婴幼儿的衣物等时，请先放入塑料袋内再收纳。一旦出现过敏症状，建议立即向医生咨询。
 - 无印良品的家具在封装出厂时均已放入甲醛吸附/分解纸。
甲醛在狭窄的空间内无处可逃，可能再次被材料吸附。因此，为了尽量降低送达顾客手中的商品所附甲醛浓度，我们在封包中放入了甲醛吸附/分解纸。
※封包中的“甲醛吸附分解纸”性能会下降，故请作为可燃垃圾处理。

产品规格

商 品 名	床框下收纳/大/OA	床框下收纳/大/OA/高25cm型
规格型号	4550002554019	4550002550929
商 品 名	床框下收纳/大/WN	床框下收纳/大/WN/高25cm型
规格型号	4550002554026	4550002550936
规格尺寸	长800×宽903×高190 mm	长800×宽903×高250 mm
	该商品是根据与制造厂商的商定来决定商品的尺寸大小。	
承 重	13 kg	18 kg
用 途	收纳(床框 床下空间用)	
承 重	10 kg(※整体均衡载重时)	
使用场所	家用室内	
材 质 (OA)	表面材料： 外框： 白橡贴面中密度纤维板 分隔板、底板： MDF 表面加工： 主体(刨切单板)： 丙烯酸树脂涂装 手柄： 环氧/聚酯混合树脂粉体涂装	
材 质 (WN)	表面材料： 外框： 黑胡桃贴面中密度纤维板 分隔板、底板： MDF 表面加工： 主体(刨切单板)： 丙烯酸树脂涂装 手柄： 环氧/聚酯混合树脂粉体涂装	
执行标准	GB/T 3324-2017 ※本产品为配件， 组装成品时符合标准要求。	
等 级	合格品	
原 产 国	印度尼西亚	

联系方式

商品相关咨询请联系购买商品的店铺。

委托生产商：
 株式会社良品计画
 地 址：日本东京都文京区后乐2-5-1

经 销 商：
 无印良品(上海)商业有限公司
 地 址：上海市静安区南京西路1601号35楼
 3501-3508室（邮编200040）

电 话：021-63756677