

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487


Bath Bomb Powder

Batch ID or Lot Number: BBP72423	Test: Potency	Reported: 02Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000250673	Started: 01Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	7.948	26.533	ND	ND	# of Servings = 1, Sample Weight=448g
Cannabichromenic Acid (CBCA)	7.270	24.269	ND	ND	
Cannabidiol (CBD)	25.016	70.215	1511.830	3.40	
Cannabidiolic Acid (CBDA)	25.658	72.016	ND	ND	
Cannabidivarin (CBDV)	5.917	16.607	ND	ND	
Cannabidivarinic Acid (CBDVA)	10.703	30.041	ND	ND	
Cannabigerol (CBG)	4.513	15.065	ND	ND	
Cannabigerolic Acid (CBGA)	18.865	62.976	ND	ND	
Cannabinol (CBN)	5.887	19.653	ND	ND	
Cannabinolic Acid (CBNA)	12.871	42.966	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	22.474	75.026	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	20.411	68.138	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	18.084	60.370	ND	ND	
Tetrahydrocannabivarin (THCV)	4.105	13.702	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	15.951	53.249	ND	ND	
Total Cannabinoids			1511.830	3.40	
Total Potential THC			ND	ND	
Total Potential CBD			1511.830	3.40	

Final Approval


PREPARED BY / DATE
Sam Smith
02Aug2023
04:56:00 PM MDT


APPROVED BY / DATE
Karen Winternheimer
02Aug2023
05:02:00 PM MDT



<https://results.botanacor.com/api/v1/coas/uuid/ab1668a9-b9d3-4262-88d7-c0cddcb334b0>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
ab1668a9b9d3426288d7c0cddcb334b0.1