

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Bath Bomb Powder

Batch ID or Lot Number: BPOW_1K_16OZ_LAV_100923	Test: Potency	Reported: 01Nov2023	USDA License: N/A
Matrix: Unit	Test ID: T000259921	Started: 31Oct2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Oct2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	7.197	24.643	ND	ND	# of Servings = 1, Sample Weight=448g
Cannabichromenic Acid (CBCA)	6.583	22.540	ND	ND	
Cannabidiol (CBD)	22.694	63.512	2284.170	5.10	
Cannabidiolic Acid (CBDA)	23.276	65.141	ND	ND	
Cannabidivarin (CBDV)	5.367	15.021	ND	ND	
Cannabidivarinic Acid (CBDVA)	9.710	27.174	ND	ND	
Cannabigerol (CBG)	4.086	13.992	ND	ND	
Cannabigerolic Acid (CBGA)	17.082	58.491	ND	ND	
Cannabinol (CBN)	5.331	18.253	ND	ND	
Cannabinolic Acid (CBNA)	11.654	39.907	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	20.350	69.684	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	18.482	63.286	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	16.375	56.071	ND	ND	
Tetrahydrocannabivarin (THCV)	3.717	12.727	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	14.443	49.457	ND	ND	
Total Cannabinoids			2284.170	5.10	
Total Potential THC			ND	ND	
Total Potential CBD			2284.170	5.10	

Final Approval



Karen Winternheimer
01Nov2023
12:13:00 PM MDT

PREPARED BY / DATE



Sam Smith
01Nov2023
12:16:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c1a728c7-0f04-40e2-b162-371359dc2893>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
c1a728c70f0440e2b162371359dc2893.1