

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Eucalyptus Bath Salts

Batch ID or Lot Number: BSAL_250_4OZ_EUC_121123	Test: Potency	Reported: 29Dec2023	USDA License: N/A
Matrix: Unit	Test ID: T000265614	Started: 28Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 26Dec2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	8.012	24.102	ND	ND	# of Servings = 1, Sample Weight=448g
Cannabichromenic Acid (CBCA)	7.328	22.045	ND	ND	
Cannabidiol (CBD)	23.261	61.772	1064.150	2.40	
Cannabidiolic Acid (CBDA)	23.857	63.356	ND	ND	
Cannabidivarin (CBDV)	5.501	14.610	ND	ND	
Cannabidivarinic Acid (CBDVA)	9.952	26.429	ND	ND	
Cannabigerol (CBG)	4.549	13.685	ND	ND	
Cannabigerolic Acid (CBGA)	19.016	57.207	ND	ND	
Cannabinol (CBN)	5.934	17.853	ND	ND	
Cannabinolic Acid (CBNA)	12.974	39.030	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	22.655	68.154	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	20.575	61.896	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	18.230	54.840	ND	ND	
Tetrahydrocannabivarin (THCV)	4.138	12.447	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	16.079	48.371	ND	ND	
Total Cannabinoids			1064.150	2.40	
Total Potential THC			ND	ND	
Total Potential CBD			1064.150	2.40	

Final Approval



Karen Winternheimer
29Dec2023
11:42:00 AM MST

PREPARED BY / DATE



Sam Smith
29Dec2023
11:43:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/de5f3bc0-7352-4e0d-af25-2391e8839581>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
de5f3bc073524e0daf252391e8839581.1