

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Citrus Massage Oil

Batch ID or Lot Number: CITMO62923	Test: Potency	Reported: 12Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000248186	Started: 11Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	17.062	58.859	ND	ND	# of Servings = 1, Sample Weight=336g
Cannabichromenic Acid (CBCA)	15.606	53.836	ND	ND	
Cannabidiol (CBD)	67.919	175.451	3182.590	9.50	
Cannabidiolic Acid (CBDA)	69.661	179.951	ND	ND	
Cannabidivarin (CBDV)	16.064	41.496	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	29.059	75.067	ND	ND	
Cannabigerol (CBG)	9.687	33.419	ND	ND	
Cannabigerolic Acid (CBGA)	40.496	139.702	ND	ND	
Cannabinol (CBN)	12.638	43.597	ND	ND	
Cannabinolic Acid (CBNA)	27.629	95.314	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	48.245	166.435	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	43.815	151.153	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	38.820	133.922	ND	ND	
Tetrahydrocannabivarin (THCV)	8.811	30.397	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	34.241	118.125	ND	ND	
Total Cannabinoids			3182.590	9.50	
Total Potential THC			ND	ND	
Total Potential CBD			3182.590	9.50	

Final Approval



Karen Winternheimer
12Jul2023
03:35:00 PM MDT

PREPARED BY / DATE



Sam Smith
12Jul2023
03:37:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/653f1a02-62ee-4647-986c-19261db0fdb5>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
653f1a0262ee4647986c19261db0fdb5.1