


Prepared for:

LOST RANGE CBD2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487**Honey Vanilla Lip Balm**

Batch ID or Lot Number: HVLB8823	Test: Potency	Reported: 24Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000253345	Started: 22Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 21Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	3.908	9.410	ND	ND	# of Servings = 1, Sample Weight=14g
Cannabichromenic Acid (CBCA)	3.574	8.607	ND	ND	
Cannabidiol (CBD)	10.361	24.741	272.920	19.50	
Cannabidiolic Acid (CBDA)	10.626	25.376	ND	ND	
Cannabidivarin (CBDV)	2.450	5.852	ND	ND	
Cannabidivarinic Acid (CBDVA)	4.433	10.586	ND	ND	
Cannabigerol (CBG)	2.219	5.343	ND	ND	
Cannabigerolic Acid (CBGA)	9.275	22.334	ND	ND	
Cannabinol (CBN)	2.894	6.970	ND	ND	
Cannabinolic Acid (CBNA)	6.328	15.238	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	11.050	26.608	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	10.035	24.165	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	8.891	21.410	ND	ND	
Tetrahydrocannabivarin (THCV)	2.018	4.860	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	7.842	18.885	ND	ND	
Total Cannabinoids			272.920	19.50	
Total Potential THC			ND	ND	
Total Potential CBD			272.920	19.50	

Final ApprovalKaren Winternheimer
24Aug2023
09:40:00 AM MDT

PREPARED BY / DATE

Sam Smith
24Aug2023
09:42:00 AM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/b1b0ada8-b040-4813-9909-d230b8c421e4>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

b1b0ada8b04048139909d230b8c421e4.1