

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487


Honey Vanilla Lip Balm

Batch ID or Lot Number: LIP_250_10Z_HON_010424	Test: Potency	Reported: 23Jan2024	USDA License: N/A
Matrix: Unit	Test ID: T000268196	Started: 19Jan2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Jan2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	3.164	8.838	ND	ND	# of Servings = 1, Sample Weight=14g
Cannabichromenic Acid (CBCA)	2.894	8.084	ND	ND	
Cannabidiol (CBD)	8.535	23.320	324.320	23.20	
Cannabidiolic Acid (CBDA)	8.754	23.918	ND	ND	
Cannabidivarin (CBDV)	2.019	5.515	ND	ND	
Cannabidivarinic Acid (CBDVA)	3.652	9.977	ND	ND	
Cannabigerol (CBG)	1.797	5.018	ND	ND	
Cannabigerolic Acid (CBGA)	7.510	20.978	ND	ND	
Cannabinol (CBN)	2.344	6.547	ND	ND	
Cannabinolic Acid (CBNA)	5.124	14.312	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	8.947	24.992	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	8.126	22.697	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	7.199	20.110	ND	ND	
Tetrahydrocannabivarin (THCV)	1.634	4.564	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	6.350	17.738	ND	ND	
Total Cannabinoids			324.320	23.20	
Total Potential THC			ND	ND	
Total Potential CBD			324.320	23.20	

Final Approval



Karen Winternheimer
23Jan2024
11:30:00 AM MST

PREPARED BY / DATE



Sam Smith
23Jan2024
11:31:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/82b2259e-4f59-452f-ac3b-b20d19a46ad8>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

82b2259e4f59452fac3bb20d19a46ad8.1