

CERTIFICATE OF ANALYSIS

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602 STEAMBOAT SPRINGS, CO USA 80487

Honey Vanilla Lip Blam

Batch ID or Lot Number: LIP_250_10Z_HON_11323	Test: Potency	Reported: 05Dec2023	USDA License: N/A
Matrix: Unit	Test ID: T000263115	Started: 01Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 30Nov2023	Status: N/A

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.601	9.302 8.509	ND ND	ND ND	# of Servings = 1, Sample Weight=1
Cannabichromenic Acid (CBCA)	2.379				
Cannabidiol (CBD)	8.909	21.997	304.330	21.70	
Cannabidiolic Acid (CBDA)	9.137	22.561	ND	ND	
Cannabidivarin (CBDV)	2.107	5.202	ND	ND	
Cannabidivarinic Acid (CBDVA)	3.812	9.411	ND	ND	
Cannabigerol (CBG)	1.477	5.282	ND	ND	
Cannabigerolic Acid (CBGA)	6.174	22.079	ND	ND	
Cannabinol (CBN)	1.927	6.890	ND	ND	
Cannabinolic Acid (CBNA)	4.212	15.064	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	7.356	26.304	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	6.680	23.889	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	5.919	21.166	ND	ND	
Tetrahydrocannabivarin (THCV)	1.343	4.804	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	5.221	18.669	ND	ND	
Total Cannabinoids			304.330	21.70	•
Total Potential THC			ND	ND	
Total Potential CBD			304.330	21.70	

Final Approval

Wintenheumer
PREPARED BY / DATE

Karen Winternheimer 05Dec2023 02:25:00 PM MST

Germantha Formal

Sam Smith 05Dec2023 02:26:00 PM MST



APPROVED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/95be585f-0a56-4146-a30c-a78a385c6fb3

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.





Cert #4329.02 95be585f0a564146a30ca78a385c6fb3.1