

Prepared for:

## LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602  
STEAMBOAT SPRINGS, CO USA 80487

### Bath Bomb Powder

Batch ID or Lot Number: <b>BBP51723</b>	Test: <b>Potency</b>	Reported: <b>09Jun2023</b>	USDA License: N/A
Matrix: Unit	Test ID: T000245825	Started: 07Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Jun2023	Status: N/A

### Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	8.939	26.119	ND	ND	# of Servings = 1, Sample Weight=448g
Cannabichromenic Acid (CBCA)	8.176	23.890	ND	ND	
Cannabidiol (CBD)	22.460	67.307	1429.240	3.20	
Cannabidiolic Acid (CBDA)	23.036	69.034	ND	ND	
Cannabidivarin (CBDV)	5.312	15.919	ND	ND	
Cannabidivarinic Acid (CBDVA)	9.609	28.797	ND	ND	
Cannabigerol (CBG)	5.075	14.829	ND	ND	
Cannabigerolic Acid (CBGA)	21.216	61.992	ND	ND	
Cannabinol (CBN)	6.621	19.346	ND	ND	
Cannabinolic Acid (CBNA)	14.475	42.295	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	25.276	73.855	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	22.955	67.074	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	20.338	59.428	ND	ND	
Tetrahydrocannabivarin (THCV)	4.616	13.489	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	17.939	52.418	ND	ND	
<b>Total Cannabinoids</b>			<b>1429.240</b>	<b>3.20</b>	
Total Potential THC			ND	ND	
Total Potential CBD			1429.240	3.20	

### Final Approval



Karen Winternheimer  
09Jun2023  
11:36:00 AM MDT

PREPARED BY / DATE



Sam Smith  
09Jun2023  
11:40:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/92b84efc-9b39-417c-be03-7b9a5efd3bc9>

#### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
92b84efc9b39417cbe037b9a5efd3bc9.1