

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Bath Bomb Powder

Batch ID or Lot Number: 4ozBBP91323	Test: Potency	Reported: 28Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000257066	Started: 26Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 25Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	7.549	24.656	ND	ND	# of Servings = 1, Sample Weight=448g
Cannabichromenic Acid (CBCA)	6.905	22.552	ND	ND	
Cannabidiol (CBD)	24.531	63.596	1426.810	3.20	
Cannabidiolic Acid (CBDA)	25.160	65.227	ND	ND	
Cannabidivarin (CBDV)	5.802	15.041	ND	ND	
Cannabidivarinic Acid (CBDVA)	10.496	27.209	ND	ND	
Cannabigerol (CBG)	4.286	13.999	ND	ND	
Cannabigerolic Acid (CBGA)	17.917	58.522	ND	ND	
Cannabinol (CBN)	5.591	18.263	ND	ND	
Cannabinolic Acid (CBNA)	12.224	39.927	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	21.345	69.720	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	19.386	63.319	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	17.176	56.100	ND	ND	
Tetrahydrocannabivarin (THCV)	3.898	12.733	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	15.150	49.483	ND	ND	
Total Cannabinoids			1426.810	3.20	
Total Potential THC			ND	ND	
Total Potential CBD			1426.810	3.20	

Final Approval



Karen Winternheimer
28Sep2023
12:17:00 PM MDT

PREPARED BY / DATE



Sam Smith
28Sep2023
12:18:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/12a16b15-4a34-4575-8094-785802c49601>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

12a16b154a3445758094785802c49601.1