

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Cherry Gummy

Batch ID or Lot Number: CRYGUM51223	Test: Potency	Reported: 09Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000245834	Started: 07Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.447	1.307	ND	ND	# of Servings = 1, Sample Weight=5g
Cannabichromenic Acid (CBCA)	0.409	1.196	ND	ND	
Cannabidiol (CBD)	1.124	3.369	42.600	8.50	
Cannabidiolic Acid (CBDA)	1.153	3.456	ND	ND	
Cannabidivarin (CBDV)	0.266	0.797	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.481	1.442	ND	ND	
Cannabigerol (CBG)	0.254	0.742	1.000	0.20	
Cannabigerolic Acid (CBGA)	1.062	3.103	ND	ND	
Cannabinol (CBN)	0.331	0.968	ND	ND	
Cannabinolic Acid (CBNA)	0.725	2.117	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.265	3.697	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.149	3.358	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.018	2.975	ND	ND	
Tetrahydrocannabivarin (THCV)	0.231	0.675	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.898	2.624	ND	ND	
Total Cannabinoids			43.600	8.70	
Total Potential THC			0.000	0.00	
Total Potential CBD			42.600	8.50	

Final Approval



Karen Winternheimer
09Jun2023
11:36:00 AM MDT

PREPARED BY / DATE



Sam Smith
09Jun2023
11:40:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f8ec2209-65b7-4b40-8a79-0bfb111b776c>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f8ec220965b74b408a790bfb111b776c.1

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Cherry Gummy

Batch ID or Lot Number: CRYGUM51223	Test: Microbial Contaminants	Reported: 12Jun2023	USDA License: NA
Matrix: Finished Product	Test ID: T000245835	Started: 09Jun2023	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 07Jun2023	Status: NA

Microbial Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brett Hudson
12Jun2023
03:59:00 PM MDT

PREPARED BY / DATE



Eden Thompson-Wright
12Jun2023
05:08:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2699d0b3-1a81-41f8-a81f-8d40fe0e920f>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
2699d0b31a8141f8a81f8d40fe0e920f.1