

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Honey Vanilla Lip Balm

Batch ID or Lot Number: HVLB51823	Test: Potency	Reported: 09Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000245830	Started: 07Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	13.354	39.021	ND	ND	# of Servings = 1, Sample Weight=112g
Cannabichromenic Acid (CBCA)	12.215	35.691	ND	ND	
Cannabidiol (CBD)	33.554	100.557	2430.820	21.70	
Cannabidiolic Acid (CBDA)	34.415	103.136	ND	ND	
Cannabidivarin (CBDV)	7.936	23.783	ND	ND	
Cannabidivarinic Acid (CBDVA)	14.356	43.023	ND	ND	
Cannabigerol (CBG)	7.582	22.155	ND	ND	
Cannabigerolic Acid (CBGA)	31.696	92.617	ND	ND	
Cannabinol (CBN)	9.892	28.903	ND	ND	
Cannabinolic Acid (CBNA)	21.625	63.189	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	37.762	110.339	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	34.295	100.208	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	30.385	88.785	ND	ND	
Tetrahydrocannabivarin (THCV)	6.897	20.152	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	26.801	78.312	ND	ND	
Total Cannabinoids			2430.820	21.70	
Total Potential THC			ND	ND	
Total Potential CBD			2430.820	21.70	

Final Approval



Karen Winternheimer
09Jun2023
11:36:00 AM MDT

PREPARED BY / DATE



Sam Smith
09Jun2023
11:40:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e3375c40-6787-49c0-8def-fecad5d68a29>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
e3375c40678749c08defecad5d68a29.1