

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Skin Salve

Batch ID or Lot Number: SS52423	Test: Potency	Reported: 09Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000245833	Started: 07Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	12.080	35.298	ND	ND	# of Servings = 1, Sample Weight=56g
Cannabichromenic Acid (CBCA)	11.049	32.286	ND	ND	
Cannabidiol (CBD)	30.353	90.963	1199.590	21.40	
Cannabidiolic Acid (CBDA)	31.132	93.296	ND	ND	
Cannabidivarin (CBDV)	7.179	21.514	ND	ND	
Cannabidivarinic Acid (CBDVA)	12.987	38.918	ND	ND	
Cannabigerol (CBG)	6.859	20.041	ND	ND	
Cannabigerolic Acid (CBGA)	28.672	83.780	ND	ND	
Cannabinol (CBN)	8.948	26.145	ND	ND	
Cannabinolic Acid (CBNA)	19.562	57.160	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	34.159	99.812	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	31.022	90.647	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	27.486	80.313	ND	ND	
Tetrahydrocannabivarin (THCV)	6.239	18.229	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	24.244	70.840	ND	ND	
Total Cannabinoids			1199.590	21.40	
Total Potential THC			ND	ND	
Total Potential CBD			1199.590	21.40	

Final Approval



Karen Winternheimer
09Jun2023
11:36:00 AM MDT

PREPARED BY / DATE



Sam Smith
09Jun2023
11:40:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/b5ffcdaa-8b02-4a8c-9d89-276daffb7fae>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
b5ffcdaa8b024a8c9d89276daffb7fae.1