

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Muscle and Joint Rub

Batch ID or Lot Number: MJ62323	Test: Potency	Reported: 12Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000248185	Started: 11Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	9.458	32.627	ND	ND	# of Servings = 1, Sample Weight=56g
Cannabichromenic Acid (CBCA)	8.651	29.843	ND	ND	
Cannabidiol (CBD)	37.649	97.256	1114.960	19.90	
Cannabidiolic Acid (CBDA)	38.615	99.751	ND	ND	
Cannabidivarin (CBDV)	8.904	23.002	ND	ND	
Cannabidivarinic Acid (CBDVA)	16.108	41.611	ND	ND	
Cannabigerol (CBG)	5.370	18.525	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	22.448	77.440	ND	ND	
Cannabinol (CBN)	7.005	24.167	ND	ND	
Cannabinolic Acid (CBNA)	15.315	52.835	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	26.743	92.258	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	24.288	83.788	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	21.519	74.236	ND	ND	
Tetrahydrocannabivarin (THCV)	4.884	16.850	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	18.981	65.479	ND	ND	
Total Cannabinoids			1114.960	19.90	
Total Potential THC			ND	ND	
Total Potential CBD			1114.960	19.90	

Final Approval



Karen Winternheimer
12Jul2023
03:35:00 PM MDT

PREPARED BY / DATE



Sam Smith
12Jul2023
03:37:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/13ef76bd-6ccf-40ee-b9ae-360b9b6564af>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
13ef76bd6ccf40eeb9ae360b9b6564af.1