

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Mandarin Orange Gummy

Batch ID or Lot Number: GUM_1K_5OZ_ORA_111623	Test: Potency	Reported: 14Dec2023	USDA License: N/A
Matrix: Unit	Test ID: T000264298	Started: 13Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Dec2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.360	1.208	1.860	0.40	# of Servings = 1, Sample Weight=5g
Cannabichromenic Acid (CBCA)	0.330	1.105	ND	ND	
Cannabidiol (CBD)	1.031	3.050	44.240	8.80	
Cannabidiolic Acid (CBDA)	1.058	3.129	ND	ND	
Cannabidivarin (CBDV)	0.244	0.721	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.441	1.305	ND	ND	
Cannabigerol (CBG)	0.205	0.686	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.855	2.867	ND	ND	
Cannabinol (CBN)	0.267	0.895	ND	ND	
Cannabinolic Acid (CBNA)	0.583	1.956	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.019	3.415	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.925	3.102	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.820	2.748	ND	ND	
Tetrahydrocannabivarin (THCV)	0.186	0.624	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.723	2.424	ND	ND	
Total Cannabinoids			46.100	9.20	
Total Potential THC			0.000	0.00	
Total Potential CBD			44.240	8.80	

Final Approval



Karen Winternheimer
14Dec2023
01:26:00 PM MST

PREPARED BY / DATE



Sam Smith
14Dec2023
01:27:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c3521964-96ba-4fd2-9631-c03f6b32ffdf>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
c352196496ba4fd29631c03f6b32ffdf.1

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Mandarin Orange Gummy

Batch ID or Lot Number: GUM_1K_5OZ_ORA_111623	Test: Microbial Contaminants	Reported: 15Dec2023	USDA License: NA
Matrix: Finished Product	Test ID: T000264299	Started: 12Dec2023	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 11Dec2023	Status: NA

Microbial

Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brett Hudson
15Dec2023
12:04:00 PM MST

PREPARED BY / DATE



Eden Thompson-Wright
15Dec2023
12:12:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0ab62d79-9546-4d9f-9e56-f056d69361ab>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert# 4329.02
0ab62d7995464d9f9e56f056d69361ab.1