


Prepared for:

LOST RANGE CBD2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487**Natural Lip Balm**

Batch ID or Lot Number: NATLB7623	Test: Potency	Reported: 02Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000250658	Started: 01Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	11.677	38.983	ND	ND	# of Servings = 1, Sample Weight=112g
Cannabichromenic Acid (CBCA)	10.681	35.656	ND	ND	
Cannabidiol (CBD)	36.754	103.161	2307.190	20.60	
Cannabidiolic Acid (CBDA)	37.697	105.807	ND	ND	
Cannabidivarin (CBDV)	8.693	24.399	ND	ND	
Cannabidivarinic Acid (CBDVA)	15.725	44.138	ND	ND	
Cannabigerol (CBG)	6.630	22.133	ND	ND	
Cannabigerolic Acid (CBGA)	27.716	92.525	ND	ND	
Cannabinol (CBN)	8.649	28.875	ND	ND	
Cannabinolic Acid (CBNA)	18.910	63.127	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	33.020	110.230	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	29.988	100.109	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	26.570	88.697	ND	ND	
Tetrahydrocannabivarin (THCV)	6.031	20.132	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	23.435	78.234	ND	ND	
Total Cannabinoids			2307.190	20.60	
Total Potential THC			ND	ND	
Total Potential CBD			2307.190	20.60	

Final ApprovalSam Smith
02Aug2023
04:56:00 PM MDT

PREPARED BY / DATE

Karen Winternheimer
02Aug2023
05:02:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/f40834f2-6acb-4eb9-b4cb-d293501b5f92>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

f40834f26acb4eb9b4cbd293501b5f92.1