

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487


Skin Salve

Batch ID or Lot Number: SS71223	Test: Potency	Reported: 02Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000250664	Started: 01Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	5.520	18.427	ND	ND	# of Servings = 1, Sample Weight=56g
Cannabichromenic Acid (CBCA)	5.049	16.854	ND	ND	
Cannabidiol (CBD)	17.373	48.763	1196.330	21.40	
Cannabidiolic Acid (CBDA)	17.819	50.014	ND	ND	
Cannabidivarin (CBDV)	4.109	11.533	ND	ND	
Cannabidivarinic Acid (CBDVA)	7.433	20.863	ND	ND	
Cannabigerol (CBG)	3.134	10.462	ND	ND	
Cannabigerolic Acid (CBGA)	13.101	43.736	ND	ND	
Cannabinol (CBN)	4.089	13.649	ND	ND	
Cannabinolic Acid (CBNA)	8.939	29.839	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	15.608	52.105	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	14.175	47.321	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	12.559	41.926	ND	ND	
Tetrahydrocannabivarin (THCV)	2.851	9.516	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	11.078	36.981	ND	ND	
Total Cannabinoids			1196.330	21.40	
Total Potential THC			ND	ND	
Total Potential CBD			1196.330	21.40	

Final Approval


 Sam Smith
 02Aug2023
 04:56:00 PM MDT
 PREPARED BY / DATE


 Karen Winternheimer
 02Aug2023
 05:02:00 PM MDT
 APPROVED BY / DATE

Karen Winternheimer
 02Aug2023
 05:02:00 PM MDT



<https://results.botanacor.com/api/v1/coas/uuid/83805a63-2b96-47db-b544-aa862dc88b60>

Definitions
 % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
 Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
 83805a632b9647dbb544aa862dc88b60.1