

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Skin Salve

Batch ID or Lot Number: SS_1K_2OZ_UN_121123	Test: Potency	Reported: 29Dec2023	USDA License: N/A
Matrix: Unit	Test ID: T000265617	Started: 28Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 26Dec2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	11.769	35.404	ND	ND	# of Servings = 1, Sample Weight=56g
Cannabichromenic Acid (CBCA)	10.764	32.383	ND	ND	
Cannabidiol (CBD)	34.167	90.737	1135.260	20.30	
Cannabidiolic Acid (CBDA)	35.044	93.064	ND	ND	
Cannabidivarin (CBDV)	8.081	21.460	ND	ND	
Cannabidivarinic Acid (CBDVA)	14.619	38.822	ND	ND	
Cannabigerol (CBG)	6.682	20.101	ND	ND	
Cannabigerolic Acid (CBGA)	27.933	84.031	ND	ND	
Cannabinol (CBN)	8.717	26.224	ND	ND	
Cannabinolic Acid (CBNA)	19.058	57.332	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	33.278	100.111	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	30.223	90.919	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	26.777	80.554	ND	ND	
Tetrahydrocannabivarin (THCV)	6.078	18.284	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	23.619	71.052	ND	ND	
Total Cannabinoids			1135.260	20.30	
Total Potential THC			ND	ND	
Total Potential CBD			1135.260	20.30	

Final Approval



Karen Winternheimer
29Dec2023
11:42:00 AM MST

PREPARED BY / DATE



Sam Smith
29Dec2023
11:43:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/25375821-637a-485b-94c2-62fb2d02bbc2>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
25375821637a485b94c262fb2d02bbc2.1

Prepared for:

LOST RANGE CBD

2835 DOWNHILL PLAZA, UNIT 602
STEAMBOAT SPRINGS, CO USA 80487

Skin Salve

Batch ID or Lot Number: SS_1K_20Z_UN_121123	Test: Microbial Contaminants	Reported: 02Jan2024	USDA License: NA
Matrix: Finished Product	Test ID: T000265618	Started: 27Dec2023	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 26Dec2023	Status: NA

Microbial

Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brianne Maillot
02Jan2024
11:57:00 AM MST



Brett Hudson
02Jan2024
01:04:00 PM MST



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/c3105e6f-8ed1-409a-b909-b0d8d1e35644>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
c3105e6f8ed1409ab909b0d8d1e35644.1