


FLUA®



AVVOLGO CK M

CCC CE RoHS

With a simple idea , AVVOLGO was designed out like a hanging lantern . The lamp body available to move up and down at will through adjusting the hanging cable. The lamp body is available with white, silver, and bronze, while the hanging cable is available in champagne gold,red,sapphire blue,and silver which meet different color matchings.The luminous body is specially designed to ensure a 360°uniform

Designer	FLUA
Sales status	On Sale
Product classification	Interior
Model	555019AP2

WWW.FLUA.COM

Installation information

Area	Ceiling
Method	Track
Cut hole size	/
Embedded height	/

Technical general

System power	4.4W
Flux	181lm
Beam angle	L
Material	Steel
Appearance color	PAB
Size	Φ30*241mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	48V
Electrical level	ClassIII

Electrical parameters

Driver brand	DRIARTE
Driver type	DW150-300LCW
Electrical installation	Build in


Light source parameters

Brand	JIRUI
Type	2538SW
Power	3.2W
Light color	WW+CW
Color temperature	2500K-6200K
CRI	80


Other options

Beam angle	/
Color temperature	/
Color	/
Appearance color	PAW WLG

3D module



Line drawing



Unit: mm

Instructions

