

FLUA®



HOPPER CK S



An elegant design that never goes out of style

The lamp features sleek lines, geometric inspiration and delicate light.

Classical and industrial-style design suitable to use on the bedside by one lamp or on a long dining table by group.

| | |
|-------------------------------|-----------------|
| Designer | FLUA |
| Sales status | On Sale |
| Product classification | Interior |
| Model | 547819AP |

WWW.FLUA.COM

Installation information

| | |
|-----------------|---------|
| Area | Ceiling |
| Method | Track |
| Cut hole size | / |
| Embedded height | / |

Technical general

| | |
|--------------------|---------------|
| System power | 8.5W |
| Flux | 335lm |
| Beam angle | L |
| Material | Aluminum |
| Appearance color | PAB WGL |
| Size | Φ200*300mm |
| Adjustable angle | NOT Available |
| Ingress protection | IP20 |
| Input voltage | 48VAC |
| Electrical level | ClassIII |

Electrical parameters

| | |
|-------------------------|------------|
| Driver brand | DRIARTE |
| Driver type | DW150-300L |
| Electrical installation | Build in |

Light source parameters

| | |
|-------------------|-----------|
| Brand | HONGLI |
| Type | HL-A-2835 |
| Power | 6.7W |
| Light color | WW |
| Color temperature | 3000K |
| CRI | 90 |


Other options

| | |
|-------------------|-------------------|
| Beam angle | L |
| Color temperature | 2700K 3000K 4000K |
| Color | / |
| Appearance color | PAW PAW WGL WLG |

3D module



Line drawing



Unit: mm

FLUA®

Instructions

