

FLUA®



LOOP P 9



There are recessed ceiling lamps and pendant lamps in this series, users select the desired product according to the actual application. The ceiling recessed one is using the magnet, the lamps are installed by a magnet to the base of the luminair. Totally three sizes to be selected: 12 * 2.2W / 24 * 2.2W / 36 * 2.2W.

Designer	FLUA
Sales status	On Sale
Product classification	Interior
Model	304919EA

WWW.FLUA.COM

Installation information

Area	Ceiling
Method	Suspended
Cut hole size	/
Embedded height	/

Technical general

System power	67.5W
Flux	4266lm
Beam angle	15°
Material	Aluminum
Appearance color	WBL
Size	Φ1700mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	100-240VAC
Electrical level	Class I

Electrical parameters

Driver brand	DRIARTE
Driver type	FLMN9W350T
Electrical installation	Build in


Light source parameters

Brand	FLUA
Type	LT-A3009
Power	9*6.4W
Light color	WW
Color temperature	3000K
CRI	90


Other options

Beam angle	24° 36°
Color temperature	2700K 4000K
Color	/
Appearance color	PAW
Dimming model	304919EDT
Dimming mode	TRIAC dimming
Driver brand	ACTEC
Driver type	RSD35007E
Input voltage	220-240VAC

3D module



Line drawing



Unit: mm

FLUA®

Instructions

