

FLUA®



LYNX CK 1200 DO



Born for DIY. LYNX falls under FLUA Architectural Lighting with 4 designs, which includes Single-side Spot Light, Dual-side Light (Spot Light on the bottom, Floodlight on the Top), Single-side Floodlight and Track competitable with LUCA S lights. Each design was made with 3 different length, 600mm, 1200mm and 1800mm. LYNX allows consumers create their own innovative interior lighting sceneries with offered accessories and under rated power range. Both 24V and 48V version are available. 24V version supports DX 1-10V; 48V version deosn't support dimming but competitable with LUCA S lights through track installation.

Designer	FLUA
Sales status	On Sale
Product classification	Interior
Model	544214AP2

WWW.FLUA.COM

Installation information

Area	Ceiling
Method	Track
Cut hole size	/
Embedded height	/

Technical general

System power	14.9W
Flux	1200lm
Beam angle	L
Material	Aluminum
Appearance color	WBL
Size	Φ 30*1210mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	48VDC
Electrical level	ClassIII

Electrical parameters

Driver brand	DRIARTE
Driver type	DW350-700LCW
Electrical installation	Build in
Dimming mode	DIM COLOR

Light source parameters

Brand	EDISON
Type	2835
Power	15W
Light color	WW+CW
Color temperature	2700K-5700K
CRI	80


Other options

Beam angle	/
Color temperature	/
Color	/
Appearance color	/

3D module



Line drawing



Unit: mm

Instructions

