

FLUA®



RING IN 45



RING contains 4 major series: Hom lamp, ceiling lamp, ceiling lamp and track light. Lamps using high transmittance diffusion plate light, soft light without glare. Angel ring design, simple and generous. Applicable to large shopping malls, hotels, gym, library, office, bedroom and other places of indoor lighting fixtures.

Designer	CJ-Z
Sales status	On Sale
Product classification	Interior
Model	190314A

WWW.FLUA.COM

Installation information

Area	Ceiling
Method	Recessed
Cut hole size	Φ 735mm
Embedded height	/

Technical general

System power	45W
Flux	2650lm
Beam angle	L
Material	Aluminum
Appearance color	PAW
Size	Φ 725*54.5mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	220-240VAC 50/60Hz
Electrical level	Class II

Electrical parameters

Driver brand	KEGU
Driver type	KEDH060S1400NR24A8
Electrical installation	External

Light source parameters

Brand	EDISON
Type	2835
Power	37.8W
Light color	WW
Color temperature	3000K
CRI	90


Other options

Beam angle	/
Color temperature	4000K
Color	/
Appearance color	PAB

FLUA®

3D module

Line drawing



Unit: mm

Instructions

