

# FLUA®



**RING IN 80**



---

RING contains 4 major series: Hom lamp, ceiling lamp, ceiling lamp and track light. Lamps using high transmittance diffusion plate light, soft light without glare. Angel ring design, simple and generous. Applicable to large shopping malls, hotels, gym, library, office, bedroom and other places of indoor lighting fixtures.

---

<b>Designer</b>	CJ-Z
<b>Sales status</b>	On Sale
<b>Product classification</b>	Interior
<b>Model</b>	190414A

---

[WWW.FLUA.COM](http://WWW.FLUA.COM)

## Installation information

Area	Ceiling
Method	Recessed
Cut hole size	Φ1160mm
Embedded height	/

---

## Technical general

System power	80W
Flux	4910lm
Beam angle	L
Material	Aluminum
Appearance color	PAW
Size	Φ1150*54.5mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	220-240VAC 50/60Hz
Electrical level	Class II

## Electrical parameters

Driver brand	KEGU
Driver type	KEDH050S1200NR24A8
Electrical installation	External

---

## Light source parameters

Brand	EDISON
Type	2835
Power	72W
Light color	WW
Color temperature	3000K
CRI	90

---

## Other options


Beam angle	/
Color temperature	4000K
Color	/
Appearance color	PAB

---

# FLUA®

3D module

Line drawing



Unit: mm

## Instructions

