

# FLUA®



**WALLY 300**

CCC CE RoHS

---

"WALLY" is an outdoor light subtly integrated into the architectural texture,  
The "WALLY" series uses cement concrete as the base material, integrates lighting and  
architecture. The polarized optics used in the products are conducive to light distribution and  
soft light output, which can create an atmosphere for outdoor aisles, courtyards, etc. "

---

Designer	FLUA
Sales status	On Sale
Product classification	Exterior
Model	738819E

---

WWW.FLUA.COM

---

## Installation information

Area	Ground
Method	Surface mounted
Cut hole size	/
Embedded height	/

---

## Technical general

System power	8.3W
Flux	202lm
Beam angle	P
Material	Cement
Appearance color	CMC
Size	Φ 120*305mm
Adjustable angle	Not available
Ingress protection	IP65
Input voltage	100-240VAC
Electrical level	Class II

## Electrical parameters

Driver brand	DRIARTE
Driver type	FLMN10W200T
Electrical installation	Build in

---

## Light source parameters

Brand	LEDTEEN
Type	GZ111-016-1204
Power	7W
Light color	WW
Color temperature	2700K
CRI	90

---

## Other options

Beam angle	/
Color temperature	3000K / 4000K
Color	/
Appearance color	/

---

# FLUA®

3D module

Line drawing



Unit: mm

## Instructions

