

FLUA®



ARTE C GROUP C2



The frame outside the frame, the space within the space.

The ARTE, is a lamp, also an infinite extension of the XYZ axis. ARTE can be used as a space of number axis, through the connection of the interfaces, it can move on the XYZ axis. When a designer accepts a new project, the first task is to divide the layout of the space, and the application of ARTE can almost adapt to all types of spaces.

Such as hotel lobbies with high ceilings, long meeting rooms, and elegant French restaurants, private offices, can even be used as atmosphere decorations in indoor and outdoor spaces.

Designer	FLUA
Sales status	On Sale
Product classification	Interior
Model	225719A

Installation information

Area	Ceiling
Method	Surface Mounted
Cut hole size	/
Embedded height	/

Technical general

System power	161W
Flux	6100lm
Beam angle	L
Material	Aluminum,Plastic
Appearance color	WBL
Size	Φ1620*1035*1035mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	100-240VAC, 50/60Hz
Electrical level	Class II

Electrical parameters

Driver brand	MW
Driver type	RSP-150-24
Electrical installation	External

Light source parameters

Brand	FLUA
Type	FLUA-CV10-COBWW90B24IP20-X
Power	136W
Light color	WW
Color temperature	3000K
CRI	90

Other options

Beam angle	L
Color temperature	3000K
Color	/
Appearance color	PAB WLK PAW
