

FLUA®



BERT VS DO

CCC CE RoHS

A series of slim rings floating through space, with its retro-look appearance is the best choice for many applications. 3 diameters are available for choice. This circle of leds is specially designed to guarantee a uniform and perfectly balanced light output, resulting in a very enjoyable diffuse lighting effect

| | |
|------------------------|-----------|
| Designer | ZCJ |
| Sales status | On Sale |
| Product classification | Interior |
| Model | 325014AP2 |

WWW.FLUA.COM

Installation information

| | |
|-----------------|-----------|
| Area | Celing |
| Method | Suspended |
| Cut hole size | / |
| Embedded height | / |

Technical general

| | |
|--------------------|---------------|
| System power | 48W |
| Flux | 2640lm |
| Beam angle | L |
| Material | Aluminum |
| Appearance color | PAB |
| Size | Φ 730*18mm |
| Adjustable angle | Not available |
| Ingress protection | IP20 |
| Input voltage | 100-240VAC |
| Electrical level | Class I |

Electrical parameters

| | |
|-------------------------|-------------------|
| Driver brand | DRIARTE |
| Driver type | FLDW5A2CHT |
| Electrical installation | Build in |
| Dimming mode | DIM COLOR by Tuya |

Light source parameters

| | |
|-------------------|------------|
| Brand | HONGLU |
| Type | 2835 |
| Power | 42W |
| Light color | CW-NW-WW |
| Color temperature | 2700-6000K |
| CRI | 90 |


Other options

| | |
|-------------------|---|
| Beam angle | / |
| Color temperature | / |
| Color | / |
| Appearance color | / |

3D module



Line drawing



Unit: mm

FLUA®

Instructions

Accessory Set

x4 x4

2.0MM

1 Disassemble

Twist screw, rotate out

2 hole pattern

x4 Cable Enter

3

x4

4

5 Adjustable

6

Please use dry non-woven fabric to clean the light guide.
Can not touch water.

7

1. Turn on Wi-Fi and Bluetooth.

2. Open TuyaSmart app.

3. Tap the '+' icon to add a device.

4. Select 'Add Manually' > 'Lighting'.

5. Select 'Lighting (ZigBee/Wi-Fi)' and tap 'ON/OFF'.

6. Enter Wi-Fi Password (2.4GHz or 5GHz).

7. Tap 'Connecting' and wait for the search results.

8. Tap 'Done' after successful connection.

8