

FLUA®



DOMO ON2 65 DO 2.1



DOMO 2.0 Series includes 5 series: downlight, ceiling lamps, suspended, floor lamps and track lights. With soft and comfortable light, it features dimmable tune and color temperature. It looks simple and is easy to install, suitable for shopping malls, hotels, exercise rooms, library indoor halls, offices, bedrooms and other places of lighting.

Designer	FLUA
Sales status	On Sale
Product classification	Interior
Model	222914AP

WWW.FLUA.COM

Installation information

Area	Ceiling
Method	Surface Mounted
Cut hole size	/
Embedded height	/

Technical general

System power	74W
Flux	5060 lm
Beam angle	L
Material	Aluminum
Appearance color	PAW
Size	Φ 650*93.2mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	100-240VAC
Electrical level	Class I

Electrical parameters

Driver brand	DRIARTE
Driver type	FLDW5A2CHT
Electrical installation	Build in
Dimming mode	DIM COLOR by Tuya

Light source parameters

Brand	HONGLI
Type	2835
Power	54.3+9.96W
Light color	CW-NW-WW
Color temperature	2700-6000K
CRI	80


Other options

Beam angle	/
Color temperature	/
Color	/
Appearance color	PAB

3D module



Line drawing



Unit: mm

Instructions

