

# FLUA®



LOOP IN 24



---

There are recessed ceiling lamps and pendant lamps in this series, users select the desired product according to the actual application. The ceiling recessed one is using the magnet, the lamps are installed by a magnet to the base of the luminair. Totally three sizes to be selected: 12 \* 2.2W / 24 \* 2.2W / 36 \* 2.2W.

---

Designer	RUAN XIAO MING
Sales status	On Sale
Product classification	Interior
Model	165617A

---

WWW.FLUA.COM

---

## Installation information

Area	Ceiling
Method	Recessed
Cut hole size	Φ615mm
Embedded height	/

---

## Technical general

System power	64.39W	
Flux	3552lm	
Beam angle	14°	
Material	Aluminum	
Appearance color	PAW	
Size	Φ680*59mm	
Adjustable angle	Not available	
Ingress protection	IP20	
Input voltage	220-240VAC	50/60Hz
Electrical level	Class II	

## Electrical parameters

Driver brand	FLUA
Driver type	4*FLUA018H0700NCMA
Electrical installation	External

---

## Light source parameters

Brand	OSRAM
Type	GW CSHPM1.CM-KSKU
Power	24*2.2W
Light color	WW
Color temperature	3000K
CRI	90

---



## Other options

Beam angle	6° 32°
Color temperature	2700K 4000K 5000K
Color	/
Appearance color	PAB
Dimming model	165617DT
Dimming mode	TRIAC dimming
Driver brand	HEP
Driver type	4*LMTC15W700-Z
Input voltage	220-240VAC 50/60Hz

---

3D module

Line drawing



680

Unit: mm

## Instructions

