

FLUA®



LOOP 1.1 IN 36



There are recessed ceiling lamps and pendant lamps in this series, users select the desired product according to the actual application. The ceiling recessed one is using the magnet, the lamps are installed by a magnet to the base of the luminair. Totally three sizes to be selected: 12 * 2.2W / 24 * 2.2W / 36 * 2.2W.

Designer	XM-R
Sales status	On Sale
Product classification	Interior
Model	195017DT

WWW.FLUA.COM

Installation information

Area	Ceiling
Method	Recessed
Cut hole size	Φ920mm
Embedded height	/

Technical general

System power	96.58W	
Flux	5328lm	
Beam angle	12°	
Material	Aluminum	
Appearance color	PAW	
Size	Φ985*59mm	
Adjustable angle	Not available	
Ingress protection	IP20	
Input voltage	220-240VAC	50/60Hz
Electrical level	Class II	

Electrical parameters

Driver brand	HEP
Driver type	6*LMTC15W700-Z
Electrical installation	External
Dimming mode	TRIAC dimming

Light source parameters

Brand	OSRAM
Type	GW CSHPM1.CM-KSKU
Power	36*2.2W
Light color	WW
Color temperature	3000K
CRI	90



Other options

Beam angle	/
Color temperature	4000K 5000K
Color	/
Appearance color	PAB

FLUA®

3D module

Line drawing



Unit: mm

Instructions

