


FLUA®



SONG E



The series product with free line combination allows you combine freely on the walls. It makes the whole space more modern when it bright. There are three standards of color, black, white, coffee for option to match the wall color, special color even can be customized to your needs.

Designer	RUAN XIAO MING
Sales status	On Sale
Product classification	Interior
Model	414254DX

WWW.FLUA.COM

Installation information

Area	Wall
Method	Surface Mounted
Cut hole size	/
Embedded height	/

Technical general

System power	54W
Flux	/
Beam angle	L
Material	Aluminum
Appearance color	WWH
Size	1855*1786.5*60mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	90-305VAC 50/60Hz
Electrical level	Class I

Electrical parameters

Driver brand	MEAN WELL
Driver type	LPF-60D-30
Electrical installation	Build in
Dimming mode	0-10V dimming

Light source parameters


Brand	EDISON
Type	5630
Power	48.6W
Light color	WW
Color temperature	3000K
CRI	80

Other options

Beam angle	/
Color temperature	2700K 4000K 5000K
Color	/
Appearance color	WBL/WCF

3D module



Line drawing



Unit: mm

Instructions

	<p>Accessory Set</p>	
<p>1 <i>Disassemble</i></p>	<p>2 <i>hole pattern</i></p>	
<p>3</p>		



FLUA®

