

# FLUA®



**VIGRO SS TRIMLESS**

CCC CE RoHS

---

Crystal-ball shape luminaire - VIRGO with flood light source creates a fascinating spacial art. VIGRO can be used as pendant lamp and also suitable for various track systems, which enables use of surface and recessed mounted. Matte black, and champagne gold for options, also available for DALI and FLUA Lighting Home APP dimming.

---

Designer	FLUA
Sales status	On Sale
Product classification	Interior
Model	122019AP2

---

[WWW.FLUA.COM](http://WWW.FLUA.COM)

## Installation information

Area	Ceiling
Method	Recessed
Cut hole size	Φ35mm
Embedded height	/

---

## Technical general

System power	4W
Flux	155lm
Beam angle	L
Material	Aluminum
Appearance color	WBL
Size	Φ80*102.5mm
Adjustable angle	Not available
Ingress protection	IP20
Input voltage	220-240VAC
Electrical level	Class II

---

---

## Electrical parameters

Driver brand	DRIARTE
Driver type	FLSW6W350TCW-D11
Electrical installation	External

---

## Light source parameters

Brand	JIRUI
Type	2835SW
Power	2.1W
Light color	WW+CW
Color temperature	2700-6700K
CRI	80

---

## Other options


Beam angle	/
Color temperature	/
Color	/
Appearance color	/

---

## 3D module



## Line drawing



Unit: mm

## Instructions

