

# FRAMA

EIFFEL WALL | SINGLE

## **EIFFEL**

In balance between construction and form Eiffel is made with simplicity in mind. The light is being diffused thanks to the blown opal glass. The construction rod is made from gun blued steel and it reflects the light softly.











## EIFFEL WALL | SINGLE

Design	Krøyer-Sætter-Lassen
Year	2015
Typology	Wall Lamp
Collection	Permanent Lighting
Origin	The Netherlands
Material	Gun metal coated steel
Cord	2500 mm black silicon cord
Certifications	CE-certified
Installation	Two point mounting. Separate LED Bulbs
Socket	S14
Connection	Two S14 sockets for two bulbs 2500 mm black silicon cord with EU plug. Phase through wiring possible
Dimming	Custom integrated dimmer located at base of lamp (CE-certified)
Note	*Hardwire items are available upon request. Not on stock. For more information, please contact: <a href="mailto:amsterdam@framacph.com">amsterdam@framacph.com</a>
<b>Item No.</b>	<b>Product</b>
FR-2096	Eiffel Wall Single   500
FR-2094	Eiffel Wall Single   500   Hardwired*
FR-2097	Eiffel Wall Single   1000
FR-2093	Eiffel Wall Single   1000   Hardwired*





**FRAMA**

### **Contact**

Visit and learn more at [framacph.com](http://framacph.com)  
For any requests please contact  
[frama@framacph.com](mailto:frama@framacph.com)

### **Frama Amsterdam Lighting Studio**

Amsterdam Studio  
Herengracht 180  
1016 BR Amsterdam  
Netherlands

### **Frama Head Office & Studio**

Frama, Org. St. Pauls Apotek  
Fredericiagade 57  
1310 Copenhagen  
Denmark