

# FRAMA

LIGHTING COLLECTION


## ABOUT

The Frama Permanent Collection is defined within our approach to the materials, shapes, and expressions ingrained in everything we produce. With the Permanent Collection we aspire to curate and maintain a selection of objects and pieces created by various designers, craftsmen and architects. It speaks to the values at the very core of Frama, and is the truest embodiment of everything we believe and aspire to create. The Permanent Collection is indefinite and it is our expression of permanence.



Eiffel Collection	6 – 23
Ventus Pendant	24 – 31
T-Lamp	32 – 37
90° Wall Light	38 – 41
Geometric Collection	42 – 57
E27 Collection	58 – 71
Bulbs	72 – 79






## EIFFEL WALL | DOUBLE


<b>Design</b>	Krøyer-Sætter-Lassen
<b>Year</b>	2015
<b>Typology</b>	Wall Lamp
<b>Collection</b>	Permanent Lighting
<b>Origin</b>	The Netherlands
<b>Material</b>	Gun Metal Coating Steel
<b>Cord</b>	2500 mm black silicon cord
<b>Certifications</b>	CE-certified
<b>Installation</b>	Two point mounting. Separate LED Bulbs
<b>Socket</b>	S14
<b>Connection</b>	Four S14 sockets for two bulbs 2500 mm black silicon cord with EU plug. Phase through wiring possible
<b>Dimming</b>	Custom integrated dimmer lo- cated at base of lamp (CE- certified)
<b>Note</b>	*Hardwire items are available upon request. Not on stock. For more information, please contact: amsterdam@framacph.com

<b>Product</b>	<b>Item No.</b>
Eiffel Wall Double   500	FR-2104
Eiffel Wall Double   500   Hardwired*	FR-2096
Eiffel Wall Double   1000	FR-2101
Eiffel Wall Double   1000   Hardwired*	FR-2095
<b>Bulb Specifications</b>	
Producer	Osram
Origin	Germany
Material	Opal Glass
Watt 1000mm.	16.5 W LED
Watt 500mm.	9 W LED
Lumen 1000 mm.	990 lm
Lumen 500 mm.	450 lm
Color temperature	2700K
Ra	>80
Base Socket	S14
Lifhours	20 000
Lifecycles	50 000
Warm-up time (60%)	0.00s
Light control	Dimmable
Energy class	A
Energy Consumption	9 kWh/1000h
Certifications	CE-certified









## EIFFEL WALL | SINGLE

<b>Design</b>	Krøyer-Sætter-Lassen
<b>Year</b>	2015
<b>Typology</b>	Wall Lamp
<b>Collection</b>	Permanent Lighting
<b>Origin</b>	The Netherlands
<b>Material</b>	Gun Metal Coating Steel
<b>Cord</b>	2500 mm black silicon cord
<b>Certifications</b>	CE-certified
<b>Installation</b>	Two point mounting. Separate LED Bulbs
<b>Socket</b>	S14
<b>Connection</b>	Four S14 sockets for two bulbs 2500 mm black silicon cord with EU plug. Phase through wiring possible
<b>Dimming</b>	Custom integrated dimmer lo- cated at base of lamp (CE- certified)
<b>Note</b>	*Hardwire items are available upon request. Not on stock. For more information, please contact: amsterdam@framacph.com


<b>Product</b>	<b>Item No.</b>
Eiffel Wall Single   500	FR-2096
Eiffel Wall Single   500   Hardwired*	FR-2094
Eiffel Wall Single   1000	FR-2097
Eiffel Wall Single   1000   Hardwired*	FR-2093
<b>Bulb Specifications</b>	
Producer	Osram
Origin	Germany
Material	Opal Glass
Watt 1000mm.	16.5 W LED
Watt 500mm.	9 W LED
Lumen 1000 mm.	990 lm
Lumen 500 mm.	450 lm
Color temperature	2700K
Ra	>80
Base Socket	S14
Lifhours	20 000
Lifecycles	50 000
Warm-up time (60%)	0.00s
Light control	Dimmable
Energy class	A
Energy Consumption	9 kWh/1000h
Certifications	CE-certified











## EIFFEL PENDANT

<b>Design</b>	Krøyer-Sætter-Lassen
<b>Year</b>	2015
<b>Typology</b>	Pendant Lamp
<b>Collection</b>	Permanent Lighting
<b>Origin</b>	The Netherlands
<b>Material</b>	Gun Metal Coating Steel
<b>Cord</b>	3000 mm black silicon cord
<b>Certifications</b>	CE-certified
<b>Installation</b>	Two point suspension from 2000 mm aluminium cord. Adjustable length integrated within top of eiffel lamp. Separate LED Bulbs
<b>Socket</b>	S14
<b>Connection</b>	Two S14 sockets for one bulb 3000 mm black silicon cord without plug. Phase through wiring possible
<b>Dimming</b>	Custom integrated dimmer located at end of lamp (CE-certified)
<b>Note</b>	The Eiffel series may be available in a hardwire version upon request to amsterdam@framacph.com

<b>Product</b>	Eiffel Pendant Single   1000	<b>Item No.</b>	2105
<b>Bulb Specifications</b>			
Producer	Osram		
Origin	Germany		
Material	Opal Glass		
Watt	16.5 W LED		
Lumen 1000 mm bulb	990 lm		
Color temperature	2700K		
Ra	>80		
Base Socket	S14		
Lifecycles	20 000		
Lifecycles	50 000		
Warm-up time (60%)	0.00s		
Light control	Dimmable		
Energy class	A		
Energy Consumption	9 kWh/1000h		
Certifications	CE-certified		
Overall length	1000 mm		
Diameter	29 mm		








## EIFFEL FLOOR


<b>Design</b>	Krøyer-Sætter-Lassen
<b>Year</b>	2020
<b>Typology</b>	Floor Lamp
<b>Collection</b>	Permanent Lighting
<b>Origin</b>	The Netherlands
<b>Material</b>	Gun Metal Coating Steel and Travertine
<b>Cord</b>	2500 mm black silicon cord
<b>Certifications</b>	CE-certified
<b>Installation</b>	Two point mounting. Separate LED Bulbs
<b>Socket</b>	S14
<b>Connection</b>	Four S14 sockets for two bulbs 2500 mm black silicon cord with EU plug. Phase through wiring possible
<b>Dimming</b>	Custom integrated dimmer located at top of lamp (CE-certified)
<b>Note</b>	The Eiffel series may be available in a hardwire version upon request to <a href="mailto:amsterdam@framacph.com">amsterdam@framacph.com</a>

<b>Product</b>	Eiffel Floor	<b>Item No.</b>	2106
<b>Bulb Specifications</b>			
Producer	Osram		
Origin	Germany		
Material	Opal Glass		
Watt 1000mm.	16.5 W LED		
Watt 500mm.	9 W LED		
Lumen 1000 mm.	990 lm		
Lumen 500 mm.	450 lm		
Color temperature	2700K		
Ra	>80		
Base Socket	S14		
Lifhours	20 000		
Lifecycles	50 000		
Warm-up time (60%)	0.00s		
Light control	Dimmable		
Energy class	A		
Energy Consumption	9 kWh/1000h		
Certifications	CE-certified		
Overall length	1000/500 mm		
Diameter	29 mm		









## VENTUS PENDANT

<b>Design</b>	Included Middle	<b>Product</b>	<b>Item No.</b>
<b>Year</b>	2014	Ventus   Brass   Form 1	2150
<b>Typology</b>	Pendant Lamp	Ventus   Brass   Form 1	2151
<b>Collection</b>	Permanent Lighting	Ventus   Steel   Form 1	2152
<b>Origin</b>	PRC	Ventus   Steel   Form 2	2154
<b>Material</b>	Brass or stainless steel, opal white glass shade, G9 LED bulb		
<b>Certifications</b>	CE-certified		
<b>Cord</b>	2750 mm bronze silicon cord for brass version, and grey for steel version (no plug)		
<b>Installation</b>	Direct wiring, includes brass swan neck (canopy not included) Lamp can be made level by shifting position of weighted brass cylinder		






Ventus | Stainless Steel







## T-LAMP

<b>Design</b>	Regular Company
<b>Year</b>	2017
<b>Typology</b>	Table Lamp
<b>Collection</b>	Permanent Lighting
<b>Origin</b>	PRC
<b>Material</b>	Brushed brass   Brushed steel Powder coated steel
<b>Note</b>	Integrated LED   Dimmable CE-certified


Product	Item No.
T-lamp   White	2610
T-lamp   Brushed steel	2611
T-lamp   Brushed brass	2612



















## 90° WALL LIGHT


<b>Design</b>	Frama
<b>Year</b>	2011
<b>Typology</b>	Lighting
<b>Collection</b>	Permanent lighting
<b>Origin</b>	PRC
<b>Material</b>	Solid brass Solid copper Powder coated steel

<b>Product</b>	<b>Item No.</b>
90° Wall Light Brass	2600
90° Wall Light Architects Grey	2604
90° Wall Light White	2606









## GEOMETRIC SHADE CONE


Design	Frama	Product	Item No.
Year	2015	Copper* (S)	2800
Typology	Lampshade	Brass (S)	2801
Collection	Permanent lighting	Copper* (M)	2803
Origin	Denmark	Brass (M)	2807
Material	Copper, brass	Brass (L)	2809
Finish	Clear wet lacquered		

\*When the product is out of stock, it will not be replaced










## GEOMETRIC SHADE CIRCLE

Design	Frama	Product	Item No.
Year	2015	Brass (S)	2819
Typology	Lampshade	Brass (M)	2822
Collection	Permanent lighting	Brass (L)	2825
Origin	Denmark		
Material	Brass		
Finish	Clear wet laquered		
Note	Available as a set with E27 pedant or separately Custom addition in glass available in clear or smoke		









## GEOMETRIC SHADE CYLINDER


Design	Frama
Year	2015
Typology	Lampshade
Collection	Permanent lighting
Origin	Denmark
Material	Architects grey powder coated aluminum
Note	Available as a set with E27 pedant or separately

Product	Item No.
Grey (S)	2811
Grey (M)	2814
Grey (L)	2817

When the products are out of stock, they will not be replaced








## E27 TABLE LIGHT

<b>Design</b>	Frama
<b>Year</b>	2015
<b>Typology</b>	E27 table lights
<b>Collection</b>	Permanent lighting
<b>Origin</b>	PRC
<b>Material</b>	Painted steel, electroplated; copper 2000 mm textile cord


<b>Product</b>	<b>Item No.</b>
E27 Table Copper	2701
E27 Table Grey	2703
E27 Table Black	2705
E27 Table White	2706

When the products are out of stock, they will not be replaced









## E27 WALL LIGHT

<b>Design</b>	Frama	<b>Product</b>	<b>Item No.</b>
<b>Year</b>	2015	<b>E27 Wall Small Ø100</b>	
<b>Typology</b>	E27 wall lights	Brass / Black Cord	2110
<b>Collection</b>	Permanent lighting	Copper / Black Cord	2120
<b>Origin</b>	PRC	Bronze / Black Cord	2130
<b>Material</b>	Painted steel, electroplated; brass, bronze, copper 2500mm textile cord	White / White Cord	2116
		Architects Grey / Black Cord	2113
		Black / Black Cord	2115
		<b>E27 Wall Medium Ø250</b>	
		Brass / Black Cord	2121
		Copper / Black Cord	2131

When the products are out of stock, they will not be replaced










## E27 PENDANT

<b>Design</b>	Frama
<b>Year</b>	2011
<b>Typology</b>	E27 pendant lights
<b>Collection</b>	Permanent lighting
<b>Origin</b>	PRC
<b>Material</b>	Various 3000mm textile cord


Product	Item No.
E27 Pendant	
Brass / White Cable	2010
Brass / Black Cable	2020
Steel / White Cable	2030
Steel / Black Cable	2040
Black Chrome / Black Cable	2050
Matte Black / Black Cable	2055
Black Chrome / White Cable	2060
Copper / Black Cable	2070
Copper Brown / Black Cable	2075
Copper / White Cable	2080
Matte White / White Cable	2090
Bronze / Black	2210
Matte Grey / Grey Cable	2220
Copper / Grey Cable	2240
Matte Black / Bordeaux Cable	2270

When the products are out of stock, they will not be replaced









## DIAMOND LIGHT

Design	Eric Therner
Year	2009
Typology	Halogen E27 Light bulb
Collection	Permanent lighting
Origin	PRC
Material	Clear, cognac and smoke glass
Watt	18W
Light control	Dimmable


Product	Item No.
Diamond light   Clear	2000
Diamond light   Cognac	2001
Diamond light   Smoke	2002

When the products are out of stock, they will not be replaced









## LED ATELIER

Design	Frama
Year	2016
Typology	E27 Light bulb
Collection	Permanent lighting
Origin	PRC
Material	Clear glass/smoke glass
Watt	1W LED
Light control	Non dimmable

Product	Item No.
Drop clear	2310
Drop smoke	2312
G125 clear	2202
G125 smoke	2204

When the products are out of stock, they will not be replaced







## Contact

Visit and learn more at [framacph.com](http://framacph.com)  
For any requests please contact  
[frama@framacph.com](mailto:frama@framacph.com)

## Frama Head Office & Studio

Frama, Org. St. Pauls Apotek  
Fredericiagade 57  
1310 Copenhagen  
Denmark

## Frama Amsterdam Lighting Studio

Amsterdam Studio  
Herengracht 180  
1016 BR Amsterdam  
Netherlands

## Press

[press@framacph.com](mailto:press@framacph.com)

## Instagram & Facebook

[framacph](#) | [framacopenhagen](#)

Study more at [framacph.com](http://framacph.com)

**FRAMA**