First Priority Manufacturing Quality Assurance Department 2681 Delta Ring Road Ferndale, WA 98248 USA

Phone: 360.366.3420 Toll Free: 877.398.7171



Certificate of Analysis

| Product Code: 108802R7 | Lot Number: S243A | Date of Manufacture: Apr 2022 | | | |
|--|-------------------------|-------------------------------|--|--|--|
| Master Batch Record Name: Chlorella (180) Cap Bottling MBR | | | | | |
| Product Label Name: Chlorella | | | | | |
| Net Quantity of Contents: 180 Capsules | Serving Size: 1 Capsule | Best By: Oct 2023 | | | |

| | Results per Capsule |
|---|--|
| Ingredient | rounded to the whole unit where ≥ 0.5 |
| Chlorella (Whole Algae) (Chlorella protothecoides) (Broken Cell Wall) | 300mg |
| AVERAGE FINISHED CAPSULE WEIGHT | 474 MG |

Other Ingredients: rice flour, capsule (hypromellose, purified water)

This product does not contain any of the 8 major allergens as defined by the Food Allergen Labeling and Consumer Protection Act (FALCPA). FALCPA defines the 8 major food allergens as: milk, eggs, fish, Crustacean shellfish, tree nuts, peanuts, wheat, and soybeans.

| Assay | Method | Specification | Results |
|---------------------------|-------------------------|---|-----------------------|
| Identification | NIR (HPLC, IR, or FTIR) | Positive for Chlorella | Positive as indicated |
| Appearance | Organoleptic | (0) Vegi Capsule | (0) Vegi Capsule |
| E. coli | AOAC 101101 | USP Absent in 10g | USP Absent in 10g |
| Total Aerobic Plate Count | AOAC 071203 | $AHPA \le 10^7 CFU/g$ | $AHPA \le 10^7 CFU/g$ |
| Arsenic (As) | ICP-MS FPM 10.01 | < 4ppm | As 0.028ppm |
| Cadmium (Cd) | ICP-MS FPM 10.01 | < 2ppm | Cd 0.007ppm |
| Methylmercury (Hg) | ICP-MS FPM 10.01 | < 2ppm | Hg 0.001ppm |
| Lead (Pb) | ICP-MS FPM 10.01 | < 5ppm | Pb 0.002ppm |
| Composition Analysis | Assayed by Weight | Conforms to Master Batch Record Specification | Conforms |

This Certificate Of Analysis is based on raw material assays and in house results checked by weight. Above stated ingredients are the inclusive list of all constituents of said lot and batch. First Priority Manufacturing acknowledges that each dosage may have up to a 5% difference in stated results due to processing techniques, and said percentage falls within U.S. Guidelines.

This lot was analyzed and released by our authorized Quality Control Department and was found to meet all intended specifications as given above and in 21 CFR Part 111 and the SOPs that govern those regulations in this facility for purity, potency, strength, and composition.

First Priority
Manufacturing is a GMP
certified manufacturer of
dietary supplements.



| Quality Assurance Approval: | Jonesalyune | 04 / 29 / 2022 |
|-----------------------------|----------------------|------------------|
| | Jenee Sue Clemens | Date |
| | Jenee@FirstPriorityM | anufacturing com |

Manufactured Exclusively for: Priority One Vitamins | 2681 Delta Ring Road | Ferndale, WA 98248