First Priority Manufacturing Quality Assurance Department 2681 Delta Ring Road Ferndale, WA 98248 USA

Phone: 360.366.3420 Toll Free: 877.398.7171



Certificate of Analysis

| Product Code: 6075R6 | Lot Number: R883A | Date of Manfacture: Jul 2021 | | | |
|--|--------------------------|------------------------------|--|--|--|
| Master Batch Record Name: Prostate Health (120) Cap Bottling MBR | | | | | |
| Product Label Name: Prostate Health* | | | | | |
| Net Quantity of Contents: 120 Capsules | Serving Size: 3 Capsules | Stability Testing Incomplete | | | |
| Ingredient | | Results per Capsule | | | |
| Magnesium (as Magnesium Oxide Gluconate) | | 1mg | | | |
| I Alanina | | 135mg | | | |

| Ingredient | Results per Capsule |
|---|---------------------|
| Magnesium (as Magnesium Oxide Gluconate) | 1mg |
| L-Alanine | 135mg |
| L-Glutamic Acid | 135mg |
| L-Glycine | 135mg |
| Saw Palmetto (Fruit) (Serenoa repens) Extract 4:1 | 100mg |
| Prostate | 80mg |
| Pygeum (Bark) (Pygeum africanum) Extract 4:1 | 25mg |
| Flax (Seed) (Linum usitatissimum) Organic | 10mg |
| Pumpkin (Seed) (Cucurbita pepo) | 10mg |
| Uva Ursi (Leaf) (Arctostaphylos uva ursi) | 10mg |
| Bee Pollen | 5mg |
| AVERAGE FINISHED CAPSULE WEIGHT | 908 MG |
| | |

Other Ingredients: rice flour, calcium silicate, maltodextrin, capsule (gelatin, purified water)

This product does not contain any of the 8 major allergens as defined by the Food Allergen Labeling and Consumer Protection Act (FALCPA). FALCPA defines the 8 major food allergens as: milk, eggs, fish, Crustacean shellfish, tree nuts, peanuts, wheat, and soybeans.

| Assay | Method | Specification | Results |
|---------------------------|-----------|-----------------------|----------|
| Total Aerobic Plate Count | FPM 5.01 | $AHPA \le 10^7 CFU/G$ | Pass |
| Enterobacteriaceae | FPM 14.01 | $AHPA \le 10^4 CFU/G$ | Pass |
| Appearance | FPM 3.01 | (00) Capsule | Conforms |
| NIR | FPM 1.01 | Positive | Pass |
| Composition Analysis | FPM 17.01 | Conforms | Pass |
| Arsenic | FPM 10.01 | < 4ppm | Pass |
| Cadmium | FPM 10.01 | < 2ppm | Pass |
| Lead | FPM 10.01 | < 5ppm | Pass |
| Mercury | FPM 10.01 | < 2ppm | Pass |

This Certificate Of Analysis is based on raw material assays and in house results checked by weight. Above stated ingredients are the inclusive list of all constituents of said lot and batch. First Priority Manufacturing acknowledges that each dosage may have up to a 5% difference in stated results due to processing techniques, and said percentage falls within U.S. Guidelines.

This lot was analyzed and released by our authorized Quality Control Department and was found to meet all intended specifications as given above and in 21 CFR Part 111 and the SOPs that govern those regulations in this facility for purity, potency, strength, and composition.

| Quality Assurance Approval: | Johnshipme | 07 / 07 / 2021 | |
|-----------------------------|----------------------|---------------------------------|--|
| | Jenee Sue Clemens | Date | |
| | Jenee@FirstPriorityM | @FirstPriorityManufacturing.com | |

Manufactured Exclusively for:
Priority One Vitamins | 2681 Delta Ring Road | Ferndale, WA 98248