

First Priority Manufacturing
 Quality Assurance Department
 2681 Delta Ring Road
 Ferndale, WA 98248 USA
 Phone: 360.366.3420
 Toll Free: 877.398.7171



Certificate of Analysis

Product Code: 6136R6	Lot Number: R624A	Date of Manufacture: Jan 2021
Master Batch Record Name: Fem-Bal (90) Cap Bottling MBR		
Product Label Name: Fem Bal™		
Net Quantity of Contents: 90 Capsules	Serving Size: 3 Capsules	Expiration Date: Jul 2022

Ingredient	Results per Capsule
Vitamin A (as Beta Carotene)	1700IU
Vitamin B6 (as 8mg as Pyridoxine HCl & 5mg as Pyridoxial 5 Phosphate)	13mg
Magnesium (as Magnesium Oxide Aspartate Rice Chelate)	53mg
Chromium (as Chromium Polynicotinate (ChromeMate®))	40mcg
Chaste Tree (Fruit) (Vitex angus-castus) Extract 4:1	25mg
Adrenal	17mg
Black Cohosh (Root) (Acetaea racemosa L. / Cimicifuga racemosa L.)	17mg
Cramp (Bark) (Viburnum opulus)	17mg
Dong Quai (Root) (Angelica sinensis)	17mg
Palm-Leaf Raspberry (Fruit) (Rubus chingii hu / Rubus officinalis) Extract 10:1	17mg
Passionflower (Leaf) (Passiflora incarnata)	17mg
Borage (Seed) (Borago officinalis) Extract 10% GLA (gamma-Linolenic acid)	15mg
Ovary	10mg
Valerian (Root) (Valeriana officinalis L.) Extract 0.8% Valerenic Acids	8mg
Pituitary	3mg
AVERAGE FINISHED CAPSULE WEIGHT	571 MG

Other Ingredients: rice flour, silica, maltodextrin, capsule (gelatin, purified water)

First Priority Manufacturing
 Quality Assurance Department
 2681 Delta Ring Road
 Ferndale, WA 98248 USA
 Phone: 360.366.3420
 Toll Free: 877.398.7171




Certificate of Analysis

Product Code: 6136R6	Lot Number: R624A	Date of Manufacture: Jan 2021
Master Batch Record Name: Fem-Bal (90) Cap Bottling MBR		
Product Label Name: Fem Bal™		
Net Quantity of Contents: 90 Capsules	Serving Size: 3 Capsules	Expiration Date: Jul 2022

Assay	Method	Specification	Results
Total Aerobic Plate Count	FPM 5.01	AHPA $\leq 10^7$ CFU/G	Pass
Enterobacteriaceae	FPM 14.01	AHPA $\leq 10^4$ CFU/G	Pass
Appearance	FPM 3.01	(1) Capsule	Conforms
NIR	FPM 1.01	Positive	Pass
Composition Analysis	FPM 17.01	Conforms	Pass
Arsenic	FPM 10.02	< 10 mcg/day	Pass
Cadmium	FPM 10.02	< 4.1 mcg/day	Pass
Lead	FPM 10.02	< .5 mcg/day	Exceeds
Mercury	FPM 10.02	< 0.3 mcg/day	Pass

This Certificate Of Analysis is based on raw material assays and in house results checked by weight. Above stated ingredients are the inclusive list of all constituents of said lot and batch. First Priority Manufacturing acknowledges that each dosage may have up to a 5% difference in stated results due to processing techniques, and said percentage falls within U.S. Guidelines.

This lot was analyzed and released by our authorized Quality Control Department and was found to meet all intended specifications as given above and in 21 CFR Part 111 and the SOPs that govern those regulations in this facility for purity, potency, strength, and composition.

Quality Assurance Approval:  01 / 28 / 2021
 Jenee Sue Clemens Date
 Jenee@FirstPriorityManufacturing.com

Manufactured Exclusively for:
 Priority One Vitamins | 2681 Delta Ring Road | Ferndale, WA 98248