

First Priority Manufacturing
 Quality Assurance Department
 2681 Delta Ring Road
 Ferndale, WA 98248 USA
 Phone: 360.366.3420
 Toll Free: 877.398.7171



Certificate of Analysis

Product Code: 6395R6	Lot Number: R895A	Date of Manufacture: Jul 2021
Master Batch Record Name: Cardio Chelation (90) Cap Bottling MBR		
Product Label Name: Cardio Chelation™		
Net Quantity of Contents: 90 Capsules	Serving Size: 6 Capsules	Expiration Date: Jul 2022

Ingredient	Results per Capsule
Calcium (as Calcium Carbonate Aspartate Rice Chelate)	6mg
Magnesium (as Magnesium Oxide Aspartate Rice Chelate)	11mg
Selenium (as Sodium Selenite Aspartate Rice Chelate)	2mcg
Manganese (as Manganese Carbonate Aspartate)	10mg
Chromium (as Chromium Chloride Hexahydrate Polynicotinate (ChromeMate® CM-100M))	4mcg
Potassium (as Potassium Carbonate Chloride Aspartate)	25mg
Garlic (Root/Bulb) (<i>Allium sativum</i>)	133mg
L-Taurine	100mg
L-Tyrosine	83mg
Ethylenediaminetetraacetic acid (EDTA) Calcium Disodium Salt	67mg
Choline Bitartrate	42mg
Hawthorn (Fruit) (<i>Crataegus laevigata</i> , <i>Crataegus oxyacanthus</i>)	42mg
Butcher's Broom (Root) (<i>Ruscus aculeatus</i>) Extract 4:1	25mg
L-Carnitine Fumarate	25mg
Inositol	21mg
Alpha Lipoic Acid	17mg
Co Enzyme Q10	17mg
Ginkgo (Leaf) (<i>Ginkgo biloba</i> L.) Extract 24% Flavonol Glycosides /6% Terpene Lactones	10mg
Bromelain 2400 GDU/g, 3600MCU/g	9mg
Gentian (Root) (<i>Gentiana lutea</i>)	8mg
dl-Methionine	5mg
AVERAGE FINISHED CAPSULE WEIGHT	1020 MG

Other Ingredients: rice flour, maltodextrin, dicalcium phosphate, silicon dioxide, sodium hydroxide, capsule

ChromeMate® is a registered trademark of InterHealth Nutraceuticals Inc.

First Priority Manufacturing
 Quality Assurance Department
 2681 Delta Ring Road
 Ferndale, WA 98248 USA
 Phone: 360.366.3420
 Toll Free: 877.398.7171




Certificate of Analysis

Product Code: 6395R6	Lot Number: R895A	Date of Manufacture: Jul 2021
Master Batch Record Name: Cardio Chelation (90) Cap Bottling MBR		
Product Label Name: Cardio Chelation™		
Net Quantity of Contents: 90 Capsules	Serving Size: 6 Capsules	Expiration Date: Jul 2022

Assay	Method	Specification	Results
Total Aerobic Plate Count	FPM 5.01	AHPA $\leq 10^7$ CFU/G	Pass
Enterobacteriaceae	FPM 14.01	AHPA $\leq 10^4$ CFU/G	Pass
Appearance	FPM 3.01	(00) Vegi Capsule	Conforms
NIR	FPM 1.01	Positive	Pass
Composition Analysis	FPM 17.01	Conforms	Pass
Arsenic	FPM 10.01	< 4ppm	Pass
Cadmium	FPM 10.01	< 2ppm	Pass
Lead	FPM 10.01	< 5ppm	Pass
Mercury	FPM 10.01	< 2ppm	Pass

This Certificate Of Analysis is based on raw material assays and in house results checked by weight. Above stated ingredients are the inclusive list of all constituents of said lot and batch. First Priority Manufacturing acknowledges that each dosage may have up to a 5% difference in stated results due to processing techniques, and said percentage falls within U.S. Guidelines.

This lot was analyzed and released by our authorized Quality Control Department and was found to meet all intended specifications as given above and in 21 CFR Part 111 and the SOPs that govern those regulations in this facility for purity, potency, strength, and composition.

Quality Assurance Approval:  07 / 06 / 2021
 Jenee Sue Clemens Date
 Jenee@FirstPriorityManufacturing.com

Manufactured Exclusively for:
 Priority One Vitamins | 2681 Delta Ring Road | Ferndale, WA 98248