



C265

Features:

Canadian glove with 3M-Thinsulate® lined, reinforced knuckle protection on stripped drill fabric and rubberized cuff, white tape binding at the end of the cuff, Provides good mechanical resistant and comfort
Total wt/ pair (g)- 158 gm
Gross wt/ carton- 19.4 kg
Chromium VI free leather according to EN 420:2003 + A1:2009

C265

Material used

Palm - Natural split leather with 1.1-1.3 mm thickness
Back - Premium quality cotton drill stripped back
Lining - 3M-Thinsulate® lined
Cuff - Rubberized safety cuff
Binding - Synthetic black binding

Available Size


7, 8, 9, 10, 11

Color

Natural

Specifications:

Liner: Cotton cloth lining
Palm length : 260 mm (size 10)
Weight (DZP): 1900 (±10) gm (size 10)



CANADIAN GLOVES

Natural grain leather Canadian glove with 3M-Thinsulate® lined leather reinforced knuckle protection on stripped cotton drill fabric back, rubberized cuff



MALLCOM INDIA LTD

EN 12, Sector V, Salt Lake City
Kolkata 700091, India

T: +E : safety@mallcom.in, w : www.mallcom.in



Safe hands!!

Limit to use

Do not use this glove out of its usage specifications defined in the instructions above. This glove does not contain substance known as being carcinogenic, neither toxic, nor likely to cause allergies to the sensitive people

Instructions for storage:

Store the gloves in cool dry place and out of reach of sunlight in their original carton and packing.

Using life depends on character of activity and usage frequency

Mallcom Canadian gloves provides superior comfort and dexterity with unparalleled mechanical resistant properties

Warning

Gloves not to be worn when there is a risk of entanglement by moving parts of machines.

Instructions for cleaning / maintenance:

No specific cleaning or maintenance for this type of glove

Packaging Instruction:

1 dozen pairs in a polybag
10 poly bags in a carton
120 pairs in a carton



Performance according to EN 388:2003

3. Resistance to abrasion (from 0 to 4)
1. Resistance to cut (from 0 to 5)
2. Resistance to tear (from 0 to 4)
3. Resistance to puncture (from 0 to 4)

Applications:

Automotive

Assembly & inspection of components
Chassis assembly, body trimming

Machinery and Equipment

Assembly & disassembly of equipment
Fabricating metal parts

Metal fabrication

Mounting and dismantling
Production line support & maintenance



MALLCOM INDIA LTD

EN 12, Sector V, Salt Lake City
Kolkata 700091, India

T: +E: safety@mallcom.in, w: www.mallcom.in