



MPKB

#### Features:

For extra comfort, MPKB gloves feature interlock knit lining, generous sizing, and contoured designs. Special Nitrile formulation provides an excellent combination of flexibility, mechanical resistance and oil repellency. Natural hand shape - easier to wear for long periods. Available in a wide range of styles, lengths and sizes. Silicone-free. Ensures cleanliness of metal sheets: important in steel and motor industries.

## MPKB

#### Material used

Coating - Dipped on blue coloured Nitrile compound  
Liner - 240 GSM cotton  
Knitted - Knitted wrist

#### Sizes


7, 8, 9, and 10

#### Color

Back: blue-white  
Palm: blue

#### Specifications:

Coating: Medium palm coated  
Liner: 240 GSM cotton interlock liner  
Weight (DZP): 1140 g (size 10)



## CUT N STITCH NITRILE GLOVES

*240 GSM cotton Interlock cut n stitch medium coated nitrile glove with knitted wrist, blue coloured coating with smooth finish*



#### MALLCOM INDIA LTD

EN 12, Sector V, Salt Lake City  
Kolkata 700091, India

T: +E : [safety@mallcom.in](mailto:safety@mallcom.in), w : [www.mallcom.in](http://www.mallcom.in)



**Safe hands!!**

**Limits to use**

Do not use this glove out of its usage specifications defined in the instructions above. This glove does not contain substance known as being carcinogenic, neither toxic, nor likely to cause allergies to the sensitive people.

**Instructions for storage:**

Store in a cool, dry place; away from frost and light in their original packaging.

---

*Cut & Stitch Nitrile glove ensure better mechanical resistant & durability*

---

**Warning**

Gloves not to be worn when there is a risk of entanglement by moving parts of machines

**Instructions for cleaning:**

No specific cleaning or maintenance for this type of glove.

**Packaging Instruction:**

1 dozen pairs in a polybag  
10 poly bags in a carton  
120 pairs in a carton



Performance according to EN 388:2003 :

- 4. Resistance to abrasion (from 0 to 4)
- 1. Resistance to cut (from 0 to 5)
- 2. Resistance to tear (from 0 to 4)
- 1. Resistance to puncture (from 0 to 4)



**Applications:**

- Automotive**  
Assembly & inspection of components  
Chassis assembly, body trimming
- Machinery and Equipment**  
Assembly & disassembly of equipment  
Fabricating metal parts  
Foundry operations
- Metal fabrication**  
Mounting and dismantling  
Production line support & maintenance



**MALLCOM INDIA LTD**  
EN 12, Sector V, Salt Lake City  
Kolkata 700091, India  
T: +E: [safety@mallcom.in](mailto:safety@mallcom.in), w: [www.mallcom.in](http://www.mallcom.in)